



Market Advisory Committee

Agenda

Meeting No.	43
Location:	IMO Board Room Level 3, Governor Stirling Tower, 197 St Georges Terrace, Perth
Date:	Wednesday 5 October 2011
Time:	3.00pm – 5.00pm

Item	Subject	Responsible	Time
1.	WELCOME	Chair	2 min
2.	MEETING APOLOGIES / ATTENDANCE	Chair	2 min
3.	MINUTES OF PREVIOUS MEETING 42	Chair	10 min
4.	ACTIONS ARISING	Chair	10 min
5.	MARKET RULES		
	a) Market Rule Change Overview	IMO	2 min
6.	MARKET PROCEDURES		
	a) Overview	IMO	2 min
7.	WORKING GROUPS		
	a) Overview and membership updates	IMO	2 min
	b) RDIWG Update (<i>Verbal update</i>)	IMO	2 min
8.	REVIEW OF RCM: ISSUES AND RECOMMENDATIONS REPORT BY THE LANTAU GROUP	IMO	90 min
9.	GENERAL BUSINESS		
10.	NEXT MEETING: 16 November 2011 (3.00 – 5.00pm)		

Independent Market Operator

Market Advisory Committee

Minutes

Meeting No.	42
Location	IMO Board Room Level 3, Governor Stirling Tower, 197 St Georges Terrace, Perth
Date	Wednesday 13 September 2011
Time	Commencing at 2.00 pm

Attendees	Class	Comment
Allan Dawson	Chair	
Suzanne Frame	Compulsory - IMO	
Stephen MacLean	Compulsory – Customer	
Phil Kelloway	Compulsory – System Management	Proxy
Andrew Everett	Compulsory – Generator	
Peter Mattner	Compulsory – Network Operator	
Steve Gould	Discretionary – Customer	
Corey Dykstra	Discretionary – Customer	
Jeff Renard	Discretionary – Customer	Proxy
Peter Huxtable	Discretionary – Contestable Customer Representative	
Andrew Sutherland	Discretionary – Generator	
Shane Cremin	Discretionary – Generator	
Ben Tan	Discretionary – Generator	
Paul Biggs	Small Use Customer Representative	
Wana Yang	Observer – ERA	
Paul Hynch	Minister's appointee	Proxy
Apologies	Class	Comment
Ken Brown	Compulsory – System Management	
Michael Zammit	Discretionary – Customer	
Nerea Ugarte	Minister's appointee	
Also in attendance	From	Comment
Suzi Morris	IMO	Minutes
Stacey Oldfield	IMO	Observer
Jenny Laidlaw	IMO	Observer
Douglas Birnie	IMO	Presenter
Fiona Edmonds	IMO	Observer
Ben Williams	IMO	Observer
Jim Truesdale	Concept Consulting	Observer
Simon Adams	Lavan Legal	Observer

Item	Subject	Action
1.	WELCOME The Chair opened the meeting at 2.00 pm and welcomed members to the 42nd meeting of the Market Advisory Committee (MAC). The Chair introduced Ms Suzanne Frame as the new IMO representative.	
2.	MEETING APOLOGIES / ATTENDANCE Apologies were received from: - Ken Brown - Michael Zammit - Nerea Ugarte The following other attendees were noted: - Phil Kelloway (Proxy for Ken Brown) - Paul Hynch (Proxy for Nerea Ugarte) - Douglas Birnie (Presenter) - Ben Williams (Observer) - Stacey Oldfield (Observer) - Simon Adams (Observer) - Jeff Renard (Proxy for Michael Zammit) - Suzi Morris (Minutes) - Fiona Edmonds (Observer) - Jim Truesdale (Observer) - Jenny Laidlaw (Observer)	
3.	MINUTES OF PREVIOUS MEETING The minutes of MAC Meeting No. 40, held on 13 July 2011, were circulated prior to the meeting. The following amendments to the minutes were agreed to be included: - Item 5c Page 5, 4th paragraph: "Ms Laidlaw replied that this would be a contractual matter between the DSP provider and Western Power" Mr Phil Kelloway requested that, although not mentioned during the meeting, the words be added "and could also have SWIS security implications". - Item 8 Page 8, 2nd paragraph: Dr Steve Gould noted that the reference "dispatch margin" should be the "reserve margin"; and with respect to the statement "888 MW of coal plant was out of operation" 700 MW was undertaking a Planned Outage. Mr Gould also suggested that after "reserve margin" the following sentence should be inserted "...and that liquid pricing was avoided throughout the incident." - Item 8 Page 9, 4th and 5th paragraph: Mr Andrew Sutherland suggested that he might like to amend the discussion in this section and would consider this further out of session. <i>Action Point: Mr Sutherland to further consider the details reflected in item 8 of the Meeting No. 40 minutes (page 9, paragraphs 4 and 5) and inform the IMO of any further updates</i> Subject to the above amendments, the minutes were accepted as a true	Mr Sutherland

	and accurate record of Meeting No. 40. <i>Action Point: The IMO to update the minutes to reflect the agreed amendments, subject to Mr Sutherland's notification, and publish the minutes of Meeting No. 40 on the website as final.</i> Meeting No. 41 was not held in session but rather papers on the proposed amendments to the Maximum Reserve Capacity Price (MRCP) Market Procedure had been circulated out of session for members comment.	IMO
4.	ACTIONS ARISING Items 41 and 42 are complete. The following items are still outstanding: • Item 27: The Chair noted that the 2011 Statement of Opportunities had been published by the IMO. The Chair stated that Mr Greg Ruthven would provide an update on the outcomes of the IMO and System Management's discussions on System Management's concerns regarding the methodology used by the IMO for Availability Curve calculations and in particular the availability of Demand Side Management at the next MAC meeting. It was noted that the responsibility for this action point was originally listed as System Management, however this was clarified to belong to the IMO. <i>Action Point: The IMO to provide a clarification on the outcome for of the IMO and System Management's discussions on the methodology used by the IMO for Availability Curve calculations at the October 2011 MAC meeting.</i>	IMO
5a	MARKET PROCEDURES Ms Suzanne Frame noted that the Procedure Change Proposal: 5 Yearly Review of the Methodology and Process for Determining the MRCP (PC_2011_06) had been submitted by the IMO into the formal procedure change process on 6 September 2011. Ms Frame noted that following the circulation of the proposed amended procedure to the MAC out of session the IMO had received a number of submissions from MAC members, which have been incorporated into the proposed amendments where appropriate. Ms Frame also noted that the IMO had held a public workshop with industry to further discuss the proposed amendments. The outcomes of Sinclair Knight Merz's review of Deep Connection costs were presented along with an overview of the amendments following the MRCP Working Group's considerations of the existing Market Procedure. The Chair noted that the workshop was widely attended by industry and it was clear that the biggest perceived issue relates to the volatility of the price resulting from the MRCP process. The MAC noted the overview of recent and upcoming procedure changes.	
6a	MARKET RULE CHANGE OVERVIEW Ms Frame noted that no new rule changes or issues had been submitted into the rule change log. A Rule Change Proposal (RC_2011_06) that	

	clears a number of items on the minor and typographical rule change log had been submitted into the formal process on 19 August 2011. Ms Wana Yang noted that the ERA did not wish there to be any further delays with the progression of the Rule Change Proposal: Reassessment of Allowable Revenue during a Review Period (RC_2011_02). The Chair noted Ms Yang's concerns and acknowledged that there had been some personnel changes in the IMO resulting in extension notices needing to be issued. The MAC noted the overview of recent and upcoming rule changes.	
6b	BALANCING AND LFAS ARRANGEMENTS – PROCESS TO DATE AND NEXT STEPS Mr Douglas Birnie noted that the paper provides a high level summary of the present position of the proposed amendments under the Pre Rule Change Proposal: Competitive Balancing and Load Following Services Market (PRC_2011_10). Mr Birnie noted that the latest draft of the PRC_2011_10 has been presented at today's meeting (with the proposed Amending Rules being tabled during the meeting), and, subject to any further comments by MAC members prior to noon on 16 September 2011, will be formally submitted into the Rule Change Process. The Market Procedures affected by the proposed Amending Rules are to be developed by the IMO and System Management respectively, with a series of workshops taking place at the Western Australian Cricket Association (WACA) in October and November (similar to the walk through workshops conducted on the rule changes) with formal consultation through the procedure change process to follow during December. Ms Yang enquired as to whether the statement on page 24 of PRC_2011_10, <i>"Independent legal advisers have undertaken a legal consistency check of the Pre Rule Change Proposal with the IMO's Market Rule obligations"</i>, was due to the rule changes not receiving majority endorsement. The Chair advised that this is not the case, it is simply a matter of checking for congruency with the Regulations. Ms Yang queried whether the MAC's endorsement of PRC_2011_10 is required. The Chair advised that MAC operates in an advisory capacity and the decision to proceed or not is for the IMO (or any other submitting party) to make. The recommendation (c) in the paper simply reflects a final opportunity for the MAC to comment on the proposal. Mr Corey Dykstra noted that there is no obligation to submit a Pre Rule Change Paper through the MAC, it can be submitted directly to the IMO (although this is not recommended). Ms Yang queried where the minimum STEM price of negative \$1,000 per MW originated (refer page 30 No 12). The Chair explained that there was a chance that the market would settle at the bottom price point regularly resulting in a tie break methodology being used more often. Subsequently it was suggested that the negative price be lowered to differentiate the lower end of the price offer. Mr Stephen MacLean noted	

	that the \$1,000 value was also used the National Electricity Market (NEM). The Chair expressed his gratitude for the level of engagement throughout the consultation process. Mr Corey Dykstra requested a word version of the Pre Rule Change Proposal be provided to MAC members. <i>Action Point: The IMO to provide MAC members with a word version of PRC_2011_10.</i>	IMO
6c	RESPONSES TO RDIWG MEMBERS COMMENTS ON PRC_2011_10 Mr Birnie requested that the responses to Rules Development Implementation Working Group (RDIWG) members' comments be dealt with by exception – any big issues can be raised at this meeting, but otherwise members are asked to review the comments outside the meeting and provide any further input via email. There were no questions raised at the meeting. <i>Action Point: MAC members to review the responses to RDIWG members' comments out of session and provide the IMO with further comment by Friday 16 September 2011.</i>	MAC
6d	PRC_2011_10: COMPETITIVE BALANCE AND LOAD FOLLOWING MARKET Mr Birnie tabled the proposed Amending Rules for PRC_2011_10 during the meeting. Mr MacLean queried whether there have been any subsequent changes to the Cost Benefit Analysis (CBA) figures presented on page 83. The Chair responded that advice was sought from Sapere Research Group (Sapere) as to whether revisions to the CBA were required as System Management had raised concerns regarding an escalation in costs for implementing the required IT systems. Sapere have prepared a briefing note for the IMO on the overall impacts of the CBA of the identified additional costs under both the high and low cost assumptions. The Chair noted that Sapere's advice is that although the costs to be taken into account have increased by 37%, the resultant conclusion from any revision to the CBA remains in favour of the proposal. The Chair noted that the briefing note would be presented to the IMO Board at its Thursday 15 September 2011 meeting for further consideration.. <i>Action Point: Following consideration by the IMO Board of the Sapere Research Group's briefing note on the CBA for PRC_2011_10, the IMO to circulate the briefing note to MAC members.</i> The Chair noted that it is becoming increasingly important to release market related information and as such the IMO has introduced a number of amendments to the confidentiality provisions into PRC_2010_11. The Chair noted that information will be either public or confidential under the proposed amendments, stating that not all public information will necessarily be published on the Market Web Page. The Chair noted that	IMO

	the IMO is currently preparing a revised list of confidential information. Mr Kelloway noted that a process or procedure to govern the confidentiality arrangements so that any proposed changes are put to a working group or the MAC for assessment is incorporated.	
7a	WORKING GROUP OVERVIEW AND MEMBERSHIP UPDATES The MAC noted that there were no changes.	
7b	RDIWG UPDATE Mr Birnie noted the status of PRC_2011_10 and reiterated his request for any comments on the proposal by noon on 16 September 2011.	
8	GENERAL BUSINESS <i>Transitional arrangements for the new balancing and LFAS markets</i> Mr Birnie tabled a document outlining the implications of the transitional arrangements with a target end date of 5 December 2012. Major changes relate to gate closure (two hours instead of six hours) and submission tranches (from ten to four price quantity pairs). A budget increase is required to meet the costs of rolling out System Management infrastructure and incorporate the additional time required for testing, the original budget being drafted to cover expenditure only to June 2012. Mr Birnie noted that there will be further discussion on the transitional arrangements at the next RDIWG meeting. <i>Review of the Reserve Capacity Mechanism by The Lantau Group (Lantau)</i> Mr Shane Cremin questioned the timing of the release of Lantau's report on its review of the Reserve Capacity Mechanism. The Chair noted that the IMO Board would be considering the report prepared by Lantau at its 15 September 2011 meeting, after which time the report would be presented to the MAC for discussion. The Chair noted that the proposed amendments to the determination of the MRCP and their impact on excess capacity have complicated the report as these were not originally accounted for. There was some discussion around options for how the Reserve Capacity Price could be determined. Mr MacLean raised his concern that the review had commenced a year ago following the request of the MAC and the market was still waiting on the outcomes. The Chair clarified that the review had been commissioned by the IMO Board independently from the MAC. There was some discussion about the impacts of the current methodology for determining the Reserve Capacity Price.	
9	NEXT MEETING Meeting No. 43 will be held on Wednesday 5 October 2011 (2.00 – 5.00pm). The Chair proposed that Meeting No. 44 be held on Wednesday 16 November 2011 (2.00pm – 5.00pm), one week later than the original date of Wednesday 9 November 2011.	

	<i>Action Point: MAC members to advise the IMO of the suitability of the amended 16 November 2011 date (previously 9 November 2011) for Meeting No. 44.</i>	MAC
CLOSED: The Chair declared the meeting closed at 3.25 pm.		



Agenda item 4: 2011 MAC Action Points

Legend:

Shaded	Shaded action points are actions that have been completed since the last MAC meeting.
Unshaded	Unshaded action points are still being progressed.
Missing	Action items missing in sequence have been completed from previous meetings and subsequently removed from log.

#	Year	Action	Responsibility	Meeting arising	Status/Progress
27	2011	The IMO to work with System Management to investigate System Management's concerns regarding the methodology used by the IMO for Availability Curve calculations under clause 4.5.12 of the Market Rules, prior to the publication of the 2011 Statement of Opportunities.	System Management	May	Completed. Verbal update to be provided by Mr Ruthven at the October MAC meeting.
33	2011	The IMO to consider the suggested amendments to the Pre Rule Change Discussion Paper: Ancillary Services Payment Equations (PRC_2010_27) provided by Mr Stephen MacLean, and update the proposal as appropriate.	IMO	June	In progress.

#	Year	Action	Responsibility	Meeting arising	Status/Progress
43	2011	Mr Sutherland to further consider the details reflected in item 8 of the Meeting No. 40 minutes (page 9, paragraphs 4 and 5) and inform the IMO of any further updates	Mr Sutherland	September	Completed. Mr Sutherland clarified his statement as follows: “Mr Sutherland noted that there had not been a general gas shortfall. However, while it was possible to generate using gas 24 hours per day for a short period, <u>contractual limits on gas supply Max Daily Quantities and DBP transport capacity would impose commercial penalties on continued 24hr operation</u> ”
44	2011	The IMO to update the minutes to reflect the agreed amendments, subject to Mr Sutherland's notification, and publish the minutes of Meeting No. 40 on the website as final.	IMO	September	Completed.
45	2011	The IMO to provide a clarification on the outcome for of the IMO and System Managements discussions on the methodology used by the IMO for Availability Curve calculations at the October MAC meeting.	IMO	September	Completed. Verbal update to be provided by Mr Ruthven at the October MAC meeting.
46	2011	The IMO to provide MAC members with a word version of PRC_2011_10.	IMO	September	Completed.
47	2011	MAC members to review the responses to RDIWG members comments out of session and provide the IMO with further comment by Friday 12 September 2011.	MAC members	September	Completed.
48	2011	Following consideration by the IMO Board of the Sapere Research Groups briefing note on the CBA for PRC_2011_10, the IMO to	IMO	September	Completed.

#	Year	Action	Responsibility	Meeting arising	Status/Progress
		circulate the briefing note to MAC members.			Provided on 23 September 2011
49	2011	MAC members to advise the IMO of the suitability of the amended 16 November date (previously 9 November) for Meeting 44.	MAC members	September	Completed. The November MAC meeting has been rearranged to be held on 16 November between 3-5pm.



Agenda Item 5a: Overview of Market Rule Changes

Below is a summary of the status of Market Rule Changes that are either currently being progressed by the IMO or have been registered by the IMO as potential Rule Changes to be progressed in the future.

Rule changes: Formally submitted (see appendix 1)	28 September 2011
Fast track with Consultation Period open	0
Standard Rule Changes with 1st Submission Period Open	1
Fast Track Rule Changes with Consultation Period Closed (final report being prepared)	0
Standard Rule Changes with 1st Submission Period Closed (draft report being prepared)	3
Standard Rule Changes with 2nd Submission Period Open	3
Standard Rule Changes with 2nd Submission Period Closed (final report being prepared)	2
Rule Changes - Awaiting Minister's Approval and/or Commencement	8
Total Rule Changes Currently in Progress	17

Potential changes logged by the IMO- Not yet formally submitted	August	September
High Priority (to be formally submitted in the next 3/6 months)	0	0
Medium Priority (may be submitted in the next 6/12 months)	24	25 (+1/-0)
Low Priority (may be submitted in the next 12/18 months)	20	23 (+3/-0)
Potential Rule Changes (H, M and L)	44	48
Minor and typographical (submitted in three batches per year)	31	32 (+1/-0)

Total Potential Rule Changes	75	80
-------------------------------------	-----------	-----------

The changes in the rule change and issues log from August to September have arisen from:

Priority	Issue
High	N/a
Medium	In: - Clause 4.28.8 currently references two deadlines which apply to Market Participants for providing information for both the initial (20 August) and monthly adjustments (20 Business Days prior to the date and time in clause 4.1.28(b)). Clause 4.28.8 needs to be altered to specify the individual dates that Market Participants have to provide the information contained in clause 4.28.8 for initial and monthly adjustments for the IRCR. Out: - No issues have been progressed this month.
Low	In: - Clause 4.28.11 needs to state that the IMO will only publish the initial IRCR during the October Trading Month, and not also an updated IRCR, as this is the start of the Capacity Year. It is unnecessary to publish an updated IRCR value in October as well. - Where a Market Participant operates a facility at 100% of its Required Level and is eligible for the immediate return of its Reserve Capacity Security, the IMO is obliged to refund a cash deposit within 10 Business Days of the request. Cash security is however deposited in a monthly term deposit account and participants may choose to delay the return of their security to ensure full interest payment for the current month (following an offer to this effect from the IMO). Where the participant chooses to wait until the end of the month and this is more than 10 Business Days from the original request, the IMO must ask the participant to withdraw the original request and re-submit the request. Clause 4.13.14 needs to state that the cash security will be refunded at a mutually agreed date. - The Market Rules are unclear regarding the Reserve Capacity Testing requirements for Dispatchable Loads and Interruptible Loads as the concept of a Required Level does not apply to them. Out: - No issues have been progressed this month.

APPENDIX 1: FORMALLY SUBMITTED RULE CHANGES (Current as of 28 September 2011)**Standard Rule Change with First Submission Period Closed**

ID	Date submitted	Title	Submitter	Next Step	Date
RC_2011_10	23/09/2011	Competitive Balancing and Load Following Market	IMO	Submissions close	07/11/2011

Standard Rule Change with First Submission Period Closed

ID	Date submitted	Title	Submitter	Next Step	Date
RC_2010_08	15/04/2010	Removal of DDAP uplift when less than facility minimum generation	Griffin Energy	Publish Draft Rule Change Report	19/04/2012
RC_2010_28	01/03/2011	Capacity Credit Cancellation	IMO	Publish Draft Rule Change Report	16/11/2011
RC_2011_02	10/03/2011	Reassessment of Allowable Revenue during a Review Period	ERA	Publish Draft Rule Change Report	14/12/2011

Standard Rule Change with Second Submission Period Open

ID	Date submitted	Title	Submitter	Next Step	Date
RC_2010_25	29/11/2010	Calculation of the Capacity Value of Intermittent Generation - Methodology 1 (IMO)	IMO	Submissions close	14/10/2011
RC_2010_37	30/11/2010	Calculation of the Capacity Value of Intermittent Generation - Methodology 2 (Griffin Energy)	Griffin Energy	Submissions close	14/10/2011

RC_2011_08	14/07/2011	Curtaillable Load Dispatch for NCS and Changes to the RCOQ for Curtaillable Loads under certain circumstances	System Management	Submissions close	24/10/2011
-------------------	------------	---	-------------------	-------------------	------------

Standard Rule Change with Second Submission Period Closed

ID	Date submitted	Title	Submitter	Next Step	Date
RC_2011_04	13/06/2011	List of Entities Meeting the Acceptable Credit Criteria	IMO	Publish Final Rule Change Report	17/10/2011
RC_2011_05	09/06/2011	Curtaillable Load Dispatch Clarification	System Management	Publish Final Rule Change Report	19/10/2011

Fast Track Rule Change with Final Rule Change Report Published

ID	Date submitted	Title	Submitter	Next Step	Date
RC_2011_06	19/08/2010	Correction of minor, typographical and manifest errors	IMO	Awaiting Ministerial Approval	14/10/2011
RC_2011_07	14/07/2011	Calculation of Net STEM Shortfall for Scheduled Generators	Alinta	Commencement	01/12/2011

Standard Rule Change with Final Rule Change Report Published

ID	Date submitted	Title	Submitter	Next Step	Date
RC_2010_12	7/11/2010	Required Level and Reserve Capacity Security	IMO	Commencement	01/10/2011
RC_2010_14	06/12/2010	Certification of Reserve Capacity	IMO	Commencement	01/01/2012
RC_2010_22	18/11/2010	Partial Commissioning of Intermittent Generators	IMO	Commencement	01/10/2011

RC_2010_29	02/12/2010	Curtaillable Loads and Demand Side Programmes	IMO	Commencement	01/10/2011
RC_2010_31	18/03/2011	De-registration of Rule Participants who no longer meet registration requirements	IMO	Commencement	TBA
RC_2010_33	17/12/2010	Cost_LR	Verve	Commencement	01/11/2011



Agenda Item 6a: Overview of Recent and Upcoming IMO and System Management Procedure Change Proposals

Legend:

Shaded	Shaded rows indicate procedure changes that have been completed since the last MAC meeting.
Unshaded	Unshaded rows are procedure changes still being progressed.

Change ID	Title	Brief overview of changes	Status	Next Step(s)	Date
IMO Procedure Change Proposals					
PC_2010_03	Monitoring Protocol	The proposed updates are to: • Allow the IMO to disclose the identity of System Management as a participant that notifies us of alleged breaches; and • Update to conform to recently adopted style changes.	• Final Report being prepared	• Final Report to be published	TBA
PC_2010_08	Supplementary Reserve Capacity (SRC)	The proposed new Market Procedure describes the process that the IMO and System Management will follow in: • acquiring Eligible Services, • entering into SRC Contracts; • determining the maximum contract value per hour of availability for any contract; and • Details the information that is required to be exchanged.	• Final Report being prepared	• Final Report to be published	TBA

Change ID	Title	Brief overview of changes	Status	Next Step(s)	Date
		This Market Procedure needs to be published (as required by the Market Rules) and will be revised following any rule changes (if applicable).			
PC_2011_04	Prudential Requirements	The proposed updates are to: • Reflect the IMO's new format arising from its Market Procedures project; • Include some minor and typographical amendments to improve the integrity of the Market Procedure; • Include amendments required as a result of two Rule Change Proposals: ◦ RC_2010_11¹ Removal of Network Control Services (NCS) Expression of Interest and Tender Process from the Market Rules; and ◦ RC_2010_36² Acceptable Credit Criteria; The IMO would like to note that the remainder of the Market Procedure is out of scope for the purposes of this Procedure Change Proposal, as the IMO is currently undertaking a more detailed process review regarding Prudential requirements. Any amendments resulting from this review will be presented to the Working Group.	• Presented at the 2 February 2011 working group meeting.	• Pending outcomes from RC_2011_04.	TBA
PC_2011_05	Reserve Capacity Testing	The proposed updates are to: • Reflect the Amending Rules resulting from RC_2010_09; • Reflect the Required Level concept resulting from RC_2010_12;	• The IMO published the Final Report on 23 September 2011	• Amended Market Procedure will commence	1 October 2011

¹ Refer to www.imowa.com.au/RC_2010_11

² Refer to www.imowa.com.au/RC_2010_36

Change ID	Title	Brief overview of changes	Status	Next Step(s)	Date
		- Remove the references to the Verification Tests undertaken by DSPs for consistency with the Heads of Power of the Market Procedure provided under clause 4.24.14 of the Market Rules; and - Require a DSP provider to notify in advance the IMO and SM that the Facility will be verifying its performance by observation during a specific Trading Interval. - Some minor and typographical errors			
PC_2011_06	5 Yearly Review of the Methodology and Process for Determining the Maximum Reserve Capacity Price	The proposed updates are to: - Include a provision for an inlet air cooling system in the definition of the model power station, step 1.5, - Change the Fixed Fuel Cost to include an allowance to initially fill the fuel tank with sufficient distillate for 14 hours of operation, - Include in step 1.11.2 (a) where the minimum land size available in any specific location is greater than 3ha, for the purpose of calculating the land cost for that specific location, the minimum available land size at that location shall be used, - the effective compensation period for the total investment costs for the generic power station cost, which was previously 2 years, is to be changed to 6 months, - escalation of values in respect of power station, transmission, switchyard and Operating and Maintenance (O&M) costs	The submission period is due to end 4 October 2011.	Publish Final Procedure Change Report	TBA

Change ID	Title	Brief overview of changes	Status	Next Step(s)	Date
		to April of Year 3 is to be performed by the consultant(s) developing the cost estimates.			
TBA	Undertaking the LT PASA and conducting a review of the Planning Criterion	The proposed updates are to: • Reflect the IMO's new format arising from its Market Procedures project; • Include some minor and typographical amendments to improve the integrity of the Market Procedure, including re-ordering some sections; and • Include both reviews required under clause 4.5.15 of the Market Rules (Planning Criterion and forecasting processes).	• Updating procedure as a result of 2 February 2011 working group meeting.	• Updated procedure to be presented back to working group for further discussion.	TBA
TBA	Reserve Capacity Security	The proposed updates are to: • Reflect the IMO's new format arising from its Market Procedure project; • Reflect the broader heads of power for the Market Procedure; and • Ensure consistency with the proposed Amending Rules under the following Rule Change Proposals that the IMO is currently progressing: ○ Reserve Capacity Security (RC_2010_12); ○ Certification of Reserve Capacity (RC_2010_14); ○ Capacity Credit Cancellation (RC_2010_28); and ○ Acceptable Credit Criteria (RC_2010_36).	• Presented at the 28 March 2011 working group meeting.	• Formal submission into the Procedure process.	TBA

Agenda Item 7a: Working Group Overview

1. WORKING GROUP OVERVIEW

Working Group (WG)	Status	Date commenced	Date concluded	Latest meeting date	Next scheduled meeting date
Reserve Capacity 2007 WG	Closed	Feb 07	May 07	-	-
NTDL WG	Closed	Oct 07	Nov 07	-	-
Energy Limits WG	Closed	Dec 07	Jan 08	-	-
DSM WG	Closed	Jan 08	May 08	-	-
SRC WG	Closed	Jun 08	Sept 08	-	-
Reserve Capacity 2008/09 WG	Closed	Dec 08	Jan 09	-	-
Renewable Energy Generation WG	Closed	Mar 08	Nov 10	-	-
System Management Procedures WG	Active	Jul 07	Ongoing	28/10/2010	TBA
IMO Procedures WG	Active	Dec 07	Ongoing	26/05/2011	TBA
Maximum Reserve Capacity Price WG	Active	May 10	Jun 11	-	-
Rules Development Implementation WG	Active	Aug 10	Ongoing	27/09/2011	TBA

2. WORKING GROUP MEMBERSHIP UPDATES

In accordance with the Terms of Reference (ToR) the Market Advisory Committee (MAC) must approve the appointment and substitution of members for the IMO Procedure Change and Development Working Group and System Management Procedure Change and Development Working Group.

The MAC has received a request from the IMO for Suzanne Frame (Group Manager, Market Development) to replace Alasdair MacDonald as the IMO Procedures Working Group Chair and as one of the IMO representatives on the System Management Procedures Working Group.

The updated ToR (with tracked changes) is attached as Appendix 1 and 2.

3. RECOMMENDATIONS

The IMO recommends that the MAC:

- **Agree** with the proposed amendment to the membership of the IMO Procedure Change and Development Working Group and System Management Procedure Change and Development Working Group.

Agenda Item 7(a): Appendix 1

Terms of Reference

The IMO Procedure Change and Development Working Group

SCOPE

The Working Group's scope of work includes consideration, assessment and development of changes to IMO Market Procedures which the Market Rules require the IMO to develop. A Report on each Procedure Change proposed by the Working Group will be provided to MAC which demonstrates that the proposed change is consistent with the Wholesale Market Objectives and the Market Rules.

TERMS OF REFERENCE

- Members of the Working Group are appointed and substituted by MAC.
- The members of the Working Group are:

Alasdair Macdonald	<u>Suzanne Frame</u>	(Chair) -	IMO
Adam Lourey	-	Industry Representative,	Alinta Limited
Michael Frost	-	Industry Representative,	Perth Energy
Steve Gould	-	Industry Representative,	Landfill Gas and Power
Grace Tan	-	System Management Representative	
John Rhodes	-	Synergy Representative	
Andrew Everett	-	Verve Energy Representative	
Fiona Edmonds	-	IMO	

- An issue can be referred to the Working Group for consideration by the MAC or the IMO. Generally, issues referred to the Working Group will relate to proposed procedure changes.
- The Working Group will be convened by the Chair upon request from the MAC Chair, or as required to complete its Scope of Work within the required timeframes.
- The Working Group will meet as required to provide the MAC and the IMO with a detailed analysis and advice regarding the issue referred to them.
- The Working Group will consider and develop, where appropriate, procedure changes within the timeframes set by the Chair with respect to each proposed procedure change.
- Procedure changes proposed by the Working Group must be consistent with the Wholesale Market Objectives and the Market Rules.
- Members are expected to attend as many Working Group meetings as practicable.
- The MAC may review, amend and extend these terms of reference, as necessary.

Agenda Item 7(a): Appendix 2

Terms of Reference

The System Management Procedure Change and Development Working Group

SCOPE

The Working Group's scope of work includes consideration; assessment and development of changes to System Management Market Procedures which the Market Rules require System Management to develop. A Report on each Procedure Change proposed by the Working Group will be provided to MAC which demonstrates that the proposed change is consistent with the Wholesale Market Objectives and the Market Rules.

MEMBERSHIP AND PROCESS

- Members of the Working Group are appointed and substituted by MAC.
- The members of the Working Group are:

Phil Kelloway (Chair)	-	System Management
Debra Rizzi	-	Industry Representative, Alinta Limited
Tremayne Pirnie	-	Industry Representative, The Griffin Group
Michael Frost	-	Industry Representative, Perth Energy
Rene Kuypers	-	Industry Representative, Infigen Energy
Steve Gould	-	Industry Representative, Landfill Gas & Power
Nick Walker	-	Verve Representative
Stephen MacLean	-	Synergy Representative
Neil Hay	-	System Management
Fiona Edmonds	-	IMO
Alasdair Macdonald <u>Suzanne Frame</u>	-	IMO

- An issue can be referred to the Working Group for consideration by MAC or the IMO. Generally, issues referred to the Working Group will relate to proposed Procedure Changes.
- The Working Group will meet as required to provide MAC and the IMO with a detailed analysis and advice regarding the issue referred to them.
- The Working Group will consider and develop, where appropriate, Procedure changes within the timeframes set by the Chair with respect to each proposed Procedure change.
- Procedure Changes proposed by the Working Group must be consistent with the Wholesale Market Objectives and the Market Rules
- Members are expected to attend as many Working Group meetings as practicable.
- MAC may review, amend and extend these terms of reference, as necessary.

Allan Dawson
MAC Chair
Independent Market Operator
PO Box 7096
CLOISTERS SQUARE WA 6850

Dear Allan

RESERVE CAPACITY MECHANISM (RCM) REVIEW

The IMO Board conducted a strategic session in September 2010 that was focused on the performance of the Reserve Capacity Mechanism (RCM) since market commencement.

A number of interconnected issues were highlighted in this session. These included:

- The consistent capacity surpluses secured in the WEM;
- The increase in the Reserve Capacity Price since market start;
- The pricing of capacity in oversupply conditions;
- The addition costs imposed on the market as a result of surplus capacity;
- The apparent oversupply of base load capacity;
- The role of DSM in the RCM; and
- The fuel requirements imposed on generation capacity providers.

Following this meeting, the Board commissioned a broad review of the RCM. The scope of this review included the identification of changes that could improve the economic efficiency of the RCM while maintaining adequate investment signals and incentives.

The Lantau Group (Lantau) was engaged in early 2011 to undertake this review. Lantau made a number of presentations to the IMO Board, as well as facilitating a workshop.

The Board was presented with a final paper entitled *Review of RCM: Issues and Recommendations* at its September 2011 meeting.

This paper summarises the key issues identified by Lantau in their work program and provides a broad set of recommendations. These recommendations address:

- The calculation of the administered Reserve Capacity Price;
- The Reserve Capacity Refund mechanism;
- Consistent treatment of generation and DSM capacity;
- Fuel requirements for scheduled generators; and
- The determination of Individual Reserve Capacity Requirements.

It should be noted that Lantau advises that the current capacity surplus is the product of many factors, some of which pre-date the WEM and are no longer applicable. While the RCM can benefit from refinements, these should not introduce unnecessary volatility. Because of the potential significance of changes to past external factors, and the effect of the generally uncertain current investment climate on future capacity investment, the IMO Board considers that a cautious, evolutionary approach to any changes to the RCM is appropriate.

The Board would also like to emphasise the Lantau advice that has highlighted that the cost of a capacity shortfall can be much greater than a capacity surplus.


The Lantau paper is attached for your consideration and the IMO Board requests that this paper be tabled at the next meeting of the Market Advisory Committee (MAC).

While Lantau has provided some broad recommendations, the IMO Board is keen for the MAC to consider and provide advice on these recommendations. The Board anticipates that the MAC would constitute a working group to undertake this task.

Mike Thomas from Lantau has indicated that he can support this work program if required. This support would be subject to the IMO reaching agreement on suitable commercial terms.

The RCM has delivered significant benefits for the WA electricity industry and for the state economy and the IMO Board would like to emphasise the importance of maintaining the stability of the RCM.

Yours sincerely

A handwritten signature in dark ink, appearing to read 'John Kelly', with a long horizontal flourish extending to the right.

JOHN KELLY
CHAIR, IMO BOARD

28 September 2011

Discussion Draft

Prepared For:

WA IMO

Governer Stirling Tower

Perth, Western Australia

Review of RCM: Issues and Recommendations

Prepared By:

The Lantau Group (HK) Limited

1902A Tower Two Lippo Centre

89 Queensway, Hong Kong

Contact: Mike Thomas
(mthomas@lantaugroup.com)

Date: September 2011

TABLE OF CONTENTS

1.	OVERVIEW	1
1.1.	SCOPE.....	1
1.2.	THE CURRENT RESERVE CAPACITY CUSHION.....	2
1.2.1.	Refine elements of the RCM.....	2
1.2.2.	Improve alignment of the Capacity Refunds Regime and RCM.....	2
1.2.3.	Harmonise treatment of restricted capacity resources.....	2
1.2.4.	Adjust the Individual Reserve Capacity Requirement	3
1.2.5.	Establish a periodic RCM review cycle	3
1.3.	STRUCTURE OF REPORT	3
2.	THE CURRENT SUPPLY OF RESERVE CAPACITY	4
2.1.	OVERVIEW	4
2.2.	THE RAPID INCREASE IN UNCONTRACTED CAPACITY CREDITS.....	5
2.3.	THE COST OF EXCESS RESERVE CAPACITY	6
2.3.1.	Economic Value of a Capacity Credit	6
2.3.2.	Implications for limited availability demand and supply resources	9
2.4.	KEY LINKAGES AFFECTING THE RCM	10
2.4.1.	The MRCP	10
2.4.2.	The Capacity Refund Regime.....	10
2.5.	EVALUATION FRAMEWORK: THE MARKET OBJECTIVES	11
2.6.	THE ESSENTIAL PROBLEM THAT MUST BE ADDRESSED	12
3.	RECOMMENDED REFINEMENTS	13
3.1.	REFINEMENTS TO THE RCP	13
3.1.1.	Conceptual recommendation.....	13
3.1.2.	Recommended options for consideration.....	14
3.1.3.	Transitioning	15
3.2.	HARMONISING DEMAND-SIDE AND SUPPLY-SIDE RESOURCES	15
3.2.1.	Demand Side Resources.....	15
3.2.2.	Refining the treatment of the Fuel Supply Requirement	16
3.2.3.	Refining the Individual Reserve Capacity Requirement.....	17
3.3.	REVIEW CYCLE.....	18

September 2011

1. OVERVIEW

1.1. SCOPE

Following the completion of a comprehensive study of the Reserve Capacity Mechanism, the IMO Board asked The Lantau Group (HK) Limited (TLG) to prepare a note on key areas identified for further review by the Market Advisory Committee. After considering a range of possible directions, and taking into account experience within the WEM and internationally, the IMO Board concluded that the RCM has promoted capacity development and supply reliability in the WEM, but that refinement is needed to improve alignment of the RCM with the Market Objectives.

A number of different capacity remuneration mechanisms, of which the RCM is one example, exist in international electricity markets. Many different markets have features that have merit and can serve as interesting examples, but it is most important that the combined features of any single market work harmoniously. Recommendations for change in the WEM must reflect the design and context of the WEM else they risk being inconsistent or incompatible with the WEM.

As a result, we focus our recommendations on a specific set of issues that arose consistently in our review:

- The formula that establishes the value of the Reserve Capacity Price (RCP), particularly in light of the recent recommendation to reduce the Maximum Reserve Capacity Price (MRCP);
- The inter-relationship between the RCM and the Capacity Refund Regime;
- The extent to which supply- and demand-side resources should be treated similarly;
- The extent to which fuel supply limitations should affect the eligibility of supply-side resources for Capacity Credits;
- The setting of the Individual Reserve Capacity Requirement (IRCR); and
- The extent to which further periodic reviews should be undertaken so as to ensure that the RCM functions as intended to guide appropriate levels of investment in reserve capacity.

The following report explains key forces that influence capacity investment in the WEM and puts the RCM into a broader context. Clearly the global financial crisis has disrupted economic growth, and thus, contributed to excess reserve capacity. We therefore focus on how well the RCM is able to adjust to changing market conditions. If the RCM adjusts too frequently or with too much volatility, that volatility becomes a risk to stakeholders. If the RCM fails to adjust sufficiently, the stakeholders face a different set of risks. A more dynamic but not overly volatile RCM has the potential to improve considerably on the existing arrangement, while being consistent with the managed design that defines the WEM.

1.2. THE CURRENT RESERVE CAPACITY CUSHION

Capacity investment in the WEM is the product of many factors, including demand growth, which can be lumpy as well as volatile. Currently, the WEM has an approximately 15 percent reserve capacity cushion. However, this cushion cannot be attributed entirely to the RCM. Several past programmes, no longer in force, influenced capacity investment, including the Displacement Mechanism in the original Vesting Contract and the earlier Schedule 7 requirements that forced Western Power Corporation to tender for new capacity. The lingering impact of the global financial crisis and subsequent global slowdown are also key contributors, as the impact of the slowdown has become apparent in the most recent load projections.

As a result of this increased cushion, or excess reserve capacity, a number of areas of the RCM merit particular review, as set out below.

1.2.1. Refine elements of the RCM

Though there is excess reserve capacity, our analysis indicates that the existing capacity mix is broadly reasonable given the economics of different power generation technologies and the extent to which the existing mix reflects pre-WEM investment decisions. We therefore focus on the overall quantum of excess reserve capacity in the WEM, and on whether the RCM can and should be refined. We conclude that refinements to the setting of the Reserve Capacity Price (RCP) would better achieve the Market Objectives.

1.2.2. Improve alignment of the Capacity Refunds Regime and RCM

Linked to the RCM is the issue of how the Capacity Refund regime operates and what the economic impact would be of making changes to the Capacity Refund regime. The Capacity Refund regime is linked sufficiently tightly to the overall workings and parameters of the RCM as to compel joint consideration. A change in the Capacity Refund regime changes the expected value of a Capacity Credit, and vice versa. Given this linkage, a dynamic refund regime—one that links the refund value to system conditions—is best matched to a more dynamic RCP regime in which the RCP also better reflects system conditions.

1.2.3. Harmonise treatment of restricted capacity resources

We then consider the implications for harmonising the treatment of demand-side resources with the treatment of supply-side resources in the RCM. Most demand-side resources have chosen under the Market Rules to be classified into a category that imposes lesser performance obligations on them than are imposed on supply-side resources. We consider the implications of differential treatment from the perspective of the workings of the RCM.

September 2011

Similarly we consider the fuel supply requirements imposed on supply-side resources. These are currently that a supply-side resource qualifying for a Capacity Credit must demonstrate fuel supplies to support operation for 14 hours a day. The issue arising is how fuel supply, which is crucial to the ability of a resource to generate if called, interacts with the RCM.

1.2.4. Adjust the Individual Reserve Capacity Requirement

We consider refinements to the Individual Reserve Capacity Requirement (IRCR). The current IRCR settings have some aspects that potentially incentivise rent-seeking rather than value-creating behaviours. We recommend minor changes to mitigate these adverse incentives.

1.2.5. Establish a periodic RCM review cycle

Where capacity mechanisms are employed in electricity markets globally, they have evolved steadily. As an administrative mechanism, the RCM naturally requires periodic calibration and review to ensure it is delivering reasonable outcomes. In particular, a number of key parameters should be reviewed every few years so that they best reflect market conditions.

1.3. STRUCTURE OF REPORT

We review key aspects of these recommendations in the next sections of this report, focussing first on the current supply of reserve capacity and its economic value.


September 2011

2. THE CURRENT SUPPLY OF RESERVE CAPACITY

2.1. OVERVIEW

In evaluating the RCM, we bear in mind that the WEM was in a shortfall situation not long ago. The RCM is now the only mechanism specifically intended to assure capacity adequacy in the WEM. To be clear, the mere existence of excess capacity at a point in time is not sufficient reason to change the RCM. Excess capacity can be the result of a good decision, even though subsequent events (such as the Global Financial Crisis) might make it seem otherwise (necessitating delay or mothballing of mining capacity, for example). Excess capacity can arise when unexpected economic disruptions occur or when growth is naturally lumpy and unpredictable in the shorter-term.

Figure 1: Peak demand and capacity additions since before market start



The particularly challenging economic period from 2008 to 2010 accounts for the bulk of the excess capacity additions relative to peak demand growth. This period aligns with the onset of, through gradual recovery from, the global financial crisis. Our concern is not so much with the impact of unexpected (or unexpectedly severe) external forces, however. Our concern is whether the RCM *adjusts* sufficiently to an increase or decrease in the amount of excess capacity so as to mitigate any reasonable risk of compounding the problem.


September 2011

Additionally, given the proposed material reduction in the MRCP as recommended in the on-going MRCP review, it is important to consider how the level of the MRCP interacts with other elements of the RCM. If the MRCP is too high or low for an extended period, then other aspects of the RCM are unlikely to function as intended. In particular, changing too many aspects of a complex administrative mechanism simultaneously increases risk—underscoring the importance of prudence, as well as reliance on periodic recalibration reviews, to ensure the RCM continues to meet expectations.

2.2. THE RAPID INCREASE IN UNCONTRACTED CAPACITY CREDITS

It is concerning that there has been a recent and dramatic surge in capacity credits paid for by the IMO directly, rather than being transacted between market participants.

Figure 2: Uncontracted Reserve Capacity Requirement¹



This surge strongly indicates that the IMO's capacity credit buy price—a price that is determined by an administrative adjustment formulae within the RCM—is higher than the market value of those same capacity credits. This movement away from bilaterally contracted capacity (with a commercially negotiated price) to the regulated price (RCP) is a reason to look more closely at the economic signals transmitted by the RCM and whether those signals might be improved.

¹

Source: IMO data, compilation of confidential data

2.3. THE COST OF EXCESS RESERVE CAPACITY

The perceived cost of excess reserve capacity depends on one's perspective. The RCM incorporates adjustment formulae to adjust the RCP downward when there is excess reserve capacity. In theory, the adjustment is sufficient to shelter consumers from the cost of excess capacity because an increase in excess reserve capacity is offset by a reduction in the RCP. The reduction in the RCP only applies, however, to Capacity Credits that must be procured by the IMO. Another way to consider the costs of excess reserve capacity is that it drives a wedge between the market value that would be encapsulated in a bilateral contract and the administrative value paid by the IMO. The greater this wedge, the greater the risk of unintended consequences, either in the form of inefficient investment, non-productive rent-seeking behaviour or a reduction in confidence that the WEM delivers value.

The reality is that the economic value of excess reserve capacity approaches zero the greater the amount of excess reserve capacity exists. At present, the WEM has approximately 15% more reserve capacity than is required. The following calculations illustrate how the incremental value of an additional MW of reserve capacity at this point in time (i.e. in addition to what excess already exists) is essentially zero, implying a quite substantial "wedge" between the economic value of a Capacity Credit and the currently applicable RCP. As discussed below, a rigorous market-based value for incremental Capacity Credits would be zero, or nearly so, today, far, far lower than the current regulated price. On the other hand, a rigorous pricing system would also have the characteristic of introducing substantial volatility to the pricing of Capacity Credits. This latter point is important because in other respects, the WEM design has generally avoided reliance on volatility, given the small size of the WA market and the increased difficulty of accommodating, managing or properly assessing the meaning of highly volatile prices.

2.3.1. Economic Value of a Capacity Credit

A useful way to estimate the economic value of incremental reserve capacity is to focus on the extent to which additional reserve capacity lowers the probability of lost load.


The reliability standard in WA is based on the 10 percent POE forecast peak demand supplied through the SWIS plus a reserve margin equal to the greater of 8.2 percent of the forecast peak demand and the maximum capacity of the largest unit on the system. Expected energy shortfalls are to be limited to 0.002 percent of annual energy consumption.

The quantity of capacity is mainly relevant during the peak hours in which the load duration curve hits high loads. Figure 3 presents two different load duration curves – one depicting the actual loads and a second scaled to match the 10 percent POE forecast as of the 2007 forecast. The value of the RCM is clearly concentrated in the approximately top 200 peak hours in which the difference between the load and capacity available is the smallest.

September 2011

Figure 3 also shows the approximate capacity duration curve and the load duration curve for the 2009/10 capacity year. The capacities are based on the allocated capacity credits. The small peak in the capacity duration curve represents available DSM resources, in each of the classes. We implicitly assume that DSM resources can be dispatched perfectly into each of the very top 24 hours that most DSM resources have obligations to be available. Because of planned maintenance needs, the quantity of capacity credits somewhat overstates the actual availability during off-peak periods.

Figure 3: Load and capacity duration curves for 2009/10




We can calculate the loss of load probability (LOLP) associated with the supply and demand situation at each point in time. For example, the available capacity of each unit in a given hour (C_i) is an uncertain variable, due to the possibility of forced outage. Similarly, the load in that hour (L) is subject to forecasting error. The LOLP is the likelihood that L exceeds the sum of C_i across all units in the system. A number of different algorithms exist to form this required distribution of load less total capacity and solve for the likelihood that this quantity is positive.

September 2011

We base the analysis on the 10 percent POE forecast² of demand in the WEM from 2007 (the year in which the Reserve Capacity Requirement (RCR) for the 2009/10 Capacity Year was forecast). We have used the value of Value of Lost Load (VOLL) (AUD 12,500 / MWh) as adopted in the National Electricity Market (NEM). We therefore estimate capacity values using the derived LOLP values from the WEM and the VOLL from the NEM, noting that the NEM VOLL may exceed the actual value of lost load for some customer groups. The estimated LOLP is shown in Figure 4.

Figure 4: LOLP based on 10 percent POE forecast for 2009/10




Based on these LOLP values, the value of *incremental* reserve capacity over the year is AUD 253/MW with DSM or AUD 780/MW without it. These values are implicit in Figure 5. These values are much lower than the payment that was available through the RCM, which in 2009/10 was AUD 108,459/MW.

2

This has been done simplistically by scaling the top 48 hours of the demand hours in the year by the ratio between the 10 percent POE peak demand and the actual peak demand in 2010 and scaling the rest of the hours in the year so that the total energy matches the high energy demand forecast for the year. As such it almost certainly over-estimates the energy in the year; however, it gives a feel for what the difference of a 10 percent POE versus actual peaks might be.

September 2011

Figure 5: Value of capacity based on 10 percent POE forecast

The values estimated in this way correspond to the economic value of adding *one more MW* of reserve capacity to what already exists. Once the WEM is in an excess reserve capacity situation, the value of adding additional supply- or demand-side capacity to the system falls towards zero. This incremental (“marginal”) value is essentially the spot market value of capacity, taking into account demand conditions and how much reserve capacity exists at that point in time.

2.3.2. Implications for limited availability demand and supply resources

The peak demand in WA is concentrated in relatively few hours. The value of reserve capacity is therefore similarly concentrated in a few peak hours. In the example calculation above, virtually all of the value of reserve capacity is concentrated in fewer than 30 hours. This is an overstatement, of course, because it reflects a single actual out-turn rather than the risk of an unknown out-turn, which is what reserve capacity is intended to mitigate. It also assumes that reserve capacity resources are always available.

Even a resource that is available just 24 to 48 hours could theoretically provide a material proportion of the value provided by a resource available much more than that. This feature of peak load in the WEM has implications for the treatment of resources with limited availabilities. As the availability of various resources increases, their value as a source of reserve capacity quickly converges.

September 2011

Importantly, we assume that each resource is similar enough in all other respects that it can be treated as equivalent by System Management. However, based on stakeholder feedback, dispatch limitations on DSM resources can be sufficiently constraining that the DSM resource is not equivalent in application to a supply-side resource. Clearly, System Management must be able to call available resources on an effectively equivalent basis if they are to qualify for the same value of Capacity Credit. To be clear, however, “effective equivalence” need not mean that all resources must be available 24x365 hours each year. Effective equivalence means that a common, reasonable, minimum performance standard should be developed and applied (and refined if or as conditions change) so as to be consistent with a standard Capacity Credit price.

2.4. KEY LINKAGES AFFECTING THE RCM

2.4.1. The MRCP

A separate industry workstream reviewed the setting of the Maximum Reserve Capacity Price (MRCP), a key parameter that feeds into the RCM. The MRCP is based on a 160 MW open cycle gas turbine—a standard peaking generation technology.

The review concluded that the current MRCP is not necessarily reflective of actual costs. Proposed amendments to the MRCP methodology would reduce the MRCP. A reduction in the MRCP, through its linkage to the reserve capacity price (RCP) paid by the IMO for capacity credits that are not traded bilaterally, will, all else equal, also reduce the incentive to build new capacity.

After considering the expected material change to the MRCP but also that the WEM is a comparatively small, lumpy, administratively structured market with close government oversight, we recommend fine-tuning of the RCM’s administrative price setting mechanism rather than designing, agreeing and implementing a more extensive overhaul and redesign of the RCM along the lines of more dynamic, complex and volatile open-market mechanisms.

2.4.2. The Capacity Refund Regime

In addition to refinement of the RCM, we also recommend changes to the Capacity Refund regime. Possible refinements to the Capacity Refund regime need to be considered in conjunction with the RCM itself, however, as a change to one alters the economic impact of the other.

The value of the refund payments is currently unrelated to system conditions at the time of the event that triggers the refund payment. Consequently, it is possible for refund payments to be high (or low) relative to the economic consequences associated with the event that triggers the refund—introducing a source of potential distortion or inequity.

September 2011

For example, if the value refunded were to be modified to reflect system conditions, then, compared to the present Capacity Refund regime, refunds could be reduced during periods of excess reserve capacity. This outcome might be economically correct if the Capacity Refund regime were analysed on a stand-alone basis. But the actual economic impact on the workings of the RCM would be to *increase* the expected value of reserve capacity (by reducing the amount that might have to be refunded). In effect, “fixing” the economics of the Capacity Refund regime has a potentially adverse impact on the outcomes of the RCM unless both are considered together.

To address the economic issues that underpin concerns about the Capacity Refund regime, it makes sense to first refine the RCM so that the RCP is more dynamic with respect to the amount of excess reserve capacity that exists. The RCP is an annual value, however. The Capacity Refund is based on a much shorter interval, and is intended, in part at least, to assist System Management in achieving an orderly scheduling of maintenance outages during off-peak or shoulder periods. Introducing appropriate dynamism into the Capacity Refund regime is complicated by the fact that the economic value of capacity is such an explosive function of the amount of reserve available at each point in time. Given that we have seen that the value of a Capacity Credit can be substantially linked to even as few as 30 hours in a year, any Capacity Refund scheme risks distorting incentives if it does not likewise concentrate refund exposure into those periods which really matter. This is not easily done in an administrative setting because the underlying hourly economic value at stake in the Capacity Refund regime is quite a bit more volatile than the annual Capacity Credit value.

As a consequence, the Capacity Refund scheme cannot, in any practical sense, be expected to be a perfect measure of the economic consequence of a refund-triggering event. Inspection and verification of availability and performance will continue to be crucial to ensure that seldom-used capacity remains eligible for Capacity Credits.

2.5. EVALUATION FRAMEWORK: THE MARKET OBJECTIVES

The Market Objectives provide guidance for evaluating whether the RCM works effectively. The Market Objectives are to:

- (a) promote the economically efficient, safe and reliable production and supply of electricity and electricity related services in the South West interconnected system;
- (b) encourage competition among generators and retailers in the South West interconnected system, including by facilitating efficient entry of new competitors;
- (c) avoid discrimination in that market against particular energy options and technologies, including sustainable energy options and technologies such as those that make use of renewable resources or that reduce overall greenhouse gas emissions;
- (d) minimise the long-term cost of electricity supplied to customers from the South West interconnected system; and

September 2011

- (e) encourage the taking of measures to manage the amount of electricity used and when it is used.

If the RCM attracts or supports more capacity than is required, then it would get lower marks for meeting Market Objective (d). On the other hand, more capacity may be argued, in some instances, to assist the achievement of Market Objective (b) by supporting greater competition. Similarly, a failure of the RCM to attract sufficient capacity would also result in a costly failure of the WEM, compromising virtually all of the Market Objectives, except perhaps (e). Clearly, evaluating a specific change to the RCM (or even its current performance) against the Market Objectives involves balancing a number of countervailing forces.

This inherent tension matters when evaluating potential refinements to the RCM. Risk in power markets is generally asymmetric with respect to the capacity investment. A capacity shortage, resulting in involuntary load shedding, can be much more costly than a similar amount of excess capacity, perhaps only resulting in higher tariffs. Consequently, greater tolerance is advised when considering RCM settings that may be biased towards supporting slightly too much capacity as compared to settings that are more parsimonious, raising the risk of a capacity shortfall. We consider Market Objectives (a) and (d) to be supportive of this view.

2.6. THE ESSENTIAL PROBLEM THAT MUST BE ADDRESSED

Currently, any supply or demand resource that can establish itself as “committed” and declares itself as intending to trade bilaterally (whether or not it ever actually enters into a bilateral agreement) can secure Capacity Credits, whether or not the underlying capacity is actually needed in the WEM. In short, there are no “supply side” limiting mechanisms that kick in if there is excess reserve capacity. The certification process and the eligibility of an investor to be paid for Capacity Credits are not affected by the quantum of excess reserve capacity.

One possible approach therefore is to develop a clear, equitable, timely and effective way to turn off the “spigot” when the quantum of excess capacity reaches some threshold. Conceptually, the idea of a spigot control has a lot of merit. Unfortunately it would be very difficult to implement equitably. The impact on project sponsors who expect to gain credits and then are unable to gain them due to an unexpected demand reduction could be extreme. Ultimately, if the RCP remains much higher than the economic value of a Capacity Credit, then the process of turning off the capacity certification “spigot” puts the mouse on one side and the cheese on the other—a situation that is inherently unstable.

The other approach is to refine the way the RCM calculates the RCP when excess reserve capacity exists. Currently, the RCP is adjusted downward in proportion to the amount of excess reserve capacity that exists. The price adjustment could be more strongly linked to the amount of excess reserve capacity. Doing so would reduce the discrepancy between the RCP and the economic value of a capacity credit. By reducing the gap, the risk of unintended consequences, rent-seeking behaviour and other generally value-destroying outcomes is diminished.

3. RECOMMENDED REFINEMENTS

In this section we put forward a set of specific recommendations for consideration by the Market Advisory Committee, regarding the setting of the RCP, the Capacity Refunds regime, the treatment of DSM resources, and the requirement for supply side resources to have access to fuel resources. In each instance, additional work will be needed to establish specific details, though the general direction and scope for improvement should be clear.

3.1. REFINEMENTS TO THE RCP

3.1.1. Conceptual recommendation

With respect to the administrative pricing formula that establishes the RCP, our principal recommendation is to increase the slope factor by which the RCP reduces as the amount of excess capacity increases. To understand our recommendation, two things must be kept in mind.

- First, as previously noted, the economic value of excess reserve capacity falls very quickly to zero when there is a surplus and can rise very quickly to the market price cap if there is a shortage. It has required a significant evolutionary effort in other (international) markets with auction-based capacity mechanisms that can either accommodate or mitigate the volatility inherent in the valuation of reserve capacity.
- Second, the WEM has been designed quite specifically in ways intended to manage volatility while still producing acceptably efficient investment outcomes. Some, pure market-based approaches used in much larger international markets, however meritorious in those contexts, conflict with what can reasonably be called the WEM's underlying architecture and contextual "DNA".

We therefore recommend a simple adjustment to the administered pricing formula to cause the administered price to fall faster when there is more excess capacity, compared to the present arrangement. By increasing the *rate* of "fall off" we increase the certainty that the RCM works as intended and does not inadvertently incentivise unneeded excess reserve capacity. Consistent with mitigating more volatile value incursions, we recommend that a floor be imposed to limit the extent to which the administered capacity price can be adjusted downward.

September 2011

One additional area of caution is noted, however. An investor must be able to look at the prospect of a Capacity Credit and be able to *expect* to earn the cost of capital on a capacity investment that is, in fact, needed in the WEM. If an investor would otherwise choose to enter the WEM based on the prevailing RCP but is exposed to the risk that the RCP can be *reduced* due to excess capacity but never increased above the MRCP due to scarcity, then the investor may perceive the RCP as being biased downward. This risk is inconsequential if the MRCP is inadvertently “too high”. In light of the recent proposed MRCP revision (downward), however, there is greater risk that the long-term RCP could be biased below its proper (investment supporting) level due to the prospect of downward adjustments for excess capacity that are not symmetrically offset by any upward adjustments for shortage. The design and application of the steeper slope coefficient can take these concerns into account.

The bilateral market for Capacity Credits could be an offset to this, provided there is no buyer power in that market, but given the size of Synergy relative to the overall WEM, that is a significant assumption.

3.1.2. Recommended options for consideration

Given the desire to provide stable, long-term support to essential infrastructure investment in WA and the desire to ensure that the RCM does not exacerbate a situation of excess reserve capacity, we propose that the current slope factor be decreased to “minus 3” from its current value of “minus 1”. Currently, the slope is inversely proportional to the amount excess capacity that exists. The recommended change would render the slope much steeper.

The specific level of the floor is perhaps best left to broader consultation, but a level of about 50% of the MRCP would appear, qualitatively, to balance the objective of ensuring a low enough price to ensure there is no residual investment signal while recognising the importance of a stable and predictable long-term investment environment.

Thus, under the revised RCM administered price adjustment formula, if there is 10% excess reserve capacity, the RCM administered capacity credit “buy” price would be reduced by a further 30% rather than the current approximately 9%. If there is 15% excess reserve capacity, the RCP would be reduced by a further 45%, rather than by the current approximately 13%.

Any reduction that would otherwise be greater than the floor value, would be limited by the floor value. Thus if there were 20% excess reserve capacity, and the floor on the administrative price were set at 50% of the MRCP, then the reduction would be limited to 50%, rather than 60%.

Finally, with a steeper slope introduced, it would be possible, as well, for the RCP to be directly linked to the MRCP, rather than continue with the definition of the base RCP as being 85% of the MRCP. This change would offset some of the immediate sting of the steeper slope, assisting with the transition, while still leaving a strong signal.

September 2011

3.1.3. Transitioning

The immediate impact of the refined RCP formulae would be a reduction in the value of Capacity Credits paid for by the IMO. Three potential phase-in options are suggested for consideration:

- Initiate the steeper slope immediately, but transition via a “floor” price that starts at just 5% below what the current RCP methodology would produce and then reduce the floor price by 5% each year until it hits 50% of the MRCP; or
- Introducing the steeper slope in a stepwise manner, with the slope moving from -1 to -1.5 in year one; to -2.0 in year two, and to -2.5 in year three and -3.0 in year four; or
- Introduce the refinements as of a projected date such that participants have time to make changes, if appropriate, in anticipation of the future implementation.

Each approach mitigates the risk that unneeded additional capacity is added to the WEM. Each also provides time for participants to adjust (and for the market to potentially absorb existing excess reserve capacity).

3.2. HARMONISING DEMAND-SIDE AND SUPPLY-SIDE RESOURCES

3.2.1. Demand Side Resources

The current treatment of demand-side resources is not consistent with the treatment of supply-side resources. The underlying economic causes and implications of this lack of harmony are complex. The value of a capacity credit, however, attaches to a particular set of attributes. Among those attributes is the fact that any qualifying resource should be able to provide an equivalent service, whether it is a supply side resource or a demand-side resource. In effect, “reserve capacity” is “reserve capacity” is “reserve capacity”. If the same price is paid for it, then the same service needs to be derived from it. Inefficient resource use and perceptions of inequity arise when differential treatment has no apparent justification.

Consequently, we recommend harmonising the treatment of demand-side and supply-side resources by imposing the same minimum requirement to any resource that qualifies for a Capacity Credit. This may mean that some demand-side resources will no longer desire to provide capacity services.

One extreme approach is to require all resources to be available in all hours to qualify for a Capacity Credit. This approach would push the burden to the DSM resource owner of taking the risk that the DSM resource could be called at a time when it either cannot perform or can perform only at an uncompensated cost. Given that reserve capacity resources are likely to be called in a relatively few hours in a year, this could be seen as a commercial risk that a DSM provider could reasonably evaluate.

September 2011

A less extreme approach would involve making a change to the resource classifications. The existing classifications can be better calibrated to the value reserve capacity delivers. By eliminating, for example, the 24 to 48 hour availability class, DSM resources would be forced to join a higher availability class or cease to be eligible for Capacity Credits. From the analysis performed to date, such an adjustment would greatly improve alignment between the economic value of demand- and supply-side resources.

Other operational impediments also exist with respect to DSM resources, ranging from notice period differences, limitations on consecutive trading periods and so forth. We understand these differences affect the dispatch of DSM resources by System Management. To that extent, such impediments drive a wedge between the definition of Capacity applicable to a demand-resource and that applicable to a supply resource. Such operating limitations and constraints should be eliminated to the extent possible so that the economic value of demand- and supply-resources is made workably equivalent.

The specific number of hours attributable to minimum eligibility can then be reviewed periodically to ensure that the availability classes are designed to delivery essentially equivalent value from a Capacity Credit perspective. This latter approach would not achieve perfect technical equivalence—some small value gap would remain—but it would make it easier for options with some availability constraints to quantify the value to them of being a certified capacity resource, widening the pool of resources available to the WEM over time.

3.2.2. Refining the treatment of the Fuel Supply Requirement

To be certified as eligible for a Capacity Credit, a generation resource is required under the current Market Rules/Market Procedures to demonstrate fuel supplies to support operation for 14 hours a day for 10 months of the year. This operational standard greatly exceeds the number of hours that a reserve capacity resource would normally be required to support in order to justify the value of a Capacity Credit. Notwithstanding that concern, there are two primary issues that we see:

- The first is that a resource seeking to qualify for a Capacity Credit clearly needs to have sufficient access to fuel to actually deliver value as a source of reserve capacity;
- The second is that the requirement to have access to fuel should be economically efficient—it should be structured so as to promote least-cost solutions.

Thus, a firm fuel access requirement is simply that, a requirement to have access to fuel. That fuel can be gas or liquid, and the quality of “access” needs to be such that generation can be expected should the unit be called to run. But it need not necessarily mean that the fuel must be stored on site or that the contract with the fuel supplier needs to have a minimum annual quantity. Option contracts or other more flexible arrangements that impose clear financial commitments can be valid structures in such instances.

September 2011

Of courses, if such robust but flexible fuel supply arrangements are not available, then that would call into question whether a unit would be able to provide reserve capacity when called. A gas supply limitation naturally results in a generation capacity limitation, and this should, if it arises, flow through to the number of Capacity Credits that gas supply can support. If a unit cannot demonstrate access to gas, then it could demonstrate an alternate backup fuel, or it could simply not qualify for Capacity Credits.

Given the concentration of reserve capacity value into a relatively small number of hours, an alternative approach may be possible in which a generation resource without a clear and firm fuel supply access arrangement can qualify for Capacity Credits by submitting and maintaining, on a rolling basis, an approved fuel management or access plan sufficient to support the relevant portion (for that part of the rolling horizon) of the minimum eligibility hours required for a Capacity Credit. Operational testing would also continue to be part of the certification process.

In other respects, if a unit is then not able to perform dutifully when called, the Capacity Refund regime would be the applicable penalizing mechanism. A dynamic Capacity Refund regime in which the refund exposure depends on system conditions assists by promoting appropriate incentives.

3.2.3. Refining the Individual Reserve Capacity Requirement

In reviewing the RCM we found the idea of decomposing loads into temperature-dependent and non-temperature-dependent loads and the associated determination of the Individual Reserve Capacity Requirement (IRCR) generally reasonable. Some implementation issues arise, however, that merit refinement:

- The use and application of 12 Trading Intervals to determine the IRCR.
 - The more trading intervals are combined to set the IRCR the further away the IRCR moves from its economic intent: to represent the reasonable peak demand expectation of a given load. Considering the use of fewer trading intervals is sensible. The top three trading intervals, for example, have been used for analogous purposes in the UK and New Zealand.
 - The calculation of the IRCR is based, approximately, on an approach based on the median value of 12 top Trading Intervals³. The use of the median value approach rather than the mean value means that the highest values are ignored, which makes no sense.
- Alignment with DSM resource offering

³ Not necessarily the very top 12 intervals, but the three highest demand trading intervals on the four trading days with the highest demand.

September 2011

- A load with an IRCR of “X” MW should not be able to offer more than “X” MW of DSM. No load should be able to offer a DSM capacity value greater capacity than its IRCR, as a matter of logic. For this to be possible implies a problem in the setting of the IRCR itself. As noted, the use of 12 Trading Intervals in combination with the median value approach means that it is possible currently for a load to have a DSM value that exceeds its IRCR, an illogical outcome.

3.3. REVIEW CYCLE

Stakeholders need to see past the specific settings of the RCM at any point in time and appreciate that, as an administrative (non-market) mechanism, the RCM is likely to produce an imperfect signal, one that is, from time to time, too high or too low.

Long-term investors do not depend on short-term prices, but on longer-term expectations. More than any temporary outcome, long-term expectations depend on being able to understand what will guide adjustment to the RCM over time, and how often the need for adjustments will be reviewed. Annually is too short a time, given the resource costs to undertake a serious review. However, five years is too long given the development time of new capacity. A two- or three-year review cycle is therefore recommended for consideration.

Elements requiring periodic review are as follows:

- The RCP and MRCP;
- The “slope” factor;
- The “floor” factor;
- The number of hours of minimum availability for eligibility for a Capacity Credit, and accordingly, the resource classes;
- The requirements of a fuel management and access plan.

Periodic review of these factors would need to take into account market conditions (supply and demand). Modelling of loss of load probabilities would be required to confirm or establish the minimum eligibility levels and the fuel management and access plan requirements.