Revised proposed revisions to the Access Arrangement for the Western Power Network

ELECTRICITY NETWORKS CORPORATION ("WESTERN POWER")

ABN 18 540 492 861

14 June 2018



363 Wellington Street Perth 6000 GPO Box L921 Perth WA 6842 e enquiry@westernpower.com.au westernpower.com.au



t 13 10 87 f (08) 9225 2660 TTY 1800 13 13 51 TIS 13 14 50

Contents

| 1 | Introdu | Introduction6 | | | |
|---|----------|--|------------|--|--|
| | 1.1 | Purpose of this document | 6 | | |
| | 1.2 | Definitions and interpretation | 6 | | |
| | 1.3 | Proposed access arrangement revisions commencement date | 6 | | |
| | 1.4 | Revisions submission date and target revisions commencement date | | | |
| | 1.5 | Composition of this access arrangement | | | |
| | 1.6 | Relationship to technical rules and access arrangement information | | | |
| 2 | Deferen | | | | |
| 2 | | nce services | | | |
| | 2.1 | Purpose | | | |
| | 2.2 | Reference services | | | |
| | 2.3 | Payment by users | 9 | | |
| 3 | Exclude | d services | 10 | | |
| | 3.1 | Purpose | 10 | | |
| | 3.2 | Excluded services | 10 | | |
| 4 | Sarvica | standard benchmarks | 11 | | |
| 4 | 4.1 | Purpose | | | |
| | 4.1 | Service standard benchmarks for distribution reference services | | | |
| | | | | | |
| | 4.3 | Service standard benchmarks for transmission reference services | | | |
| | 4.4 | Service standard benchmarks for street lighting reference services | | | |
| | 4.5 | Exclusions | 22 | | |
| 5 | Price co | ontrol | 2 3 | | |
| | 5.1 | Overview of price control | 23 | | |
| | 5.2 | Capital base value | 24 | | |
| | 5.3 | Depreciation | 24 | | |
| | 5.4 | Weighted average cost of capital | 26 | | |
| | 5.5 | Deferred revenue from the second and third access arrangement period | 29 | | |
| | 5.6 | Transmission system revenue cap for revenue cap services | | | |
| | 5.7 | Distribution system revenue cap for revenue cap services | | | |
| 6 | Dricing | methods, price lists and price information | 27 | | |
| U | 6.1 | Purpose | | | |
| | 6.2 | Network pricing objectives | | | |
| | 6.3 | Overview of pricing methods | | | |
| | 6.4 | Price list and price list information | | | |
| | 6.5 | · | | | |
| | | Pricing methods | | | |
| | 6.6 | Policy on prudent discounting | | | |
| | 6.7 | Policy on discounts for distributed generation | 45 | | |
| 7 | Adjustn | nents to target revenue in the next access arrangement period | 45 | | |
| | 7.1 | Adjusting target revenue for unforeseen events | 45 | | |
| | 7.2 | Adjusting target revenue for technical rule changes | 45 | | |
| | 7.3 | Investment adjustment mechanism | 46 | | |
| | 7.4 | Gain sharing mechanism and efficiency and innovation benchmarks | 47 | | |
| | 7.5 | Service standards adjustment mechanism | | | |
| | 7.6 | D factor | | | |
| | 7.7 | Initial deferred revenue | 58 | | |



| 8 | Trigger e | vents | 59 |
|-------|-----------|--|----|
| 9 9 | Supplem | entary matters | 60 |
| | 9.1 | General | |
| g | 9.2 | Line losses | 60 |
| g | 9.3 | Metering | |
| APPEN | IDICES | | |
| Appen | dix A. | Electricity transfer access contract | 62 |
| Appen | dix B. | Applications and queuing policy | 63 |
| Appen | dix C. | Contributions policy | 64 |
| | C.1 | Contributions policy | |
| (| C.2 | Distribution low voltage connection scheme methodology | |
| Appen | dix D. | Transfer and relocation policy | 65 |
| Appen | dix E. | Reference services | 66 |
| Appen | dix F. | Reference tariffs | 67 |
| F | F.1 | 2017/18 price list | 67 |
| F | F.2 | 2017/18 price list information | 67 |
| F | F.3 | 2018/19 price list | 67 |
| F | F 4 | 2018/19 price list information | 67 |

List of Tables

| Table 1: Reference services at exit points | 8 |
|--|-----|
| Table 2: Reference services at entry points | 8 |
| Table 3: Reference services at bi-directional points | 9 |
| Table 4: Reference Services at an exit point or a bi-directional point with an AMI meter or an inter meter | val |
| Table 5: Application of SAIDI | 11 |
| Table 6: SAIDI service standard benchmarks for reference services A1 to A10, B1, C1 to C8 and D1 D2 | and |
| Table 7: Application of SAIFI | 13 |
| Table 8: SAIFI service standard benchmarks for reference services A1 to A10, B1, C1 to C8 and D1 and D2 | |
| Table 9: Application of call centre performance | 14 |
| Table 10: Call centre performance service standard benchmarks for reference services A1 to A10, C1 to C8 and D1 and D2 | В1, |
| Table 11: Application of circuit availability | 16 |
| Table 12: Circuit availability service standard benchmarks for reference services A11 and B2 Table 13: Application of system minutes interrupted | 17 |
| Table 14: System minutes interrupted service standard benchmarks for reference services A11 and B2 | d |
| Table 15: Application of loss of supply event frequency | 18 |
| Table 16: Loss of supply event frequency service standard benchmarks for reference services A11 B2 | |
| Table 17: Application of average outage duration | 19 |
| Table 18: Average outage duration service standard benchmarks for reference services A11 and B Table 19: Application of street lighting repair time | |
| Table 20: Street lighting repair time service standard benchmark for reference service A9 | 21 |
| Table 21: Derivation of Transmission Initial Capital Base (net) (\$ million real as at 30 June 2017) | 24 |
| Table 22: Derivation of Distribution Initial Capital Base (net) (\$ million real as at 30 June 2017) | 24 |
| Table 23: Transmission asset groupings and economic lives for depreciation purposes | 25 |
| Table 24: Distribution asset groupings and economic lives for depreciation purposes | 25 |
| Table 25: Distribution accelerated depreciation by asset class (\$ million real as at 30 June 2017) Table 26: Derivation of Additional transmission deferred revenue (\$ million real as at 30 June 2017) | 7) |
| Table 27: Derivation of transmission system initial deferred revenue (\$ million real as at 30 June 2017) | |
| Table 28: Derivation of distribution system initial deferred <i>revenue</i> (\$ million real as at 30 June 20 | 17) |
| Table 29: Amount to be added to the target revenue due to the recovery of initial deferred reven (\$ million real as at 30 June 2017) | ue |
| Table 30: Transmission revenue cap service revenues to be used for calculating TR _t (\$ million real a | |
| at 30 June 2017) | |
| Table 31: Distribution revenue cap service revenues to be used for calculating DR_t (\$ million real a | |
| 30 June 2017) | |
| Table 32: Pricing years for this access arrangement period | |
| Table 33: TXt | |
| Table 34: DXt | |



| Table 35: Efficiency and innovation benchmarks for the transmission system (\$M real as at 30 June | ž |
|---|------|
| 2017) | . 48 |
| Table 36: Efficiency and innovation benchmarks for the distribution system (\$M real as at 30 June | |
| 2017) | . 48 |
| Table 37: Distribution system forecast network growth escalation assumptions | . 52 |
| Table 38: Transmission system forecast network growth escalation assumptions | . 52 |
| Table 39: Indirect and corporate cost forecast growth escalation assumptions | . 52 |
| Table 40: SAIDI SSAM targets and incentive rates (\$ real as at 30 June 2017) | . 54 |
| Table 41: SAIFI SSAM targets and incentive rates (\$ real as at 30 June 2017) | . 55 |
| Table 42: Call centre performance SSAM target and incentive rate (\$ real as at 30 June 2017) | . 55 |
| Table 43: Circuit availability SSAM target and incentive rate (\$ real as at 30 June 2017) | . 55 |
| Table 44: Loss of supply event frequency SSAM target and incentive rate (\$ real as at 30 June 2017 |)56 |
| Table 45: Average outage duration SSAM target and incentive rate (\$ real as at 30 June 2017) | 56 |



1 Introduction

1.1 Purpose of this document

- 1.1.1 These revised proposed revisions are lodged by Western Power on 14 June 2018 for review and approval by the Authority in accordance with the processes and criteria set out in the Electricity Networks Access Code 2004, herein referred to as the "Code". Henceforth this document is referred to as the "access arrangement".
- 1.1.2 This access arrangement is an arrangement for access to the Western Power Network from the date specified in section 1.3.1 of this access arrangement. The Western Power Network is a covered network under the Code.

1.2 Definitions and interpretation

- 1.2.1 In sections 1 to 9 of this *access arrangement*, where a word or phrase is italicised it has the definition given to that word or phrase as described in this *access arrangement* or section 1.3 of the *Code*, unless the context requires otherwise.
- 1.2.2 In each of the appendices to this *access arrangement*, a separate glossary of terms is provided where appropriate, and the definitions contained in those separate glossaries apply to the relevant appendix, unless the context requires otherwise.
- 1.2.3 In this access arrangement:

"AMI Meter" has the meaning given to it in the model service level agreement most recently approved by the Authority under the Electricity Industry (Metering Code) 2012.

"bi-directional service" means a covered service provided by Western Power at a connection point under which the user may transfer electricity into and out of the Western Power Network at the connection point.

"MSLA" means the model service level agreement approved by the Authority under the Metering Code (which as at the AA4 effective date is the version dated March 2006).

1.3 Proposed access arrangement revisions commencement date

1.3.1 This *access arrangement* (as revised) is effective from 1 November 2018 or a later date in accordance with section 4.26 of the *Code*.

1.4 Revisions submission date and target revisions commencement date

1.4.1 Pursuant to section 5.31(a) of the *Code*, the *revisions submission date* for this *access arrangement* is 26 February 2021.



1.4.2 Pursuant to section 5.31(b) of the *Code*, the target *revisions commencement date* for this *access arrangement* is 1 July 2022.

1.5 Composition of this access arrangement

- 1.5.1 This access arrangement comprises this document together with:
 - a) the *Standard Access Contract*, termed the Electricity Transfer Access Contract attached at Appendix A;
 - b) the Applications and Queuing Policy attached at Appendix B;
 - c) the Contributions Policy attached at Appendix C.1;
 - d) the distribution low voltage connection headworks scheme methodology attached at Appendix C.2;
 - e) the Transfer and Relocation Policy attached at Appendix D;
 - f) the details of the *reference services* offered by Western Power attached at Appendix E;
 - g) the *price lists* attached at Appendix F, which are a schedule of *reference tariffs* in effect for this *access arrangement*; and
 - h) the *price list information* attached at Appendix F, which explains how Western Power derived the elements of the proposed *price lists*; and demonstrates that the *price lists* comply with the *access arrangement*.

1.6 Relationship to technical rules and access arrangement information

- 1.6.1 The *technical rules* do not form part of this *access arrangement*, although the *technical rules* are relevant in determining Western Power's *target revenue*.
- 1.6.2 Western Power's amended access arrangement information dated 14 June 2018 is submitted alongside this access arrangement in accordance with section 4.4 of the Code. The amended access arrangement information is to be read in conjunction with the revised access arrangement information that was submitted on 2 October 2017. The amended access arrangement information and the revised access arrangement information do not form part of this access arrangement.



2 Reference services

2.1 Purpose

2.1.1 Pursuant to sections 5.1(a) and 5.2 of the *Code*, this section of the *access* arrangement describes the *reference services* offered by Western Power.

2.2 Reference services

- 2.2.1 Reference services are provided to users that meet and continue to meet the eligibility criteria applicable to the reference service provided, on the terms and conditions of the Electricity Transfer Access Contract, at the related service standard benchmarks and at the related reference tariff.
- 2.2.2 Western Power specifies 11 reference services at exit points:

Table 1: Reference services at exit points

| Reference service | Short name |
|---|------------|
| Anytime Energy (Residential) Exit Service | A1 |
| Anytime Energy (Business) Exit Service | A2 |
| Time of Use Energy (Residential) Exit Service | А3 |
| Time of Use Energy (Business) Exit Service | A4 |
| High Voltage Metered Demand Exit Service | A5 |
| Low Voltage Metered Demand Exit Service | A6 |
| High Voltage Contract Maximum Demand Exit Service | А7 |
| Low Voltage Contract Maximum Demand Exit Service | A8 |
| Streetlighting Exit Service (including streetlight maintenance) | А9 |
| Unmetered Supplies Exit Service | A10 |
| Transmission Exit Service | A11 |

2.2.3 Western Power specifies two *reference services* at *entry points*:

Table 2: Reference services at entry points

| Reference service | Short name |
|----------------------------|------------|
| Distribution Entry Service | B1 |
| Transmission Entry Service | B2 |

2.2.4 Western Power specifies eight *bi-directional services* as *reference services* at connection points:



Table 3: Reference services at bi-directional points

| Reference service name | Short name |
|---|------------|
| Anytime Energy (Residential) Bi-directional Service | C1 |
| Anytime Energy (Business) Bi-directional Service | C2 |
| Time Of Use Energy (Residential) Bi-directional Service | C3 |
| Time Of Use Energy (Business) Bi-directional Service | C4 |
| High Voltage Metered Demand Bi-directional Service | C5 |
| Low Voltage Metered Demand Bi-directional Service | C6 |
| High Voltage Contract Maximum Demand Bi-directional Service | C7 |
| Low Voltage Contract Maximum Demand Bi-directional Service | C8 |

2.2.5 Western Power specifies two services at an exit point or a bi-directional point with an AMI meter or an interval meter as reference services.

Table 4: Reference Services at an exit point or a bi-directional point with an AMI meter or an interval meter

| Reference service name | Short name |
|---|------------|
| 3 Part Time of Use Energy (Residential) Service | D1 |
| 3 Part Time of Use Energy (Business) Service | D2 |

- 2.2.6 Appendix E of this *access arrangement* provides details of each *reference service*, including:
 - a description of the reference service;
 - the user eligibility criteria;
 - the applicable reference tariff;
 - the applicable standard access contract; and
 - the applicable service standard benchmark.

2.3 Payment by users

2.3.1 Users are required to pay a *charge* for *reference services* calculated by applying the related *reference tariffs*.



3 Excluded services

3.1 Purpose

3.1.1 This section of the *access arrangement* describes the *excluded services* offered by Western Power.

3.2 Excluded services

3.2.1 There are no excluded services at the revisions commencement date of this access arrangement. In accordance with section 6.35 of the Code, Western Power may at any time request the Authority to determine under section 6.33 of the Code that one or more services provided by means of the Western Power Network are excluded services.



4 Service standard benchmarks

4.1 Purpose

4.1.1 Pursuant to section 5.1(c) of the *Code*, this section provides the *service standard* benchmarks applicable to the *reference services*. Service standard benchmarks are not applicable to *non-reference services*.

4.2 Service standard benchmarks for distribution reference services

- 4.2.1 For the reference services A1 to A10, B1, C1 to C8 and D1 and D2, the service standard benchmarks are expressed in terms of System Average Interruption Duration Index (SAIDI), System Average Interruption Frequency Index (SAIFI) and call centre performance.
- 4.2.2 In sections 4.2.3 and 4.2.5 **"distribution customer"** means a *consumer* connected to the *distribution system*.

System Average Interruption Duration Index (SAIDI)

4.2.3 SAIDI is applied as follows:

Table 5: Application of SAIDI

| | System Average Interruption Duration Index (SAIDI) CBD Urban Rural Short Rural Long | |
|-----------------|---|--|
| Unit of Measure | Minutes per year. | |
| Definition | Over a 12 month period, the sum of the duration of each sustained (greater than 1 minute) distribution customer interruption (in minutes) attributable to the distribution system (after exclusions) divided by the number of distribution customers served, that is: | |
| | ∑ Sustained distribution customer interruption durations Number of distribution customers served where: | |
| | A CBD feeder is a feeder supplying predominantly commercial, high-rise buildings, supplied by a predominantly underground distribution system containing significant interconnection and redundancy when compared to urban areas. | |



| | Customs Avenues Intermination Develop Index (CAIDI) | | |
|------------|--|--|--|
| | System Average Interruption Duration Index (SAIDI) | | |
| | CBD | | |
| | Urban | | |
| | Rural Short | | |
| | Rural Long | | |
| | An Urban feeder is a feeder, which is not a CBD feeder with actual maximum demand over the reporting period per total high voltage feeder route length greater than 0.3 MVA/km. | | |
| | A Rural Short feeder is a feeder which is not a CBD or urban feeder with a total high voltage feeder route length less than 200 km. | | |
| | A Rural Long feeder is a feeder which is not a CBD or urban feeder with a total high voltage feeder route length greater than 200 km. | | |
| | The number of distribution customers served is determined by averaging the start of month values for the 12 months included in the 12 month period. | | |
| Exclusions | One or more of: | | |
| | • For an unplanned interruption on the <i>distribution system</i> , a day on which the major event day threshold, applying the "2.5 beta method", is exceeded. This method excludes events which are more than 2.5 standard deviations greater than the mean of the log normal distribution of five financial years of SAIDI data. The major event day threshold is determined at the end of each financial year for use in the next financial year. The data set comprises daily unplanned SAIDI calculated over the five immediately preceding financial years after exclusions (below) are applied. Where the logarithms of the data set are not normally distributed, the Box-Cox transformation will be applied to reach a better approximation of the normal distribution. | | |
| | Interruptions shown to be caused by a fault or other event on the transmission system. | | |
| | Interruptions shown to be caused by a fault or other event on a third party system (for instance, without limitation, interruptions caused by an intertrip signal, generator unavailability or a consumer installation). | | |
| | Planned interruptions caused by scheduled works. | | |
| | | | |

4.2.4 The service standard benchmarks expressed in terms of SAIDI for the reference services A1 to A10, B1, C1 to C8 and D1 and D2 for each year of this access arrangement period are shown in the following table:

Table 6: SAIDI service standard benchmarks for reference services A1 to A10, B1, C1 to C8 and D1 and D2

| SAIDI | For the financial year ending 30 June 2018 | For each financial year ending 30 June thereafter |
|-------------|--|---|
| CBD | 39.9 | 37.2 |
| Urban | 183.0 | 134.7 |
| Rural Short | 227.8 | 226.3 |



| SAIDI | For the financial year ending 30 June 2018 | For each financial year ending 30 June thereafter |
|------------|--|---|
| Rural Long | 724.8 | 902.9 |

System Average Interruption Frequency Index (SAIFI)

4.2.5 SAIFI is applied as follows:

Table 7: Application of SAIFI

| Unit of Measure | System Average Interruption Frequency Index (SAIFI) CBD Urban Rural Short Rural Long |
|-----------------|--|
| | Sustained interruptions per year. |
| Definition | Over a 12 month period, the number of sustained (greater than 1 minute) distribution customer interruptions (number) attributable to the distribution system (after exclusions) divided by the number of distribution customers served, that is: |
| | ∑ Number of sustained distribution customer interruptions |
| | Number of distribution customers served |
| | where: |
| | A CBD feeder is a feeder supplying predominantly commercial, high-rise buildings, supplied by a predominantly underground distribution system containing significant interconnection and redundancy when compared to urban areas. |
| | An Urban feeder is a feeder, which is not a CBD feeder, with actual maximum demand over the reporting period per total high voltage feeder route length greater than 0.3 MVA/km. |
| | A Rural Short feeder is a feeder which is not a CBD or urban feeder with a total high voltage feeder route length less than 200 km. |
| | A Rural Long feeder is a feeder which is not a CBD or urban feeder with a total high voltage feeder route length greater than 200 km. |
| | The number of distribution customers served is determined by averaging the start of month values for the 12 months included in the 12 month period. |
| Exclusions | One or more of: |
| | For unplanned interruptions on the distribution system, a day on which the major event day threshold, applying the "2.5 beta method", is exceeded. |
| | This method excludes events which are more than 2.5 standard deviations greater than the mean of the log normal distribution of five financial years of SAIDI data. The major event day threshold is determined at the end of each financial year for use in the next financial year. The data set comprises daily unplanned SAIDI calculated over the |



| | System Average Interruption Frequency Index (SAIFI) | |
|---|--|--|
| | CBD | |
| | Urban | |
| | Rural Short | |
| | Rural Long | |
| | five immediately preceding financial years after exclusions (below) are applied. Where the logarithms of the data set are not normally distributed, the Box-Cox transformation will be applied to reach a better approximation of the normal distribution. | |
| • | Interruptions shown to be caused by a fault or other event on the transmission system. | |
| • | Interruptions shown to be caused by a fault or other event on a third party system (for instance, without limitation interruptions caused by an intertrip signal, generator unavailability or a consumer installation). | |
| • | Planned interruptions caused by scheduled works. | |
| • | Force majeure events affecting the distribution system. | |

4.2.6 The service standard benchmarks expressed in terms of SAIFI for the reference services A1 to A10, B1, C1 to C8 and D1 and D2 for each year of this access arrangement period are shown in the following table:

Table 8: SAIFI service standard benchmarks for reference services A1 to A10, B1, C1 to C8 and D1 and D2

| SAIFI | For the financial year ending 30 June 2018 | For each financial year ending 30 June thereafter |
|-------------|--|---|
| CBD | 0.26 | 0.23 |
| Urban | 2.12 | 1.33 |
| Rural Short | 2.61 | 2.38 |
| Rural Long | 4.51 | 5.90 |

4.2.7 For the purpose of this *access arrangement*, the definitions of CBD, Urban, Rural Short and Rural Long feeder classifications are consistent with those applied by the Steering Committee on National Regulatory Reporting Requirements (SCNRRR).

Call centre performance

4.2.8 Call centre performance is applied as follows:

Table 9: Application of call centre performance

| | Call centre performance | |
|-----------------|--|--|
| Unit of Measure | Percentage of calls per year. | |
| Definition | Over a 12 month period, in relation to interruptions and life threatening emergencies, percentage of calls responded to in 30 seconds or less (after exclusions), that is: | |



| | Call centre performance | |
|------------|---|--|
| | Number of fault calls responded to in 30 seconds or less | |
| | Total Number of fault calls | |
| | where: | |
| | (a) "Number of fault calls" responded to in 30 seconds or less is: | |
| | (i) unless paragraph (a)(ii) applies, where the caller's postcode is automatically determined or when a valid postcode is entered by the caller, the number of fault calls where a recorded message commences within 30 seconds from that determination or entry; or | |
| | (ii) where the call is placed in the queue to be responded to by a human operator, the number of fault calls where the human operator commences to speak with the caller within 30 seconds of that placement. | |
| | (b) A "fault call" is a telephone call from a caller entering the fault line or life threatening emergency line. | |
| | (c) A call may be placed in a queue to be responded to by a human operator when the caller: | |
| | (i) chooses to hold (when invited to do so) at the end of the recorded message; | |
| | (ii) chooses to hold (when invited to do so) rather than enter a postcode when prompted to do so; | |
| | (iii) enters an invalid postcode. | |
| | (d) For a call to be counted as being responded to under paragraph (a), the caller must receive from the recorded message or the human operator information regarding power interruptions in their area and related restoration information. | |
| | (e) A call where the interactive message service fails to automatically determine the caller's postcode or invite the entry of a postcode, as a result of which the service of providing information regarding power interruptions in their area and related restoration information does not commence, will be counted as a fault call not responded to in 30 seconds or less. | |
| Exclusions | One or more of: | |
| | Calls abandoned by a caller in 4 seconds or less of their postcode being automatically determined or when a valid postcode is entered by the caller. | |
| | • Calls abandoned by a caller in 30 seconds or less of the call being placed in the queue to be responded to by a human operator. | |
| | All telephone calls received on a major event day which is excluded from SAIDI and SAIFI. | |
| | A fact or circumstance beyond the control of Western Power affecting the ability to receive calls to the extent that Western Power could not contract on reasonable terms to provide for the continuity of service. | |

4.2.9 The service standard benchmarks expressed in terms of call centre performance for the reference services A1 to A10, B1, C1 to C8 and D1 and D2 for each year of this access arrangement period are shown in the following table:



Table 10: Call centre performance service standard benchmarks for reference services A1 to A10, B1, C1 to C8 and D1 and D2

| | For the financial year ending 30 June 2018 | For each financial year ending 30 June thereafter |
|-------------------------|---|---|
| Call centre performance | 77.5% | 85.3% |

4.3 Service standard benchmarks for transmission reference services

4.3.1 For the *reference services* A11 and B2, the *service standard benchmarks* are expressed in terms of circuit availability, system minutes interrupted, loss of supply event frequency and average outage duration.

Circuit availability

4.3.2 Circuit availability is applied as follows:

Table 11: Application of circuit availability

| | Circuit availability |
|-----------------|--|
| Unit of Measure | Percentage of hours per year. |
| Definition | Over a 12 month period, the actual hours transmission circuits are available divided by the total possible hours available for transmission circuits (after exclusions), that is: |
| | Number of hours transmission circuits are available × 100 |
| | Total possible hours available for transmission circuits |
| | where: |
| | A "transmission circuit" is an arrangement of primary transmission elements on the <i>transmission system</i> that is overhead lines, underground cables, and bulk transmission power transformers used to transport electricity. |
| Exclusions | One or more of: |
| | Zone substation power transformers. |
| | • Interruptions affecting the <i>transmission system</i> shown to be caused by a fault or other event on a third party system (for instance, without limitation interruptions caused by an intertrip signal, generator unavailability or a consumer installation). |
| | Force majeure events affecting the transmission system. |
| | Hours exceeding 14 days for planned interruptions for major construction work. |

4.3.3 The *service standard benchmarks* expressed in terms of circuit availability for the *reference services* A11 and B2 for each year of this *access arrangement period* are shown in the following table:



Table 12: Circuit availability service standard benchmarks for reference services A11 and B2

| | For the financial year ending 30 June 2018 | For each financial year ending 30 June thereafter |
|----------------------|--|---|
| Circuit availability | 97.7% | 97.6% |

System minutes interrupted

4.3.4 System minutes interrupted is applied as follows:

Table 13: Application of system minutes interrupted

| | System minutes interrupted | |
|-----------------|--|--|
| | Meshed | |
| | Radial | |
| | | |
| Unit of Measure | Minutes per year. | |
| Definition | Over a 12 month period: | |
| | System minutes interrupted Meshed is the summation of MW (in minutes) of Unserved energy at substations which are connected to the Meshed transmission network divided by the System Peak MW; and | |
| | System minutes interrupted Radial is the summation of MW (in minutes) of Unserved energy at substations which are connected to the Radial transmission network divided by the System Peak MW, | |
| | that is, for both Meshed and Radial transmission network separately: | |
| | ∑ MW (in minutes) of Unserved Energy | |
| | System Peak MW | |
| | where: | |
| | "Unserved energy" relates to outages on transmission circuits (including all overhead lines, underground cables, power transformers, reactive compensation circuits and transmission zone substation equipment) for unplanned events including extreme events, but not including the events defined as exclusions. | |
| | "System Peak MW" is the maximum peak demand recorded on the SWIS for the previous financial year. | |
| Exclusions | One or more of: | |
| | Planned interruptions. | |
| | Momentary interruptions (less than one minute). | |
| | Unregulated transmission assets. | |
| | • Interruptions affecting the <i>transmission system</i> shown to be caused by a fault or other event on a third party system (for instance, without limitation interruptions caused by an intertrip signal, generator unavailability or a consumer installation). | |
| | Force majeure events affecting the transmission system. | |



4.3.5 The *service standard benchmarks* expressed in terms of system minutes interrupted for the *reference services* A11 and B2 for each year of this *access arrangement period* are shown in the following table:

Table 14: System minutes interrupted service standard benchmarks for reference services A11 and B2

| System minutes interrupted | For the financial year ending 30 June | For each financial year ending 30 June thereafter |
|----------------------------|---------------------------------------|--|
| Meshed | 12.5 | 17.3 |
| Radial | 5.0 | 9.4 |

Loss of supply event frequency

4.3.6 Loss of supply event frequency is applied as follows:

Table 15: Application of loss of supply event frequency

| | Loss of supply event frequency >0.1 and ≤1.0 system minutes interrupted >1.0 system minutes interrupted |
|-----------------|---|
| Unit of Measure | Number of events per year. |
| Definition | Over a 12 month period, the frequency of Unplanned customer outage events where loss of supply: |
| | Exceeds 0.1 system minutes interrupted and less than or equal to 1.0 system minutes interrupted or |
| | Exceeds 1.0 system minutes interrupted. |
| | System minutes are calculated for each supply interruption by the "load integration method" using the following formula, that is: |
| | ∑ (MWh unsupplied x 60) |
| | System Peak MW |
| | where: |
| | "Unplanned customer outages" relates to unplanned customer outages occurring on all parts of the regulated transmission system. |
| | "MWh unsupplied" is the energy not supplied as determined by using Western Power metering and PI server database. This data is used to estimate the profile of the load over the period of the interruption by reference to historical load data. |
| | Period of the interruption starts when a loss of supply occurs and ends when Western Power offers supply restoration to the customer. |
| | "System Peak MW" is the maximum peak demand recorded on the South West Interconnected System for the previous financial year. |
| Exclusions | One or more of: |
| | Planned interruptions. |
| | Momentary interruptions (less than one minute). |
| | Unregulated transmission assets. |



| Loss of supply event frequency >0.1 and ≤1.0 system minutes interrupted >1.0 system minutes interrupted | |
|--|--|
| Interruptions affecting the <i>transmission system</i> shown to be caused by a fault or other event on a third party system (for instance, without limitation interruptions caused by an intertrip signal, generator unavailability or a consumer installation). Force majeure events affecting the <i>transmission system</i>. | |

4.3.7 The *service standard benchmarks* expressed in terms of loss of supply event frequency for the *reference services* A11 and B2 for each year of this *access arrangement period* are shown in the following table:

Table 16: Loss of supply event frequency service standard benchmarks for reference services A11 and B2

| Loss of supply event frequency | For the financial year ending 30 June 2018 | For each financial year ending 30 June thereafter |
|--|--|---|
| > 0.1 system minutes interrupted and ≤1.0 system minutes interrupted | 33 | 27 |
| > 1.0 system minutes interrupted | 4 | 6 |

Average outage duration

4.3.8 Average outage duration is applied as follows:

Table 17: Application of average outage duration

| | Average outage duration | | |
|-----------------|--|--|--|
| Unit of Measure | Minutes per year. | | |
| Definition | Over a 12 month period, the accumulative actual duration (in minutes) of Unplanned outages divided by the total Number of events on regulated transmission circuits (after exclusions), that is: | | |
| | Aggregate duration (in minutes) of all Unplanned outages | | |
| | Total Number of events | | |
| | where: | | |
| | "Unplanned outages" relates to interruptions occurring on all parts of the regulated transmission system. | | |
| | "Number of events" includes all forced and fault interruptions whether or not loss of supply occurs. | | |
| | A "transmission circuit" is an arrangement of primary transmission elements on the transmission system that is overhead lines, underground cables, and bulk transmission power transformers used to transport electricity. | | |
| Exclusions | One or more of: | | |



| Average outage duration | | | | |
|--|--|--|--|--|
| Planned interruptions. | | | | |
| Momentary interruptions (less than one minute). | | | | |
| Unregulated transmission assets. | | | | |
| • Zone substation power transformers and reactive compensation plant. | | | | |
| • Interruptions affecting the <i>transmission system</i> shown to be caused by a fault or other event on a third party system (for instance, without limitation interruptions caused by an intertrip signal, generator unavailability or a consumer installation). | | | | |
| • Force majeure events affecting the transmission system. | | | | |
| • The impact of each event is capped at 14 days. | | | | |

4.3.9 The *service standard benchmarks* expressed in terms of average outage duration for the *reference services* A11 and B2 for each year of this *access arrangement period* is shown in the following table:

Table 18: Average outage duration service standard benchmarks for reference services A11 and B2

| | For the financial year ending 30 June 2018 | For each financial year ending 30 June thereafter |
|-------------------------|--|---|
| Average outage duration | 886 | 1,333 |

4.4 Service standard benchmarks for street lighting reference services

4.4.1 For the *reference service* A9, the *service standard benchmarks* are expressed in terms of street lighting repair time.

Street lighting repair time

4.4.2 Street lighting repair time is applied as follows:

Table 19: Application of street lighting repair time

| | Street lighting repair time Metropolitan area Regional area |
|-----------------|---|
| Unit of Measure | Average number of business days. |
| Definition | Over a 12 month period, average number of <i>business days</i> to repair faulty streetlights is the sum of the number of <i>business days</i> to repair each faulty streetlight divided by the number of faulty streetlights repaired (after exclusions). |
| | ∑ Number of business days to repair each faulty streetlight Number of faulty streetlights repaired |



| | Street lighting repair time | | |
|------------|--|--|--|
| | Metropolitan area | | |
| | Regional area | | |
| | where: | | |
| | • In calculating the number of <i>business days</i> to repair a faulty streetlight, the first <i>business day</i> is: | | |
| | where a faulty streetlight is detected by, or reported to, Western Power on a business day, the next business day; or | | |
| | where a faulty streetlight is detected by, or reported to, Western Power on a day that is not a business day, the second business day after that day | | |
| | • In calculating the number of <i>business days</i> to repair a faulty streetlight, the <i>business day</i> a fault is repaired is included (subject to the next point) even if the repair is effected part way through that <i>business day</i> . | | |
| | • In calculating the number of <i>business days</i> to repair a faulty streetlight: | | |
| | where a faulty streetlight is detected by, or reported to, Western Power on a business day and the repair is effected on that business day, that business day is included as zero | | |
| | where a faulty streetlight is detected by, or reported to, Western Power on a day that is not a business day and the repair is effected on the next business day, that business day is included as zero. | | |
| | • The period of a <i>business day</i> is the time period from one midnight to the following midnight. | | |
| | A "faulty streetlight" is defined by a recorded fault report. | | |
| | Metropolitan area means the areas of the State defined in Part 1.5 of the Code of Conduct for the Supply of Electricity to Small Use Customers 2008. | | |
| | Regional area means all areas in the Western Power Network other than the metropolitan area. | | |
| | Note: | | |
| | If a given streetlight is the subject of more than one fault report for the same fault, then only one fault report is recorded | | |
| | If a given streetlight is the subject of multiple fault reports that relate to different faults then one report relating to each distinct fault is recorded | | |
| Exclusions | Force majeure events. | | |
| | Streetlights for which Western Power is not responsible for streetlight maintenance. | | |

4.4.3 The *service standard benchmarks* for the *reference service* A9 for each year of this *access arrangement period* are set out in the following table:

Table 20: Street lighting repair time service standard benchmark for reference service A9

| Region | For each financial year ending 30 June | | | |
|-------------------|--|--|--|--|
| Metropolitan area | 5 days | | | |



| Region | For each financial year ending 30 June | | |
|---------------|--|--|--|
| Regional area | 9 days | | |

4.5 Exclusions

- 4.5.1 In each of the *service standard benchmarks* there is a definition of the measure and stated exclusions. Each exclusion is a circumstance in relation to which, when it occurs, the resulting units are not included in the measure. For example, for SAIDI, when a *force majeure* event occurs the duration of the related interruption in minutes is not included in the calculation of the measure.
- 4.5.2 Whether or not particular circumstances meet the criteria to be an exclusion, such that the resulting units are not included in the measure, may be considered by the *Authority* when it *publishes* Western Power's actual *service standard* performance against the *service standard benchmarks* under section 11.2 of the *Code*. Where the *Authority* accepts an exclusion in such a report, it will be an exclusion for the purposes of the application of this *access arrangement* and the *Code*.
- 4.5.3 Where Western Power has applied a Box-Cox transformation method to the daily unplanned SAIDI data set to determine the major event day threshold, in the *service* standard performance report provided for the financial year in which the major event day threshold is used, Western Power must:
 - a) Demonstrate that the natural logarithm of the data set of each unplanned SAIDI value is not normally distributed.
 - b) Provide the calculations that demonstrate the application of the Box-Cox transformation method to the unplanned SAIDI values.
 - Provide the data set resulting from applying the Box-Cox transformation method.
 - d) Demonstrate that the resulting data set is normally distributed or that the normality of the data set is improved.



5 Price control

5.1 Overview of price control

5.1.1 In this access arrangement:

"non-revenue cap services" means non-reference services provided by Western Power by means of the Western Power Network other than non-reference services that are provided as revenue cap services.

"revenue cap services" means the following covered services provided by Western Power by means of the Western Power Network:

- a) connection service;
- b) exit service;
- c) entry service;
- d) bi-directional service;
- e) the metering *services* provided ancillary to the *services* in paragraphs (a) to (d) that are defined as standard metering services in the *MSLA*; and
- f) streetlight maintenance.
- 5.1.2 In accordance with sections 6.1 and 6.2(c) of the *Code*:
 - a) a revenue cap will apply to revenue cap services that is set by reference to Western Power's approved total costs; and
 - b) subject to paragraph (c), charges for non-revenue cap services will be:
 - i. negotiated in good faith;
 - ii. consistent with the Code objective; and
 - iii. reasonable.
 - c) charges for access applications will be consistent with the Applications and Queuing Policy and charges for extended metering services (within the meaning of the MSLA) will be consistent with the MSLA.
- 5.1.3 Separate revenue caps will apply in respect of the *revenue cap services* provided by means of the *transmission system* and the *distribution system*. The establishment of each revenue cap has been made by reference to Western Power's *approved total costs* for *revenue cap services* for each of the *transmission system* and the *distribution system*.
- 5.1.4 The calculation of Western Power's approved total costs for revenue cap services has been undertaken in accordance with the building block method for each of the transmission system and the distribution system, as contained in the revenue model.



5.1.5 Despite section 1.3.1 of this access arrangement, the price control and all incentive and cost recovery mechanisms described in this access arrangement operate from 1 July 2017, and therefore references to access arrangement period should be interpreted accordingly.

5.2 Capital base value

5.2.1 The tables below show the derivation of the *capital base* value as at 30 June 2017.

Table 21: Derivation of Transmission Initial Capital Base (net) (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June 2013 | 30 June 2014 | 30 June 2015 | 30 June 2016 | 30 June 2017 |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|
| Opening capital base value | 2,816.7 | 2,928.6 | 3,163 | 3,199.2 | 3,138.0 |
| less depreciation | 94.0 | 103.4 | 114.1 | 121.3 | 129.4 |
| less accelerated depreciation | - | - | - | - | - |
| plus new facilities investment (net of capital contributions and asset disposals) | 205.8 | 338.0 | 150.0 | 60.1 | 105.2 |
| Closing capital base value | 2,928.6 | 3,163.2 | 3,199.2 | 3,138.0 | 3,113.8 |

Table 22: Derivation of Distribution Initial Capital Base (net) (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June 2013 | 30 June 2014 | 30 June 2015 | 30 June 2016 | 30 June 2017 |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|
| Opening capital base value | 4,248.7 | 4,707.8 | 5,142.3 | 5,504.4 | 5,746.2 |
| less depreciation | 214.0 | 236.2 | 261.9 | 266.5 | 281.5 |
| less accelerated depreciation | 3.8 | 0.5 | - | - | - |
| plus new facilities investment (net of capital contributions and asset disposals) | 676.9 | 671.2 | 624.0 | 508.4 | 362.3 |
| Closing capital base value | 4,707.8 | 5,142.3 | 5,504.4 | 5,746.2 | 5,827.1 |

5.3 Depreciation

- 5.3.1 Pursuant to section 6.70 of the *Code*, the *price control* set out in this *access arrangement* provides for the depreciation of the *network assets* that comprise the *capital base*. References to depreciation in this *access arrangement* relate solely to regulatory depreciation for the purposes of calculating the *target revenue*, and do not relate to the calculation of depreciation for accounting or taxation purposes.
- 5.3.2 The depreciation provision contained in the *target revenue* for each year of this *access arrangement period* is calculated using:



- a) the straight line depreciation method;
- b) the existing weighted average lives for each of the *transmission system* and *distribution system* that comprise the *capital base* value as at 30 June 2017; and
- c) for new facilities investment forecast for this access arrangement period the weighted average lives for each of the transmission system and distribution system based on the asset lives for each group of network assets as set out in the following tables:

Table 23: Transmission asset groupings and economic lives for depreciation purposes

| Asset group | Economic Life (years) for depreciation purposes |
|--|---|
| Transmission transformers | 50 years |
| Transmission reactors | 50 years |
| Transmission capacitors | 40 years |
| Transmission circuit breakers | 50 years |
| Transmission lines – steel towers | 60 years |
| Transmission lines - wood poles | 45 years |
| Transmission cables | 55 years |
| Transmission metering | 40 years |
| Transmission SCADA and communications | 11 years |
| Transmission IT | 6 years |
| Transmission other, non-network assets | 16.85 years |

Table 24: Distribution asset groupings and economic lives for depreciation purposes

| Asset group | Economic Life (years) for depreciation purposes |
|--|---|
| Distribution lines - wood poles | 41 years |
| Distribution underground cables | 60 years |
| Distribution transformers | 35 years |
| Distribution switchgear | 35 years |
| Street lighting | 20 years |
| Distribution meters and services | 15 years |
| Distribution IT | 6 years |
| Distribution SCADA & communications | 10.16 years |
| Distribution other, non-network assets | 10.16 years |



- 5.3.3 Western Power is not proposing any accelerated depreciation in this *access* arrangement period in relation to network assets for the transmission system.
- 5.3.4 In respect of *network assets* for the *distribution system*, Western Power will apply accelerated depreciation in respect of those *network assets* that will be decommissioned as a result of the State Underground Power Program undertaken by Western Power on behalf of the Western Australian government as set out in the following table:

Table 25: Distribution accelerated depreciation by asset class (\$ million real as at 30 June 2017)

| | 30 June 2018 | 30 June 2019 | 30 June 2020 | 30 June 2021 | 30 June 2022 |
|--------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Underground Cables | 3.63 | 4.84 | 3.25 | - | - |
| Transformers | - | - | - | - | - |
| Switchgear | 0.46 | 1.48 | 0.76 | - | - |
| Street lighting | 0.28 | 0.57 | 0.36 | - | - |
| Meters and Services | - | - | - | - | - |
| IT | - | - | - | - | - |
| SCADA & Communications | - | - | - | - | - |
| Other Distribution Non-Network | - | - | - | - | - |
| Distribution Land & Easements | - | - | - | - | - |

5.3.5 The depreciation of the opening *capital base* at the commencement of the next *access arrangement period* will be the forecast depreciation contained in the *target revenue* for this *access arrangement period*.

5.4 Weighted average cost of capital

Pursuant to section 6.64 of the *Code* the *weighted average cost of capital* for the *Western Power Network* for the financial year ending 30 June 2018 is 6.12% nominal post tax and for the financial year ending 30 June 2019 is 6.12% nominal post-tax, derived using the following formula:

$$WACC_{Nom} = r_e \times \frac{E}{E+D} + r_d \times \frac{D}{E+D}$$

Where:

 r_e is the cost of equity, being 6.99%

 r_d is the cost of debt, being 5.42% for the financial years ended 30 June 2018 and 5.42% for the financial year ended 30 June 2019

E is the proportion of equity used to finance regulated assets by a benchmark electricity network service provider (45%)



D is the proportion of debt used to finance regulated assets by a benchmark electricity network service providers (55%)

- The cost of debt (*r_d*) in section 0 will be updated annually to give effect to the annual update of the trailing average debt risk premium ("**DRP**"). The annual update of the cost of debt will give rise to an annual update of the weighted average cost of capital. The update of the *DRP*, cost of debt and weighted average cost of capital will apply to the financial years ended 30 June 2020, 30 June 2021 and 30 June 2022.
- 5.4.3 The updated *DRP* and resulting updated *weighted average cost of capital* will be reflected in the update of the *price list* in accordance with sections 6.4.2 and 6.4.3.

Trailing average cost of debt variation

5.4.4 The annual update of the trailing average *DRP* in each relevant year of this *access* arrangement period is to be calculated by applying the following formula:

$$TA DRP_0 = \frac{\sum_{t=0}^{-9} DRP_t}{10}$$

where

 $TA\ DRP_0$ is the equally weighted trailing average of the DRP to apply in the following year as the annual update of the estimate used in the current year; and

 DRP_t is the DRP estimated for each of the 10 regulatory years

$$t = 0, -1, -2..., -9.$$

 DRP_t refers to the DRP estimates in each year = 0, -1, -2...., -9, which are either:

- 5.4.5 The forward looking DRP estimators for the financial year ended 30 June 2020, 30 June 2021 or 30 June 2022 estimated during the 20 business day averaging period, using the Authority's bond yield method of automatic formulas as described in section 5.4.14 below ("Bond Yield Approach"); or
- 5.4.6 The published DRP_t , estimates, derived as follows:
 - financial year 2008/09: DRP_{2008/09}: 5.525 per cent;
 - financial year 2009/10: DRP_{2009/10}: 2.509 per cent;
 - financial year 2010/11: DRP_{2010/11}: 2.005 per cent;
 - financial year 2011/12: DRP_{2011/12}: 3.000 per cent;
 - financial year 2012/13: DRP_{2012/13}: 2.988 per cent;
 - financial year 2013/14: DRP_{2013/14}: 3.016 per cent;



- financial year 2014/15: DRP_{2014/15}: 1.770 per cent;
- financial year 2015/16: DRP_{2015/16}: 2.420 per cent;
- financial year 2016/17: DRP_{2016/17}: 1.656 per cent;
- financial year 2017/18: DRP_{2017/18}: 1.241 per cent;
- 5.4.7 The trailing average *DRP* estimate for the financial year ending 30 June 2018 (TA DRP₂₀₁₈), will be 2.613%.
- 5.4.8 The trailing average DRP estimate for the financial year ending 30 June 2019 (TA DRP₂₀₁₉) will be 2.613%, being the average derived from DRP_{2008/09} to DRP_{2017/18} listed in section 5.4.6 above.
- 5.4.9 The first annual update of the *DRP* will apply for the financial year ending 30 June 2020. All annual updates of the *DRP* are to be determined consistent with the *Bond Yield Approach*.
- 5.4.10 The Authority required that Western Power nominate an averaging period for the pruposes of determining the DRP for each of the financial years ending 30 June 2020, 30 June 2021 and 30 June 2022. The averaging periods are a nominated 20 business days (based on NSW public holidays) during the period 1 September to 31 January in the financial year prior to the relevant financial year. The nominated 20 business day averaging period does not need to be identical in each year.
- 5.4.11 The forward looking estimates of the *DRP* for each financial year ending 30 June 2020, 30 June 2021 and 30 June 2022, will be estimated using the *Bond Yield Approach*. Resulting estimates of the *DRP* will be included in the calculation of the trailing average *DRP* in accordance with the formula in section 5.4.4 above.
- 5.4.12 The next *DRP* estimate that will be made will be based on the nominated 20 days falling in the period 1 September 2019 to 31 January 2020 (for DRP₂₀₂₀). That next *DRP* estimate will be incorporated in the trailing average DRP₂₀₂₀ (that is, TA DRP₂₀₂₀), and the updated *weighted average cost of capital*, which will then apply in the financial year 2020 by way of the *price list* update in section 6.4.3.
- 5.4.13 The following method of automatic formulas applies where the *Authority's Bond Yield Approach* is used for updating the estimates of the *DRP*, and will remain unchanged for the duration of this *access arrangement period*, and hence will apply for the estimates made for DRP₂₀₂₀, as well as for the estimates DRP₂₀₂₁ and DRP₂₀₂₂.
- 5.4.14 The Authority's Bond Yield Approach consists of the following six processes:

Determining the Benchmark Sample

Identifying a sample of bonds based on the benchmark sample selection criteria. This will comprise a 'cross section' of bonds.

Collecting Data



Collecting data for those bonds over the averaging period in question, for example 20 trading days. This represents 'time series' data related to each bond.

Converting Yields to Australian Dollar Equivalents

Converting yields for bonds denominated in foreign currencies into Australian dollar (AUD) equivalents so that all yields are expressed as an AUD equivalent.

Averaging Yields over the Averaging Period

Calculating an average AUD equivalent bond yield for each bond in the cross section across the averaging period. For example, where a 20 trading day averaging period applies, each bond will have a single 20 day 'average yield' calculated.

Estimating 'Curves'

Estimating three yield curves based on different methodologies and using the average yield for each bond; its remaining term to maturity; and AUD face value.

Calculating the DRP

Calculating the *DRP* by subtracting the average of the 10 year AUD interest rate swap (IRS) rate from the 10 year cost of debt estimate, with the latter calculated as the average of the three estimated yield curves at the ten year tenor.

5.4.15 Each process is comprised of a series of automatic formulas that will be used for the annual updates of the *DRP*. Further details of the automatic update approach are set out in the *Authority's approval* of this *access arrangement*.

5.5 Deferred revenue from the second and third access arrangement period

- 5.5.1 Western Power deferred the recovery of some transmission and distribution revenue from the second *access arrangement period* to the third or subsequent *access arrangement periods* ("initial deferred revenue").
- 5.5.2 This access arrangement will defer additional transmission revenue from the fourth access arrangement period to subsequent access arrangement periods ("additional transmission deferred revenue"). The table below shows the additional transmission deferred revenue

Table 26: Derivation of Additional transmission deferred revenue (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June |
|-----------------------------|---------|---------|---------|---------|---------|
| | 2018 | 2019 | 2020 | 2021 | 2022 |
| Additional deferred revenue | 55.5 | 52.8 | 24.1 | 21.0 | 10.7 |



5.5.3 The tables below show the derivation of the *initial deferred revenue* value as at 30 June 2017 to be recovered so that Western Power is financially neutral compared to a situation where *initial deferred revenue* deferral had not occurred.

Table 27: Derivation of transmission system initial deferred revenue (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June 2013 | 30 June 2014 | 30 June 2015 | 30 June 2016 | 30 June 2017 |
|--------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Opening deferred revenue value | 96.7 | 95.9 | 95.2 | 94.4 | 93.6 |
| less principal recovered | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 |
| Closing deferred revenue value | 95.9 | 95.2 | 94.4 | 93.6 | 92.8 |

Table 28: Derivation of distribution system initial deferred revenue (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June 2013 | 30 June 2014 | 30 June 2015 | 30 June 2016 | 30 June 2017 |
|--------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Opening deferred revenue value | 726.1 | 718.5 | 710.6 | 702.3 | 693.9 |
| less principal recovered | 7.6 | 7.9 | 8.2 | 8.5 | 8.8 |
| Closing deferred revenue value | 718.5 | 710.6 | 702.3 | 693.9 | 685.0 |

- 5.5.4 Western Power will recover the *initial deferred revenue* amounts detailed in section 5.5.3 of this *access arrangement* as a real annuity amount over:
 - a) a 50 year period for the *transmission system initial deferred revenue* commencing 1 July 2012; and
 - b) a 42 year period for the *distribution system initial deferred revenue* commencing 1 July 2012.
- 5.5.5 The interest rate applicable for the calculation of the real annuity during this *access* arrangement period is the weighted average cost of capital for the Western Power Network as set out in section 5.4.1 of this access arrangement.
- 5.5.6 The amounts that will be added to the *target revenue* for the *transmission system* and *distribution system* and recovered during this *access arrangement period* are detailed in the table below.

Table 29: Amount to be added to the target revenue due to the recovery of initial deferred revenue (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June 2018 | 30 June 2019 | 30 June 2020 | 30 June 2021 | 30 June 2022 |
|------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Transmission system | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 |
| Distribution system | 36.8 | 36.8 | 36.8 | 36.8 | 36.8 |



5.6 Transmission system revenue cap for revenue cap services

- 5.6.1 The transmission system revenue cap for revenue cap services is used to determine the maximum transmission revenue cap service revenue (MTR_t) for Western Power's transmission system for each financial year t.
- 5.6.2 The operation of the correction factor, TK_t, as described in sections 5.6.7 and 5.6.8 of this *access arrangement* will ensure that the MTR in financial year t is adjusted for any shortfall or over-recovery of actual transmission *revenue cap service* revenue compared to the MTR in preceding years.
- For the purposes of this *transmission system* revenue cap for *revenue cap services*, Western Power's actual *transmission system* revenue in financial year t is transmission revenue earned in relation to the provision of *revenue cap services* in financial year t, subject to section 5.6.4 of this *access arrangement*. Where a *revenue cap service* is provided jointly by Western Power's *transmission system* and *distribution system*, the revenue earned must be allocated between the systems in a fair and reasonable manner.
- 5.6.4 Revenue received by Western Power for *excluded services*, *non-revenue cap services* and *capital contributions* will not be treated as actual revenue for the purposes of this *transmission system* revenue cap for *revenue cap services*.
- 5.6.5 Despite section 1.3.1 of this *access arrangement* the *transmission system* revenue cap for *revenue cap services* commences on 1 July 2017. This revenue cap applies annually on a financial year basis for the duration of this *access arrangement*.
- 5.6.6 For this access arrangement period, the maximum transmission revenue cap service revenue MTR_t is determined as follows:

$$MTR_t = TR_t + TAA3_t + TK_t$$

where:

 TR_t is the dollar amount for the financial year t calculated from the dollar amounts (expressed in 30 June 2017 prices) set out in the table below. For the avoidance of doubt, the dollar amounts set out in the table below include the amounts due to the recovery of *initial deferred revenue* detailed in section 5.5.6 of this *access arrangement* for the *transmission system*. Note that the values in the table will be updated, and these values will be reported in the *price list information* for the financial years ending 30 June 2020, 30 June 2021 and 30 June 2022, as a result of the annual updates to *weighted average cost of capital* specified in section 5.4.

Table 30: Transmission revenue cap service revenues to be used for calculating TR_t (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June |
|------------------------|---------|---------|---------|---------|---------|
| | 2018 | 2019 | 2020 | 2021 | 2022 |
| TR _t | 283.0 | 302.7 | 348.6 | 384.0 | 421.4 |



 $\mathsf{TAA3}_t$ is a positive or negative amount for the financial year t calculated to correct for any errors in the amounts included in the calculation of TR_t to give effect to the following adjustments (if applicable) arising from the operation of the previous *access arrangement*:

- Adjusting target revenue for unforeseen events;
- Adjusting target revenue for technical rule changes;
- Investment adjustment mechanism;
- Gain sharing mechanism;
- Service standards adjustment mechanism; and
- D-factor.

 $TAA3_t$ must take account of inflation, the time value of money and estimates (if any) of the above adjustments that have been included in the calculation of TR_t in this section 5.6.6 of this *access arrangement*. Western Power will provide model outputs to the *Authority* to demonstrate that the above adjustments have been made in accordance with the previous *access arrangement*.

 $\mathbf{TK_t}$ is the correction factor calculated in accordance with sections 5.6.7 and 5.6.8 of this *access arrangement*. For the purpose of calculating TR_t , TK_t and therefore MTR_t , in each financial year CPI adjustments will be effected by using published *CPI* data relating to the most recent December quarter compared to the December quarter in the previous year.

5.6.7 For the financial year ending on 30 June 2018:

$$TK_{2017/18} = (FTR_{2015/16} - ATR_{2015/16}) * (1+ 3.60\%) * (1+WACC_{2017/18}) + (MTR_{2016/17} - FTR_{2016/17}) * (1+WACC_{2017/18})$$

For financial years ending on 30 June 2019 to 30 June 2022:

$$TK_{t} = (FTR_{t-2} - ATR_{t-2}) * (1+WACC_{t})* (1+WACC_{t-1}) + (MTR_{t-1} - FTR_{t-1}) * (1+WACC_{t})$$
 where:

FTR_{2015/16} is \$328.8 million (real as at 30 June 2017)

ATR_{2015/16} is \$324.3 million (real as at 30 June 2017)

MTR_{2016/17} is \$263.1 million (real as at 30 June 2017)

FTR_{2016/17} is \$293.6 million (real as at 30 June 2017)

FTR_{t-2} is the forecast transmission *revenue cap services* revenue in the financial year t-2 as calculated in the financial year t-2.

ATR_{t-2} is the actual transmission *revenue cap services* revenue in the financial year t-2 as defined in accordance with section 5.6.3 of this *access arrangement*.

MTR_{t-1} is the maximum revenue cap services revenue for Western Power's transmission system in the financial year t-1.

FTR_{t-1} is the forecast transmission *revenue cap services* revenue in the financial year t-1.



WACC_{2017/18} is 4.21% real post tax

WACC_{2018/19} is 4.21% real post tax

 $WACC_t$ is the weighted average cost of capital in year t for the Western Power Network as detailed in section 5.4 of this access arrangement, on a post-tax real basis.

WACC_{t-1} is the *weighted average cost of capital* in year t-1 for the *Western Power Network* as detailed in section 5.4 of this *access arrangement*, on a post-tax real basis.

This formula reflects that the annual tariff-setting process for financial year t typically takes place before the end of financial year t-1. Therefore, TK_t will need to be estimated in the first instance, and then recalculated in the subsequent financial year when ATR_{t-2} is known.

- 5.6.8 The correction factor, TK_t, will also apply:
 - a) in the first year of the next access arrangement period to adjust for any difference between maximum transmission revenue cap services revenue and forecast transmission revenue cap services revenue, in relation to the financial year ending on 30 June 2022 and for any difference between forecast transmission revenue cap services revenue and actual transmission revenue cap services revenue, in relation to the financial year ending on 30 June 2021; and
 - b) in the second year of the next *access arrangement period* to adjust for any difference between forecast transmission *revenue cap services* revenue and actual transmission *revenue cap services* revenue, in relation to the financial year ending on 30 June 2022.

5.7 Distribution system revenue cap for revenue cap services

- 5.7.1 The *distribution system* revenue cap for *revenue cap services* is used to determine the maximum distribution *revenue cap service* revenue (MDR_t) for Western Power's *distribution system* for each financial year t.
- 5.7.2 The operation of the correction factor, DK_t, as described in sections 5.7.7 and 5.7.8 of this *access arrangement* will ensure that the MDR in financial year t is adjusted for any shortfall or over-recovery of actual distribution *revenue cap service* revenue compared to the MDR in preceding years.
- 5.7.3 For the purposes of this distribution system revenue cap, Western Power's actual distribution system revenue in financial year t is distribution revenue earned in relation to the provision of revenue cap services in financial year t, subject to section 5.7.4 of this access arrangement. Where a revenue cap service is provided jointly by Western Power's transmission system and distribution system, the revenue earned must be allocated between the systems in a fair and reasonable manner.



- 5.7.4 Revenue received by Western Power for *excluded services*, *non-revenue cap services* and *capital contributions* will not be treated as actual revenue for the purposes of this *distribution system* revenue cap for *revenue cap services*.
- 5.7.5 Despite section 1.3.1 of this access arrangement the distribution system revenue cap for revenue cap services commences on 1 July 2017. This revenue cap applies annually on a financial year basis for the duration of this access arrangement.
- 5.7.6 For this *access arrangement period*, the maximum regulated distribution revenue MDR_t is determined as follows:

$$MDR_t = DR_t + TEC_t + DAA3_t + DK_t$$

where:

DR_t is the dollar amount for the financial year t calculated from the dollar amounts (expressed in 30 June 2017 prices) set out in the table below. For the avoidance of doubt, the dollar amounts set out in the table below include the amounts due to the recovery of *initial deferred revenue* detailed in section 5.5.6 of this *access arrangement* for the *distribution system*. Note that the values in the table will be updated, and these values will be reported in the *price list information* for the financial years ending 30 June 2020, 30 June 2021 and 30 June 2022, as a result of the annual updates to *weighted average cost of capital* specified in section 5.4.

Table 31: Distribution revenue cap service revenues to be used for calculating DRt (\$ million real as at 30 June 2017)

| Financial year ending: | 30 June 2018 | 30 June 2019 | 30 June 2020 | 30 June 2021 | 30 June 2022 |
|------------------------|--------------|--------------|--------------|--------------|--------------|
| DRt | 993.0 | 1,001.4 | 1,050.8 | 1,051.2 | 1,046.2 |

 TEC_t is any cost incurred by the *distribution system* for the financial year t as a result of the tariff equalisation contribution in accordance with section 6.37A of the *Code*.

 ${\sf DAA3}_t$ is a positive or negative amount for the financial year t calculated to correct for any errors in the amounts included in the calculation of ${\sf DR}_t$ to give effect to the following adjustments (if applicable) arising from the operation of the previous *access arrangement*:

- Adjusting target revenue for unforeseen events;
- Adjusting target revenue for technical rule changes;
- Investment adjustment mechanism;
- Gain sharing mechanism;
- Service standards adjustment mechanism; and
- D-factor.

DAA3 $_{\rm t}$ must take account of inflation, the time value of money and estimates (if any) of the above adjustments that have been included in the calculation of DR $_{\rm t}$ in this section 5.7.6 of this *access arrangement*. Western Power will provide



model outputs to the *Authority* to demonstrate that the above adjustments have been made in accordance with the previous *access arrangement*.

 $\mathbf{DK_t}$ is the correction factor calculated in accordance with sections 5.7.7 and 5.7.8 of this *access arrangement*.

For the purpose of calculating DR_t , DK_t and therefore MDR_t , in each financial year CPI adjustments will be effected by using published CPI data relating to the most recent December quarter compared to the December quarter in the previous year.

5.7.7 For the financial year ending on 30 June 2018:

$$DK_{2017/18} = (FDR_{2015/16} - ADR_{2015/16}) * (1+3.60\%) * (1+WACC_{2017/18}) + (MDR_{2016/17} - FDR_{2016/17}) * (1+WACC_{2017/18})$$

For financial years ending on 30 June 2019 to 30 June 2022:

$$DK_t = (FDR_{t-2} - ADR_{t-2}) * (1+WACC_t)* (1+WACC_{t-1}) + (MDR_{t-1} - FDR_{t-1}) * (1+WACC_t)$$

where:

FDR_{2015/16} is \$1,191.1 million (real as at 30 June 2017)

ADR_{2015/16} is \$1,173.6 million (real as at 30 June 2017)

MDR_{2016/17} is \$1,120.2 million (real as at 30 June 2017)

FDR_{2016/17} is \$1,218.0 million (real as at 30 June 2017)

FDR_{t-2} is the forecast distribution *revenue cap services* revenue in the financial year t-2 as calculated in the financial year t-2.

ADR_{t-2} is the actual *revenue cap service* distribution revenue in the financial year t-2 as defined in accordance with section 5.7.3 of this *access arrangement*.

MDR_{t-1} is the maximum *revenue cap service* revenue for Western Power's *distribution system* in the financial year t-1.

FDR_{t-1} is the forecast distribution *revenue cap services* revenue in the financial year t-1.

WACC_{2017/18} is 4.21% real post tax.

WACC_{2018/19} is 4.21% real post tax.

 $WACC_t$ is the weighted average cost of capital for year t for the Western Power Network as detailed in section 5.4 of this access arrangement on a post-tax real basis.

WACC_{t-1} is the *weighted average cost of capital* in year t-1 for the *Western Power Network* as detailed in section 5.4 of this *access arrangement*, on a post-tax real basis.

This formula reflects that the annual tariff-setting process for financial year t typically takes place before the end of financial year t-1. Therefore, DK $_{\rm t}$ will need to be estimated in the first instance, and then recalculated in the subsequent financial year when ADR $_{\rm t-2}$ is known.

5.7.8 The correction factor, DK_t, will also apply:



- a) in the first year of the next access arrangement period to adjust for any difference between maximum distribution revenue cap services revenue and forecast distribution revenue cap services revenue, in relation to the financial year ending on 30 June 2022 and for any difference between forecast distribution revenue cap services revenue and actual distribution revenue cap services revenue, in relation to the financial year ending on 30 June 2021; and
- b) in the second year of the next access arrangement period to adjust for any difference between forecast distribution revenue cap services revenue and actual distribution revenue cap services revenue, in relation to the financial year ending on 30 June 2022.



6 Pricing methods, price lists and price information

6.1 Purpose

6.1.1 Pursuant to section 5.1(e) and chapter 7 of the *Code*, this section describes the *pricing methods* applied by Western Power.

6.2 Network pricing objectives

- 6.2.1 Western Power's *pricing methods* are designed to achieve the objectives set out in sections 7.3 and 7.4 of the *Code*.
- 6.2.2 In accordance with the objectives set out in sections 7.3 and 7.4 of the *Code*, Western Power's *pricing methods* seek to recover the costs of providing *reference services* from *users* in a manner that is simple, practical and equitable.

6.3 Overview of pricing methods

- 6.3.1 Reference tariffs are derived from an analysis of the cost of reference service provision which entails:
 - a) identifying the costs of providing revenue cap services;
 - b) determining the expected *non-reference service* revenue within the costs of providing *revenue cap services*;
 - deducting the expected non-reference service revenue from the costs of providing revenue cap services to determine the costs of providing reference services;
 - d) allocating the costs of providing *reference services* to particular *reference service* customer groups;
 - e) translating the costs of serving particular *reference service* customer groups to the costs of providing *reference tariffs*; and
 - f) determining a structure of *reference tariffs* in a manner that reflects the underlying cost structure, in accordance with section 7.6 of the *Code*.
- 6.3.2 The costs relating to *reference services* A1 to A10, C1 to C8 and D1 and D2 are allocated so that these costs can determine the relevant *reference tariff* in a cost reflective manner.
- 6.3.3 Reference tariffs for reference services A11, B1 and B2 are location-specific and are published for each electrical node.



6.4 Price list and price list information

- The price list in respect of the pricing year ending on 30 June 2018 and the pricing year ending on the day before the date in section 1.3.1 of this access arragenemt is attached at Appendix F.1. In respect of the pricing year ending on 30 June 2018 and the pricing year ending on the day before the date in section 1.3.1 of this access arrangement, this is the current price list for the purposes of section 5.1(f) of the Code. The price list information for this price list is attached at Appendix F.2.
- 6.4.2 The *price list* in respect of the *pricing year* commencing on the date in section 1.3.1 of this *access arrangement* and ending on 30 June 2019 is attached at Appendix F.3. The *price list information* for this *price list* is attached at Appendix F.4.
- 6.4.3 In accordance with section 8.1 of the *Code* this access arrangement requires Western Power to submit a proposed price list, together with price list information, to the Authority for approval at least 45 business days before the start of the pricing year ending 30 June 2020 and each pricing year thereafter.
- 6.4.4 The *pricing years* for this *access arrangement* period are defined in the table below:

Table 32: Pricing years for this access arrangement period

| Pricing year | Start date | End date |
|--------------|---|--|
| 1 | 1 July 2017 | 30 June 2018 |
| 2 | 1 July 2018 | The day before the effective date under section 1.3.1 of this access arrangement |
| 3 | Effective date under section 1.3.1 of this access arrangement | 30 June 2019 |
| 4 | 1 July 2019 | 30 June 2020 |
| 5 | 1 July 2020 | 30 June 2021 |
| 6 | 1 July 2021 | 30 June 2022 |

6.5 Pricing methods

This section of the access arrangement explains how the pricing methods comply with sections 7.3 and 7.4 of the Code. In accordance with the Code requirements, the price list information provided as Appendix F.4 to this access arrangement explains the pricing methods that underpinned the development of reference tariffs for this access arrangement period.



Recovery of forward-looking efficient costs of providing reference services

- 6.5.2 In accordance with section 7.3(a) of the *Code, reference tariffs* are designed to recover the forward-looking efficient costs of providing *reference services*. Further information is provided in the *price list information*, Appendix F.4 to this *access arrangement*.
- 6.5.3 Western Power, as a reasonable and prudent person, will set the reference tariffs in the price list so that the forecast transmission system revenue for revenue cap services for year t does not exceed MTR_t and the forecast distribution system revenue for revenue cap services for year t does not exceed MDR_t.
- 6.5.4 *Non-revenue cap services* revenue is recovered on a fee-for-service basis.
- 6.5.5 Capital contributions are charged in accordance with Western Power's contributions policy. In general terms, such contributions seek to recover in net present value terms any shortfall between the expected revenue from reference tariffs and the costs of connection.

Reference tariffs should be between the incremental and the stand-alone cost of service provision.

6.5.6 In accordance with section 7.3(b) of the *Code*, reference tariffs are set to at least recover the incremental cost of service provision, but to be less than the stand-alone cost of service provision. Further information is provided in the price list information, Appendix F.4 to this access arrangement.

Charges paid by different users of a reference service

- 6.5.7 In accordance with section 7.4(a) of the *Code*, the *charges* paid by different *users* of a *reference serv*ice differ only to the extent necessary to reflect differences in the *average cost of service provision* to the *users*.
- Each of the *reference tariffs* takes into account the metering information available for each *reference service*, and therefore contains components that vary with usage or demand. In addition *reference tariffs* for *reference services* A5, A6, A7, A8, C5, C6, C7, C8, A11, B1 and B2 vary with location. Within the requirements of section 7.4(a) and 7.7 of the *Code*, these components reflect the differences in the average cost of different *users* of the same *reference service*. Further information is provided in the *price list information*, Appendix F.4 to this *access arrangement*.

Reasonable requirements of *users*

6.5.9 In accordance with section 7.4(b) of the *Code*, the structure of *reference tariffs* has been set to reasonably accommodate the requirements of *users* collectively. This has



been achieved by developing the *reference tariffs* through a consultative process that involved Government and industry stakeholders.

Structure of tariffs should enable a user to predict likely annual changes

6.5.10 In accordance with section 7.4(c) of the *Code*, users can predict the likely annual changes in reference tariffs. All reference tariffs are specified until the financial year ending 30 June 2019. For the remainder of this access arrangement period rebalancing of reference tariffs is constrained by the imposition of side constraints on annual revenue movements. In addition, the revenue caps have been smoothed across this access arrangement period to facilitate smooth price movements.

Avoidance of price shock

- 6.5.11 The *transmission system* and *distribution system* revenue caps for *revenue cap* services have been smoothed across this access arrangement period so that price movements will be smoothed from year to year.
- 6.5.12 In accordance with section 7.4(d) of the *Code*, rebalancing of *reference tariffs* is constrained by the imposition of side constraints on annual revenue movements.
- 6.5.13 To constrain *reference tariff* rebalancing the maximum change in *reference tariff* revenue for the *transmission system* from each *reference tariff* when the *price list* is updated is:

For financial years ending on 30 June 2019 to 30 June 2020:

$$\frac{\sum_{y=1}^{n} p_{t}^{xy} q_{t}^{xy}}{\sum_{y=1}^{n} p_{t-1}^{xy} q_{t}^{xy}} \leq (1 + CPI_{t})(1 - TX_{t}) + B'_{t} + 0.02$$

where:

a given reference tariff x, has up to n tariff components, and where:

t is the financial year in which the *reference tariffs* as varied will apply;

t-1 is the financial year immediately preceding financial year t;

 p_{t-1}^{xy} is the price being charged in the financial year t-1 for component y of a given reference tariff x;

 p_t^{xy} is the proposed price for component y of a given reference tariff x in financial year t;



- q_t^{xy} is the quantity of component y of a given reference tariff x that is forecast to be sold in financial year t;
- CPI_t is the percentage increase in the CPI data relating to the most recent December quarter compared to the December quarter in the previous year;
- TX_t is the annual percentage change in TR_t and is initially determined to be:

Table 33: TXt

| Financial year ending: | 30 June | 30 June | 30 June | 30 June |
|------------------------|---------|---------|---------|---------|
| | 2019 | 2020 | 2021 | 2022 |
| TXt | -6.95% | -15.15% | -10.17% | -9.73% |

 B'_t is the annual correction factor in financial year t determined as follows:

$$B'_{t} = \frac{TK_{t} + TAA3_{t}}{TR'_{t}}$$

- TK_t is as defined in section 5.6.6 of this access arrangement;
- $TAA3_t$ is as defined in section 5.6.6 of this access arrangement;
- TR'_{t} is TR_{t} (as set out in section 5.6.6 of this *access arrangement*), converted to nominal dollars.
- 6.5.14 The values for TXt in table Error! Reference source not found. will be updated, and hese values will be reported in the *price list information* for the financial years ending 30 June 2020, 30 June 2021 and 30 June 2022, as a result of the annual updates to weighted average costs of capital specified in section 5.4.
- 6.5.15 To constrain *tariff* rebalancing the maximum change in *reference tariff* revenue for the *distribution system* from each *reference tariff* when the *price list* is updated is:

 For financial years ending on 30 June 2019 to 30 June 2022:

$$\frac{\sum_{y=1}^{n} p_{t}^{xy} q_{t}^{xy}}{\sum_{y=1}^{n} p_{t-1}^{xy} q_{t}^{xy}} \leq (1 + CPI_{t})(1 - DX_{t}) + A'_{t} + 0.02$$



where:

a given reference tariff x, has up to n tariff components, and where:

- t is the financial year in which the *reference tariffs* as varied will apply;
- t-1 is the financial year immediately preceding financial year t;
- p_{t-1}^{xy} is the price being charged in the financial year t-1 for component y of a given reference tariff x;
- p_t^{xy} is the proposed price for component y of a given reference tariff x in financial year t;
- q_t^{xy} is the quantity of component y of a given reference tariff x that is forecast to be sold in financial year t;
- CPI_t is the percentage increase in the CPI data relating to the most recent December quarter compared to the December quarter in the previous year;
- DX_t is the annual percentage change in DR_t and is initially determined to be:

Table 34: DXt

| Financial year ending: | 30 June | 30 June | 30 June | 30 June |
|------------------------|---------|---------|---------|---------|
| | 2019 | 2020 | 2021 | 2022 |
| DXt | -0.84% | -4.93% | -0.04% | 0.48% |

 A'_t is the annual correction factor in financial year t determined as follows:

$$A'_{t} = \frac{DK_{t} + DAA3_{t} + \Delta TEC_{t}}{DR'_{t}}$$

- DK_t is as defined in section 5.7.6 of this access arrangement;
- $DAA3_t$ is as defined in section 5.7.6 of this access arrangement;
- ΔTEC_t is the difference in the cost incurred by the distribution system between the financial years t-1 and t as a result of the tariff equalisation contribution in accordance with section 6.37A of the Code;
- DR'_t is DR_t (as set out in section 5.7.6 of this access arrangement), converted to nominal dollars.



6.5.16 Table 34 will be updated and these values will be reported in the *price list* information for the financial years ending 30 June 2020, 30 June 2021 and 30 June 2022, as a result of the annual updates to weighted average costs of capital specified in section 5.4.

Tariff components

6.5.17 In accordance with section 7.6 of the *Code*, *reference tariffs* have been designed so that the *incremental cost of service provision* is to be recovered by *tariff* components that vary with usage, and the costs in excess of the *incremental cost of service* provision are to be recovered through *tariff* components that do not vary with usage. Further information is provided in the *price list information*, Appendix.F.4 to this *access arrangement*.

6.6 Policy on prudent discounting

- 6.6.1 In accordance with section 7.9 of the *Code*, Western Power may discriminate between *users* in its pricing of *services* to the extent that it is necessary to do so to aid economic efficiency, by:
 - a) entering into an agreement with a *user* to apply a *discount* to the *equivalent* tariff to be paid by the *user* for a *covered service*; and
 - b) then, recovering the amount of the *discount* from other *users* of *reference services* through *reference tariffs*.
- 6.6.2 In exercising its discretion with regard to prudent discounting, Western Power will have regard to the pricing objectives in sections 7.3 and 7.4 of the *Code*.
- 6.6.3 Western Power may offer a prudent discount if the existing *user* or *applicant* seeking *access* to the *Western Power Network* is able to demonstrate that another supply option will provide a comparable *service* at a lower price than that offered by Western Power's *reference services* and *reference tariffs*.
- 6.6.4 The existing *user* or *applicant* must provide Western Power with sufficient details of the cost of the other option to enable Western Power to calculate the annualised cost of the other option.
- 6.6.5 Western Power's discounted price offer will be set to reflect the higher of:
 - a) the cost of the other option, or
 - b) the incremental cost of service provision.

6.7 Policy on discounts for distributed generation

6.7.1 In accordance with section 7.10 of the *Code*, Western Power will offer to a *user* who connects distributed generating plant to the Western Power Network, a share of any



reductions in either or both of Western Power's capital-related costs or non-capital costs which arise as a result of the entry point for distributed generating plant being located in a particular part of the Western Power Network by:

- a) entering into an agreement with a *user* to apply a *discount* to the *equivalent* tariff to be paid by the *user* for a *covered service*; and
- b) then, recovering the amount of the *discount* from other *users* of *reference services* through *reference tariffs*.
- 6.7.2 The amount of the total discount available under section 6.7.1 of this access arrangement will be determined by Western Power as the forecast capital-related costs and non-capital costs that would be incurred if the distributed generating plant were not to connect minus the forecast capital-related costs and non-capital costs that would be incurred if the distributed generating plant were to connect. The cost analysis will be conducted over a period of at least 10 years, depending on the availability and accuracy of data. A discount will only be payable if the amount calculated in accordance with this section 6.7.2 of this access arrangement is greater than zero.
- 6.7.3 The discount calculated in accordance with section 6.7.2 of this access arrangement will be calculated in present value terms and, using the weighted average cost of capital for the Western Power Network as set out in section 5.4.1 of this access arrangement, converted to an equivalent annualised discount for a defined period of time, as agreed by the parties. Nothing in this calculation prevents the discount exceeding 100% of the equivalent tariff.



7 Adjustments to target revenue in the next access arrangement period

7.1 Adjusting target revenue for unforeseen events

- 7.1.1 If a force majeure event occurs which results in Western Power incurring unrecovered costs (within the meaning of the Code) during this access arrangement period then Western Power will, as part of its proposed revisions for the next access arrangement period, provide a report to the Authority setting out:
 - a) a description of the nature of the force majeure event;
 - b) a description of the insurance cover that Western Power had in place at the time of the *force majeure* event;
 - c) the unrecovered costs borne, or an estimate of the unrecovered costs likely to be borne, by Western Power during this *access arrangement period* as a result of the occurrence of the *force majeure* event; and
 - d) a demonstration that the amount to be added to the *target revenue* for the next *access arrangement period* in respect of those unrecovered costs does not exceed the costs which would have been (or, in the case of estimated costs, would be) borne by a *service provider efficiently minimising costs*.
- 7.1.2 Pursuant to sections 6.6 to 6.8 of the *Code*, an amount will be added to the *target* revenue for the next access arrangement period in respect of the unrecovered costs relating to a *force majeure* event which occurred in this access arrangement period.
- 7.1.3 The addition to *target revenue* in the next *access arrangement period* must leave Western Power financially neutral given the timing of when Western Power incurred any unrecovered costs by taking account of:
 - a) the effects of inflation; and
 - b) the time value of money as reflected by Western Power's weighted average cost of capital for the Western Power Network as determined in section 5.4.

7.2 Adjusting target revenue for technical rule changes

- 7.2.1 If the technical rules are amended during this access arrangement period, Western Power will, as part of its proposed revisions for the next access arrangement period, provide a report to the Authority setting out:
 - a) a description of the nature and timing of the impact of the *technical rule* change on Western Power's *non-capital costs* and *new facilities investment* for this *access arrangement period*; and
 - b) the costs (or cost savings) incurred, or an estimate of the costs (or cost savings) likely to be incurred, by Western Power as a result of that *technical rule* change.



- 7.2.2 Pursuant to sections 6.9 to 6.12 of the *Code*, if the *technical rule* change leads to a cost increase, an amount will be added to the *target revenue* for the next *access arrangement period*.
- 7.2.3 Pursuant to sections 6.9 to 6.12 of the *Code*, if the *technical rule* change leads to a cost saving, an amount will be deducted from the *target revenue* for the next *access arrangement period*.
- 7.2.4 The adjustment to target revenue in the next access arrangement period must leave Western Power financially neutral given the timing of when Western Power incurred any costs or received cost savings as a result of the technical rule change by taking account of:
 - a) the effects of inflation; and
 - b) the time value of money as reflected by Western Power's weighted average cost of capital for the Western Power Network as determined in section 5.4

7.3 Investment adjustment mechanism

- 7.3.1 In accordance with sections 6.13 to 6.18 of the *Code*, an *investment adjustment mechanism* applies in relation to this *access arrangement*.
- 7.3.2 An amount will be added to, or deducted from, the *target revenue* for the next *access arrangement period* in accordance with the *investment adjustment mechanism* set out below.
- 7.3.3 The investment adjustment mechanism will apply separately to each of:
 - a) new facilities investment for the transmission system; and
 - b) new facilities investment for the distribution system.
- 7.3.4 The purpose of the *investment adjustment mechanism* is to adjust Western Power's target revenue in the next access arrangement period in a manner that exactly corrects for the economic loss or gain to Western Power as a result of any *investment difference* in this access arrangement period in relation to the categories of new facilities investment specified in section 7.3.7 of this access arrangement. In order to give effect to this purpose, the *investment adjustment mechanism* must take account of:
 - a) the effects of inflation;
 - b) the time value of money as reflected by Western Power's weighted average cost of capital for the Western Power Network as determined in section 5.4; and
 - c) the capital-related costs due to any investment difference in this access arrangement period.



- 7.3.5 Given the requirements of the *investment adjustment mechanism* as described in section 7.3.4 of this *access arrangement*, Western Power's approach to calculating the *capital-related costs* due to any *investment difference* is to calculate the difference in present value terms between:
 - a) the target revenue that would have been calculated for this access arrangement period if the investment difference had been zero (i.e. there was no forecasting error in relation to the new facilities investment categories that are subject to the investment adjustment mechanism); and
 - b) the target revenue that actually applied in this access arrangement period.
- 7.3.6 The amount under section 7.3.2 of this *access arrangement* is equal to the present value of the difference calculated under section 7.3.5 of this *access arrangement*.
- 7.3.7 The categories that are used in calculating the *investment difference* are *new facilities investment*:
 - a) arising from the connection of new generation capacity to the *transmission* system or distribution system from 1 July 2017;
 - b) arising from the connection of new *load* to the *transmission system* or *distribution system* from 1 July 2017;
 - in relation to all *augmentations* to provide additional capacity to the transmission system or distribution system for the provision of covered services from 1 July 2017;
 - d) undertaken for *augmentation* of the *distribution system* under the state underground power program; and
 - e) arising from the provision of *metering installations* (within the meaning in the Electricity Industry (Metering Code) 2012) on the *distribution system* from 1 July 2017.

7.4 Gain sharing mechanism and efficiency and innovation benchmarks

- 7.4.1 In accordance with sections 5.25 and 6.20 of the *Code*, a *gain sharing mechanism* and *efficiency and innovation benchmarks* will apply with respect to this *access* arrangement.
- 7.4.2 This *gain sharing mechanism* applies separately to each of:
 - a) the transmission system; and
 - b) the distribution system.
- 7.4.3 Subject to section 7.4.4 of this access arrangement, an above-benchmark surplus (within the meaning of the Code) is to be calculated for each of the transmission system and distribution system for each of the financial years ending 30 June 2018 to 30 June 2022 as follows:



$$ABS_{2017/18} = EIB_{2017/18} - A_{2017/18}$$

 $ABS_{2018/19} = (EIB_{2018/19} - A_{2018/19}) - (EIB_{2017/18} - A_{2017/18})$
 $ABS_{2019/20} = (EIB_{2019/20} - A_{2019/20}) - (EIB_{2018/19} - A_{2018/19})$

 $ABS_{2020/21} = (EIB_{2020/21} - A_{2020/21}) - (EIB_{2019/20} - A_{2019/20})$

 $ABS_{2021/22} = (EIB_{2021/22} - A_{2021/22}) - (EIB_{2020/21} - A_{2020/21})$

where:

ABS_t is the *above-benchmark surplus* in year t;

EIB_t is the *efficiency and innovation benchmark* for financial year t as set out in Table 35 for the *transmission system* and Table 36 for the *distribution system*, adjusted for:

- a) any difference between the actual relevant network growth escalation factors in each financial year and the forecast relevant network growth escalation factors and any difference between the actual relevant indirect and corporate cost growth escalation factors in each financial year and the forecast relevant indirect and corporate cost growth escalation factors used to establish the non-capital costs component of approved total costs for each of the transmission system and distribution system for that financial year, in accordance with section 7.4.10 of this access arrangement; and
- b) the effects of inflation.

Table 35: Efficiency and innovation benchmarks for the transmission system (\$M real as at 30 June 2017)

| Financial year ending: | 30 June 2018 | 30 June 2019 | 30 June 2020 | 30 June 2021 | 30 June 2022 |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|
| Transmission network | 52.9 | 52.9 | 53.2 | 53.5 | 53.5 |
| Corporate | 29.5 | 21.6 | 21.5 | 21.6 | 21.7 |
| Indirect costs | 10.0 | 8.8 | 8.8 | 11.1 | 11.1 |
| Transmission efficiency and innovation benchmark - EIB _t | 92.3 | 83.3 | 83.5 | 86.2 | 86.4 |

Table 36: Efficiency and innovation benchmarks for the distribution system (\$M real as at 30 June 2017)

| Financial year ending: | 30 June 2018 | 30 June 2019 | 30 June 2020 | 30 June 2021 | 30 June 2022 |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|
| Distribution network | 177.0 | 178.3 | 179.9 | 181.4 | 182.8 |
| Corporate | 80.7 | 59.1 | 58.9 | 59.2 | 59.5 |
| Indirect costs | 30.1 | 26.8 | 26.8 | 33.9 | 34.4 |
| Distribution efficiency and innovation benchmark - EIB _t | 287.7 | 264.2 | 265.6 | 274.5 | 276.6 |



and

At is the actual *non-capital costs* incurred by Western Power for each of the *transmission system* and *distribution system* in year t, excluding any amount of *non-capital costs* incurred by Western Power relevant to the *transmission system* and *distribution system*:

- i. in accordance with the D-factor scheme in this access arrangement and providing that the expenditure has been approved by the Authority;
- ii. in accordance with any adjustment made under section 7.1 of this *access* arrangement;
- iii. in accordance with any adjustment made under section 7.2 of this access arrangement;
- iv. in relation to superannuation for defined benefits schemes;
- v. in relation to non-revenue cap services;
- vi. in relation to licence fees;
- vii. in relation to a levy made under section 14 of the <u>Energy Safety Act 2006</u> (WA) applicable to Western Power; and
- viii. in relation to amounts payable under the Economic Regulation Authority (Electricity Network Access Funding Regulations) 2012.
- 7.4.4 In any year in which for the *transmission system* an *above-benchmark surplus* is calculated to be a positive value the *above-benchmark surplus* does not exist to the extent that Western Power achieved efficiency gains or innovation in excess of the *efficiency and innovation benchmarks* during this *access arrangement period* by failing to provide transmission *reference services* at a *service standard* at least equivalent to the *service standard benchmarks* for those *reference services* for that year as set out in section 4 of this *access arrangement*.
- 7.4.5 In any year in which for the distribution system an above-benchmark surplus is calculated to be a positive value the above-benchmark surplus does not exist to the extent that Western Power achieved efficiency gains or innovation in excess of the efficiency and innovation benchmarks during this access arrangement period by failing to provide distribution reference services at a service standard at least equivalent to the service standard benchmarks for those distribution services for that year as set out in section 4 of this access arrangement.
- 7.4.6 If in any year in which an above-benchmark surplus is calculated to be a positive value for the transmission system or the distribution system and Western Power fails to provide a relevant reference service at a service standard at least equivalent to the relevant service standard benchmark, Western Power will demonstrate to the Authority how and to what extent there is, or is not, a relationship between that failure and Western Power's achieved relevant efficiency gains or innovation in excess of the efficiency and innovation benchmarks, through consideration of:
 - a) which service standard benchmark has not been met in that year;



- b) an analysis of the causes for not meeting the *service standard benchmark* in that year;
- c) the categories of *non-capital costs* that impact on the achievement of that *service standard benchmark* (which may be sub-categories of the cost categories in section 7.4.11);
- d) after normalising the forecast *non-capital costs* for those categories in section 7.4.6c) used to establish the *non-capital costs* component of *approved total costs* for inflation (using the *CPI*) and network growth escalation factors and indirect and corporate cost growth escalation factors in a manner that is consistent with 7.4.8, whether there has, or has not, been an underspend in those *non-capital costs* categories; and
- e) any other issues that are relevant.

This information will be used to determine the extent, if any, that Western Power achieved relevant efficiency gains or innovation in excess of the *efficiency and innovation benchmarks* during this *access arrangement period* by failing to provide relevant *reference services* at a *service standard* at least equivalent to the relevant *service standard benchmarks*.

7.4.7 Subject to section 7.4.8 of this access arrangement, the following amounts GSMAt will be added to target revenue for each of the transmission system and the distribution system for one or more access arrangement periods covering the financial years ending 30 June 2023 to 30 June 2027:

$$\begin{split} &\mathsf{GSMA}_{2022/23} = \mathsf{ABS}_{2017/18} + \mathsf{ABS}_{2018/19} + \mathsf{ABS}_{2019/20} + \mathsf{ABS}_{2020/21} + \mathsf{ABS}_{2021/22} \\ &\mathsf{GSMA}_{2023/24} = \mathsf{ABS}_{2018/19} + \mathsf{ABS}_{2019/20} + \mathsf{ABS}_{2020/21} + \mathsf{ABS}_{2021/22} \\ &\mathsf{GSMA}_{2024/25} = \mathsf{ABS}_{2019/20} + \mathsf{ABS}_{2020/21} + \mathsf{ABS}_{2021/22} \\ &\mathsf{GSMA}_{2025/26} = \mathsf{ABS}_{2020/21} + \mathsf{ABS}_{2021/22} \\ &\mathsf{GSMA}_{2026/27} = \mathsf{ABS}_{2021/22} \end{split}$$

where:

GSMA_t is the *gain sharing mechanism* adjustment to *target revenue* for each of the *transmission system* and the *distribution system* for year t.

- 7.4.8 In any year where the amount of an adjustment to target revenue for the transmission system or the distribution system determined under section 7.4.7 of this access arrangement is a negative value, the amount of the adjustment to target revenue for the transmission system or the distribution system respectively in that year is zero.
- 7.4.9 The *gain sharing mechanism* does not affect the ordinary operation of the transmission system and distribution system revenue caps (absent the *gain sharing mechanism*), which already provides for Western Power to retain 100% of any efficiency gains achieved during this *access arrangement period*. This characteristic is consistent with section 6.24 of the *Code* which ensures that Western Power can retain all of the *surplus* achieved in this *access arrangement period*.



- 7.4.10 The adjustment to EIBt due to any differences between the actual relevant network growth escalation factors in each financial year and the forecast relevant network growth escalation factors and any differences between the actual relevant indirect and corporate cost growth escalation factors in each financial year and the forecast relevant indirect and corporate cost growth escalation factors used to establish the non-capital costs component of approved total costs for each of the transmission system and distribution system for that financial year will be calculated by:
 - a) deflating EIB_t for financial year t by using:
 - i. the network growth escalation factors and indirect and corporate cost growth escalation factors assumed for financial year t when setting the forecast non-capital cost component of approved total costs for each of the transmission system and distribution system for that financial year, compounded to that financial year, as set out in Table 37, Table 38 and Table 39; and
 - b) inflating the value determined under section 7.4.10(a) for financial year t using:
 - i. the network growth escalation factors recalculated for financial year t using actual data for each of the transmission system and distribution system for each relevant network growth escalation factor in each financial year, compounded to that financial year, and following the calculation method set out in Table 37 and Table 38; and
 - ii. indirect and corporate cost growth escalation factors recalculated for financial year t using actual data for each of the *transmission system* and *distribution system*, compounded to that financial year, following the calculation method set out in Table 39 and section 7.4.11.
- 7.4.11 When inflating the EIB value determined under section 7.4.10(a) for indirect and corporate cost growth escalation factors:
 - a) The growth factor applied to corporate costs is a weighted average of the distribution system and transmission system recalculated network growth escalation factors. The weighting is based on the total corporate operating expenditure allocated to the distribution system (as a proportion of total corporate operating expenditure) and the total corporate operating expenditure allocated to the transmission system (as a proportion of total corporate operating expenditure) in accordance with the Cost and Revenue Allocation Methodology and derived from the Regulatory Financial Statements for financial year t.
 - b) The growth factor applied to indirect costs is a weighted average of the distribution system and transmission system recalculated network growth escalation factors. The weighting is based on the total distribution system operating expenditure that attracts indirect costs (as a proportion of total operating expenditure that attracts indirect costs) and the total transmission system operating expenditure that attracts indirect costs (as a proportion of total operating expenditure that attracts indirect costs) in accordance with the Cost and Revenue Allocation Methodology and derived from the Regulatory Financial Statements for financial year t.



Table 37: Distribution system forecast network growth escalation assumptions

| Network growth factor | Calculation method | Weight | 2017/18 | 2018/19 | 2019/20 | 2020/21 | 2021/22 |
|--|---|--------|---------|---------|---------|---------|---------|
| Customer numbers (a) | Year on year growth | 45.8% | 1.65% | 1.73% | 1.69% | 1.66% | 1.63% |
| Circuit length (b) | Year on year growth | 23.8% | 0.91% | 0.91% | 0.91% | 0.91% | 0.91% |
| Ratcheted Maximum Demand (c) | Year on year growth | 17.6% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Energy delivered (d) | Year on year growth | 12.8% | -0.37% | -0.20% | -0.20% | -0.71% | -1.10% |
| Customer and Network growth factor | Weighted average of a, b, c and d | 100% | 0.92% | 0.98% | 0.97% | 0.89% | 0.82% |

Table 38: Transmission system forecast network growth escalation assumptions

| Network growth factor | Calculation method | Weight | 2017/18 | 2018/19 | 2019/20 | 2020/21 | 2021/22 |
|---------------------------------|-----------------------------------|--------|---------|---------|---------|---------|---------|
| Circuit length (a) | Year on year growth | 37.6% | 0.32% | 0.33% | 0.22% | 0.33% | 0.32% |
| Ratcheted Maximum Demand (b) | Year on year growth | 19.4% | 0.00% | 0.00% | 0.00% | 0.00% | 0.00% |
| Energy Delivered (c) | Year on year growth | 23.1% | -0.37% | -0.20% | -0.20% | -0.71% | -1.10% |
| Customer numbers (d) | Year on year growth | 19.9% | 0.00% | 0.00% | 2.63% | 2.56% | 0.00% |
| Network growth factor | Weighted average of a, b, c and d | 100% | 0.03% | 0.08% | 0.56% | 0.47% | -0.13% |

Table 39: Indirect and corporate cost forecast growth escalation assumptions

| Growth escalation factor | Calculation method | 2017/18 | 2018/19 | 2019/20 | 2020/21 | 2021/22 |
|--------------------------|---------------------|---------|---------|---------|---------|---------|
| Indirect | Year on year growth | 0.70% | 0.76% | 0.87% | 0.78% | 0.59% |
| Corporate | Year on year growth | 0.69% | 0.74% | 0.86% | 0.78% | 0.57% |

7.4.12 For the purposes of section 7.4.10(a) the actual data used for each relevant network growth escalation factor must be independently audited. The audit must be carried out by an independent auditor approved by the *Authority*, with Western Power



managing and funding the audit. The scope of the audit will be determined by the *Authority*.

7.5 Service standards adjustment mechanism

- 7.5.1 In accordance with section 6.30 of the *Code*, a *service standards adjustment mechanism* applies to this *access arrangement*.
- 7.5.2 An amount will be added to, or deducted from, the *target revenue* for each of the *transmission system* and the *distribution system* for the next *access arrangement* period in accordance with the *service standards adjustment mechanism* set out below.
- 7.5.3 The service standards adjustment mechanism will apply to the "SSAM SSBs" meaning the service standard benchmarks for SAIDI, SAIFI, call centre performance, circuit availability, loss of supply event frequency and average outage duration as defined in section 4 of this access arrangement.
- 7.5.4 In relation to actual service performance for each financial year ending 30 June 2019 and following financial years ending 30 June ("SST Year") a reward (a positive amount) or penalty (a negative amount) will be calculated for each SSAM SSB by applying the applicable incentive rate to the relevant Service Standard Difference ("SSD"). The SSD is calculated as follows:
 - a) if $SSA_t < SSB$ for SAIDI, SAIFI, loss of supply event frequency and average outage duration; or

 $SSA_t > SSB$ for call centre performance and circuit availability then

$$SSD_t = (SST - SSA_t)$$

b) if $SSA_t \ge SSB$ for SAIDI, SAIFI, loss of supply event frequency and average outage duration; or

SSA_t ≤ SSB for call centre performance and circuit availability then

$$SSD_t = (SST - SSB)$$

where:

SSD_t is the service standard difference in SST Year t;

SST is the SSAM target detailed in section 7.5.11 of this access arrangement;

SSB is the *service standard benchmark* for the *SSAM SSBs* as defined in section 7.5.3 of this *access arrangement*; and

SSA_t is the actual service performance in *SST Year* t with respect to the *SSAM SSBs*.

7.5.5 In relation to SAIDI and SAIFI, the rewards or penalties are calculated as the sum of the application of the formulae in section 7.5.4 of this *access arrangement* to each component of SAIDI and SAIFI.



- 7.5.6 The rewards and penalties are applied to the performance *SST Year* in this *access* arrangement period and:
 - a) the reward or penalty for circuit availability will be allocated to the performance of the *transmission system*;
 - b) the reward or penalty for SAIDI and SAIFI will be allocated to the performance of the *distribution system*;
 - c) the reward or penalty for call centre performance will be allocated to the performance of the *distribution system*;
 - d) the reward or penalty for loss of supply event frequency will be allocated to the performance of the *transmission system*; and
 - e) the reward or penalty for average outage duration will be allocated to the performance of the *transmission system*.
- 7.5.7 The rewards and penalties applied to each *SST Year* as allocated to each of the *transmission system* and *distribution system* are summed for each of the *transmission system* and *distribution system*.
- 7.5.8 Notwithstanding section 7.5.7 of this access arrangement, the sum of the rewards or penalties for the transmission system applied to each SST Year is capped at 1% of TR_t for that year as set out in Table 30. For the avoidance of doubt, for the purposes of this section TR_t in that table will not be updated as a result of the annual updates to weighted average costs of capital as determined in section 5.4.
- 7.5.9 Notwithstanding section 7.5.7 of this access arrangement, the sum of the rewards or penalties for the distribution system applied to each SST Year is capped at 5% of DRt for that year as set out in Table 31. For the avoidance of doubt, for the purposes of this section DR_t in that table will not be updated as a result of the annual updates to weighted average costs of capital as determined in section 5.4.
- 7.5.10 The amount that will be added to, or deducted from, the *target revenue* for each of the *transmission system* and the *distribution system* is equal to the present value of the sum of the amounts for each of the *transmission system* and the *distribution system* calculated under section 7.5.7 of this *access arrangement* (as subject to sections 7.5.8 and 7.5.9 of this *access arrangement*).
- 7.5.11 The SSAM targets and incentive rates for the SSAM SSBs are as follows:

Table 40: SAIDI SSAM targets and incentive rates (\$ real as at 30 June 2017)

| | SSAM target (SSTt) for year ending 30 June 2018 | SSAM target (SST _t) for each SST Year | Reward side incentive rate (\$ per SAIDI minute) | Penalty side incentive rate (\$ per SAIDI minute) |
|----------------------------|---|---|--|---|
| SAIDI - CBD (minutes) | - | 17.8 | 26,734 | 26,734 |
| SAIDI - Urban (minutes) | - | 108.7 | 366,800 | 366,800 |



| | SSAM target (SST _t) for year ending 30 June 2018 | SSAM target (SST _t) for each SST Year | Reward side incentive rate (\$ per SAIDI minute) | Penalty side incentive rate (\$ per SAIDI minute) |
|----------------------------------|--|--|--|---|
| SAIDI - Rural Short (minutes) | - | 190.4 | 114,374 | 114,374 |
| SAIDI - Rural Long (minutes) | - | 675.6 | 41,958 | 41,958 |

Table 41: SAIFI SSAM targets and incentive rates (\$ real as at 30 June 2017)

| | SSAM target (SST _t) for year ending 30 June 2018 | SSAM target (SST _t) for each SST Year | Reward side incentive rate (\$ per 0.01 event) | Penalty side incentive rate (\$ per 0.01 event) |
|---------------------------------|--|--|--|---|
| SAIFI - CBD (events) | - | 0.14 | 30,114 | 30,114 |
| SAIFI - Urban (events) | - | 1.12 | 366,867 | 366,867 |
| SAIFI - Rural Short (events) | - | 2.01 | 117,788 | 117,788 |
| SAIFI - Rural Long (events) | - | 4.67 | 65,982 | 65,982 |

Table 42: Call centre performance SSAM target and incentive rate (\$ real as at 30 June 2017)

| | SSAM target (SST _t) for year ending 30 June 2018 | SSAM target (SST _t) for each SST Year | Reward side incentive rate (\$ per 0.1%) | Penalty side incentive rate (\$ per 0.1%) |
|--|--|--|--|---|
| Call centre performance (Percentage of calls responded to within 30 seconds) | - | 92.2% | -41,140 | -9,540 |

Table 43: Circuit availability SSAM target and incentive rate (\$ real as at 30 June 2017)

| | SSAM target (SST _t) for year ending 30 June 2018 | SSAM target (SST _t) for each SST Year | Reward side incentive rate (\$ per 0.1%) | Penalty side incentive rate (\$ per 0.1%) |
|--|--|--|--|---|
| Circuit availability (Percentage of total possible hours available) | - | 98.5% | -434,953 | -193,313 |



Table 44: Loss of supply event frequency SSAM target and incentive rate (\$ real as at 30 June 2017)

| | SSAM target (SST _t) for year ending 30 June 2018 | SSAM target (SST _t) for each SSAM year | Reward side incentive rate (\$ per event) | Penalty side incentive rate (\$ per event) |
|---|--|--|---|--|
| Loss of supply event frequency >0.1 and ≤1.0 system minutes interrupted (number of events) | - | 17 | 43,495 | 54,369 |
| Loss of supply event frequency >1.0 system minutes interrupted (number of events) | - | 2 | 108,738 | 217,477 |

Table 45: Average outage duration SSAM target and incentive rate (\$ real as at 30 June 2017)

| | SSAM target (SST _t) for year ending 30 June 2018 | SSAM target (SST _t) for each SST Year | Reward side incentive rate (\$ per minute) | Penalty side incentive rate (\$ per minute) |
|-----------------------------------|--|--|--|---|
| Average outage duration (minutes) | - | 871 | 1,883 | 3,000 |

7.6 D factor

- 7.6.1 In section 7.6.3 **"network control service"** means demand-side management or generation solutions (such as *distributed generating plant*) that can be a substitute for *network augmentation*.
- 7.6.2 This D factor scheme applies separately to each of:
 - a) non-capital costs for the transmission system; and
 - b) non-capital costs for the distribution system.
- 7.6.3 In the next access arrangement period, the Authority will add to Western Power's target revenue an amount so that Western Power is financially neutral as a result of:
 - a) any additional non-capital costs incurred by Western Power as a result of deferring a new facilities investment project during this access arrangement period, net of any amounts previously included in target revenue in relation to the deferred new facilities investment (other than such amounts included in the calculation of the capital-related costs due to any investment difference under section 7.3.5); and



b) any additional *non-capital costs* incurred by Western Power in relation to demand management initiatives or *network control services*.

("D factor incurred costs").

- 7.6.4 In relation to section 7.6.3(a), the *new facilities investment* project that has been deferred must have been included in the *forecast new facilities investment* for this access arrangement period.
- 7.6.5 In relation to sections 7.6.3(a) and 7.6.3(b), an amount will only be added to *target* revenue for the next access arrangement period if there is an approved business case for the relevant expenditure, and this business case is made available to the Authority. The business case must demonstrate to the Authority's satisfaction that the proposed non-capital costs satisfy the requirements of sections 6.40 and 6.41 of the Code, as relevant ("D factor non-capital costs test").
- 7.6.6 Western Power may at any time during this *access arrangement period* apply to the *Authority* for the *Authority* to determine that a business case contains proposed *non-capital costs* that satisfy the *D factor non-capital costs test*.
- 7.6.7 If an application is made to the *Authority* under section 7.6.6 the *Authority* must make a determination within 25 Business Days, unless the Authority forms the view that public consultation should be undertaken, in which case the timeframe will be adjusted in accordance with the timeframes described in Appendix 7 of the *Code*, but shall be no longer than 45 business days.
- If the Authority determines that proposed non-capital costs satisfy the D factor non-capital costs test ("approved business case amount") then if D factor incurred costs are not more than the approved business case amount the Authority will add the D factor incurred costs to Western Power's target revenue in the next access arrangement period. If the D factor incurred costs are more than the approved business case amount, the Authority will add the D factor incurred costs to Western Power's target revenue in the next access arrangement period and Western Power may seek the further amount be added to target revenue for the next access arrangement period by demonstrating to the Authority's satisfaction that the further amount of non-capital costs satisfy the requirements of sections 6.40 and 6.41 of the Code.
- 7.6.9 A determination of an *approved business case amount* does not oblige Western Power to proceed with the project that is the subject of the business case.
- 7.6.10 If the *Authority* determines that proposed *non-capital costs* do not satisfy the *D factor non-capital costs test* then the *Authority* will provide reasons for that determination to Western Power and Western Power may make an amended application under section 7.6.6.



- 7.6.11 In relation to sections 7.6.3(a) and 7.6.3(b), the adjustment to the *target revenue* for the next *access arrangement period* must leave Western Power financially neutral by taking account of:
 - a) the effects of inflation; and
 - b) the time value of money as reflected by Western Power's weighted average cost of capital for the Western Power Network as determined in section 5.4.

7.7 Initial deferred revenue

- 7.7.1 For the purposes of sections 6.5A to 6.5E of the *Code* an amount must be added to the target revenue for the *distribution system* in the fifth *access arrangement period* or subsequent *access arrangement periods* such that the present value (at 30 June 2017) of the total amount added to *target revenue* (taking account of inflation and the time value of money) is equal to \$408.8 million (\$ real as at 30 June 2017).
- 7.7.2 For the purposes of sections 6.5A to 6.5E of the *Code* an amount must be added to the target revenue for the *transmission system* in the fifth *access arrangement period* or subsequent *access arrangement periods* such that the present value (at 30 June 2017) of the total amount added to *target revenue* (taking account of inflation and the time value of money) is equal to \$89.0 million (\$ real as at 30 June 2017).
- 7.7.3 The timeframe for recovering the deferred revenue amounts in section 7.7.1 will be 32 years and in section 7.7.2 will be 40 years.



8 Trigger events

- 8.1.1 Pursuant to section 4.37 of the *Code* a *trigger event* is any significant unforeseen event which has a materially adverse impact on Western Power and which is:
 - a) outside the control of Western Power; and
 - b) not something that Western Power, acting in accordance with *good electricity industry practice*, should have been able to prevent or overcome; and
 - c) so substantial that the advantages of making a variation to this access arrangement before the end of this access arrangement period outweigh the disadvantages, having regard to the impact of the variation on regulatory certainty.
- 8.1.2 The designated date by which Western Power must submit proposed revisions to the Authority is 90 business days after a trigger event has occurred. If the costs associated with the trigger event are uncertain at the time of the designated date, Western Power's proposed revision to the Authority under section 4.37 of the Code must incorporate an appropriate mechanism for cost recovery having regard to the Code objective.



9 Supplementary matters

9.1 General

- 9.1.1 Western Power will discharge the obligations it has under the Wholesale Electricity Market Rules (WEM Rules) as in force from time to time relating to balancing requirements, ancillary services, trading and settlement requirements in accordance with the WEM Rules. Western Power will also support the Australian Energy Market Operator (AEMO) in the discharge of its functions, including by providing information to AEMO as required by the WEM Rules.
- 9.1.2 {Note: Previous versions of the access arrangement have referred, in the Supplementary Matters chapter, to balancing requirements, ancillary service, trading and settlement requirements. Under the WEM Rules, these functions are now principally undertaken by AEMO. This occurred when the System Management functions were transferred from Western Power to AEMO on 1 July 2016. As at 1 July 2016, Western Power's principal role in respect to these functions under the WEM Rules is to provide network information to AEMO to support settlements and balancing.}

9.2 Line losses

9.2.1 Requirements for the treatment of line losses under the *access arrangement* shall be in accordance with the Wholesale Electricity Market Rules.

9.3 Metering

9.3.1 Metering requirements under the *access arrangement* shall be in accordance with the Electricity Industry (Metering Code) 2012 and the MSLA.



APPENDICES



Appendix A. Electricity transfer access contract



Appendix B. Applications and queuing policy



Appendix C. Contributions policy

- **C.1** Contributions policy
- C.2 Distribution low voltage connection scheme methodology



Appendix D. Transfer and relocation policy



Appendix E. Reference services



Appendix F. Reference tariffs

- **F.1** 2017/18 price list
- F.2 2017/18 price list information
- F.3 2018/19 price list
- F.4 2018/19 price list information



Appendix A

ETAC Electricity Transfer Access Contract

Revised proposed access arrangement

14 June 2018



Electricity Transfer Access Contract

BETWEEN:

Electricity Networks Corporation

ABN 18 540 492 861

~ and ~

[Name of User]

[ABN/ACN/ARBN]

~ and ~

[Name of Indemnifier]1

[ABN/ACN/ARBN]

General Counsel Legal & Governance

363 Wellington Street PERTH WA 6000

T: (08) 9326 6488 | F: (08) 9326 6498

¹ Delete if no Indemnifier

{Note: This contract has been prepared in accordance with the requirements of the Electricity Networks Access Code 2004}



363 Wellington Street Perth 6000 GPO Box L921 Perth WA 6842 e enquiry@westernpower.com.au



† 13 10 87 f (08) 9225 2660 TTY 1800 13 13 51 TIS 13 14 50

Electricity Networks Corporation ABN: 18 540 492 861

TABLE OF CONTENTS

| Intro | oduction | 1 |
|-------|---|----|
| Ope | rative Provisions | 1 |
| 1. | Interpretation | 1 |
| 2. | Duration | 3 |
| Elec | ctricity Transfer Provisions | 4 |
| 3. | Services | 4 |
| 4. | The User must provide forecast information | 8 |
| 5. | Title to electricity | 8 |
| 6. | Controllers | 8 |
| 7. | Tariff and Charges | 11 |
| 8. | Invoicing and payment | 12 |
| 9. | Security for Charges | 15 |
| 10. | Security for Contribution | 17 |
| Tec | hnical Compliance Provisions | 17 |
| 11. | Good Electricity Industry Practice | 17 |
| 12. | Technical Rules | 18 |
| 13. | Technical characteristics of Facilities and Equipment | 18 |
| 14. | Cooperation | 19 |
| 15. | Access to premises | 19 |
| 16. | Directions from System Operator | 20 |
| 17. | Removal of equipment | 20 |
| Con | nmon Provisions | 21 |
| 18. | Representations and warranties | 21 |
| 19. | Liability and indemnity | 22 |
| 20. | Personal injury | 26 |
| 21. | Insurances | 26 |
| 22. | Force Majeure | 27 |



| 23. | Provisions of Access Arrangement on Supplementary Matters apply | 28 |
|------|---|----|
| 24. | User does not acquire interest in Network | 28 |
| 25. | Curtailment | 28 |
| 26. | Payments and recoveries under the Contributions Policy | 29 |
| 27. | Default | 29 |
| 28. | Termination | 30 |
| 29. | Disputes | 31 |
| 30. | Set off | 32 |
| 31. | Assignment by User | 32 |
| 32. | Corporate restructuring of Western Power | 32 |
| 33. | Confidentiality | 33 |
| 34. | Ring Fencing | 35 |
| 35. | Notices | 35 |
| 36. | Change of address | 36 |
| 37. | Miscellaneous | 36 |
| Exec | eution clause: | 39 |
| Sche | edule 1 - Dictionary | 41 |
| Sche | edule 2 - Access Contract Information | 53 |
| Sche | edule 3 - Details of Connection Points | 54 |
| Sche | edule 4 - Works and Contributions | 55 |
| Sche | edule 5 - Insurances | 56 |
| Sche | edule 6 - Notices | 58 |
| Sche | Schedule 7 - Electronic Communications Protocol | |
| Sche | Schedule 8 - Form of Guarantee | |



PARTIES

ELECTRICITY NETWORKS CORPORATION ABN 18 540 492 861, a statutory body corporate established under section 4(1)(b) of the *Electricity Corporations Act 2005 (WA)*, of 363 Wellington Street, Perth, Western Australia (Western Power)

- and [] of [] (User)
 - and [] of [] (Indemnifier)

INTRODUCTION

1. Background

- (a) The User has made an Application requesting Covered Services at one or more Connection Points.
- (b) Western Power has made an Access Offer in accordance with the Applications and Queuing Policy to provide the Covered Services to the User.
- (c) The User has signed the Access Offer, which has become this Access Contract.
- (d) The Indemnifier has agreed to indemnify Western Power in respect of the User's liabilities under this Access Contract.¹

OPERATIVE PROVISIONS

1. Interpretation

1.1 Interpretation

In this Contract:

- (a) a reference to:
 - (i) the singular includes the plural and the plural includes the singular; and
 - (ii) an officer or body of persons includes any other officer or body for the time being exercising the powers or performing the functions of that officer or body; and
 - (iii) this Contract or any other instrument includes any variation or replacement of it; and
 - (iv) "under" includes "by", "by virtue of", "pursuant to" and "in accordance with"; and
 - (v) "day" means a calendar day; and
 - (vi) "person" includes a public body, company, or association or body of persons, corporate or unincorporated; and

 $^{^{\}scriptsize 1}$ Delete this paragraph if there is no Indemnifier.



- (vii) a person includes a reference to the person's personal representatives, executors, administrators, successors and permitted assigns; and
- (viii) any monetary amount means that amount in Australian dollars, and
- (b) a word of any gender includes the corresponding words of each other gender; and
- (c) if a period of time is specified and dates from a given day or the day of an act or event, it is to be calculated exclusive of that day; and
- (d) "copy" includes a photocopy or (subject to the Electronic Communications Protocol in Schedule 7) electronic copy; and
- (e) "including" and similar expressions are not words of limitation; and
- (f) where a word or expression is given a particular meaning, other parts of speech and grammatical forms of that word or expression have a corresponding meaning; and
- (g) where information is set out in braces (namely "{" and "}"), whether or not preceded by the expression "Note", "Outline" or "Example", the information:
 - (i) is provided for information only and does not form part of this Contract; and
 - (ii) is to be disregarded in interpreting this Contract; and
 - (iii) might not reflect amendments to this Contract or other documents or Laws, and
- (h) a reference to:
 - (i) this Contract includes any Schedule to this Contract; and
 - (ii) a clause is a reference to a clause of this Contract; and
 - (iii) a series of consecutive clauses or Schedules is to be read as inclusive of the first and last in the series; and
 - (iv) "other party", in relation to the Indemnifier, means Western Power.

1.2 Interpretation Act applies

Unless the contrary intention is apparent, the rules of interpretation in the <u>Interpretation Act 1984</u> (WA) apply to the interpretation of this Contract.

1.3 CPI adjustment

In this Contract, "CPI-Adjusted" in reference to an amount means that amount is adjusted under the following formula:

$$N = C \times (1 + \frac{CPI_n - CPI_c}{CPI_c})$$

where:

"N" is the new amount being calculated; and

"C" is the current amount being adjusted; and

"CPI_n" is the CPI applicable at the end of the calendar quarter (quarter _n) most recently ended prior to the current adjustment date; and

" CPI_c " is the value of CPI applicable for the calendar quarter occurring 12 months before the calendar quarter referred to in the definition of CPI_n .



2. Duration

2.1 Commencement and Term

- (a) This Contract commences on the Commencement Date.
- (b) This Contract ends on the Termination Date (unless terminated earlier under this Contract).

2.2 Option to extend Term

- (a) Subject to clause 2.2(b), the User may, by notice to Western Power given no later than 6 months prior to the expiration of the Term as at the time the notice is given, elect to extend the Term by such period as is specified in Part 2 of Schedule 2 as the "Extension Period", in which event the Termination Date shall be the last day of the Extension Period.
- (b) The Term shall not in any event be extended such that the Termination Date is later than the date specified in Part 2 of Schedule 2 as the "Latest Termination Date", except by mutual agreement between the Parties.

2.3 Conditions Precedent

- (a) The formation of this Contract, other than this clause 2.3 and clauses 29.1 to 29.5 {disputes}, 31.1 to 31.3 {assignment}, 33.1 to 33.10 {confidentiality}, 35 {notices} and 37.14 {governing law} is subject to and conditional upon each of the Conditions Precedent being satisfied on or before the date specified in Part 3 of Schedule 2 or:
 - (i) where a Condition Precedent is not specified to be for the benefit of a particular Party, that Condition Precedent being waived by agreement between all Parties; and
 - (ii) where a Condition Precedent is specified to be for the benefit of a particular Party, that Condition Precedent being waived by that Party,

on or before the respective date specified in Part 3 of Schedule 2.

- (b) Where a Condition Precedent is not specified to be for the benefit of a particular Party, each of the Parties must use all reasonable endeavours to obtain the fulfilment of the Condition Precedent.
- (c) Where a Condition Precedent is specified to be for the benefit of a particular Party, that Party must use all reasonable endeavours to obtain the fulfilment of the Condition Precedent and the other Party shall not, by wilful act or omission, prevent its fulfilment.
- (d) A Party must promptly notify the other Parties if it:
 - (i) discovers that any of the Conditions Precedent are not satisfied by the date specified in Part 3 of Schedule 2; or
 - (ii) discovers that any of the Conditions Precedent have become incapable of being satisfied by the date specified in Part 3 of Schedule 2; or
 - (iii) waives any right to continue to treat any of the Conditions Precedent as conditions precedent to the formation of this Contract.
- (e) If a Condition Precedent is not satisfied or waived by the date specified in Part 3 of Schedule 2 (or such longer period as the Parties may in writing agree) then, if the Party who seeks to terminate this Contract has complied with clause 2.3(b) or 2.3(c), as the case requires, that Party may, without prejudice to any other right or remedy it may have, terminate this Contract by giving written notice to the other Party.



ELECTRICITY TRANSFER PROVISIONS

3. Services

3.1 Provision and use of Services

- (a) For each Connection Point, on and from the Start Date and up to and including the End Date, subject to and under this Contract:
 - (i) Western Power must provide the Services, up to the Contracted Capacity; and
 - (ii) the User must pay the Charges for, and may use, the Services.
- (b) The User must not:
 - (i) transfer electricity out of the Network at a Connection Point unless it has an Exit Service or Bidirectional Service for that Connection Point; and
 - (ii) transfer electricity into the Network at a Connection Point unless it has an Entry Service or Bidirectional Service for that Connection Point.
- (c) For each Service at each Connection Point which falls within a category referred to in clause 3.1(e), the User must ensure that the rate at which electricity is transferred into or out of the Network by or on behalf of the User does not exceed the Contracted Capacity for that Service.
- (d) For each Service at each Connection Point which does not fall within a category referred to in clause 3.1(e), the User must endeavour, as a Reasonable and Prudent Person, to ensure that the rate at which electricity is transferred into or out of the Network by or on behalf of the User does not exceed the Contracted Capacity for that Service.
- (e) The relevant categories for the purpose of clause 3.1(c) are each of the following:
 - (i) any Service at a Connection Point where the User owns, operates or controls the Facilities and Equipment;
 - (ii) any Service at a Connection Point at which the User owns, operates or controls the Generating Plant; and
 - (iii) any Service at a Connection Point for which the User is required to nominate a Controller under clause 6.1.
- (f) The User is not in breach of clause 3.1(c) where and to the extent a Generator exceeds the Contracted Capacity at a Connection Point in compliance with a direction given under the Market Rules or in compliance with any procedures published by Western Power from time to time authorising temporary exceeding of Contracted Capacity.
- (g) The User is not in breach of clause 3.1(c) or clause 3.1(d) where and to the extent it exceeds the Contracted Capacity with the prior consent of Western Power.
- (h) Western Power provides the Services under this Contract to the User and does not provide any such Services to the Indemnifier. Western Power's sole liability in connection with the provision of the Services (including any failure of, or defect in provision of the Services) is to the User and Western Power has no liability of any nature to the Indemnifier in connection with the provision of the Services.

3.2 User may select Services

(a) The User may from time to time give notice to Western Power seeking to change the Service in respect of a Connection Point in accordance with the Applications and Queuing Policy.



(b) If Western Power receives a notice from the User under clause 3.2(a), then Western Power must process that request in accordance with the Applications and Queuing Policy.

3.3 Eligibility Criteria

- (a) Subject to clause 3.3(b), the User must in relation to each Reference Service Point, comply with the Eligibility Criteria applicable to the Reference Service provided, or to be provided, at the Reference Service Point.
- (b) The User is not in breach of clause 3.3(a) to the extent the User is unable to comply with its obligation under clause 3.3(a) as a result of a breach by Western Power of clause 3.2(b).

3.4 Increase or decrease of Contracted Capacity

- (a) The User may not increase or decrease the Contracted Capacity at an existing Connection Point to this Contract unless the User makes an application to Western Power approves that application under the Applications and Queuing Policy.
- (b) If the User makes an application to Western Power under clause 3.4, then Western Power must process the application under the Applications and Queuing Policy.

3.5 Addition of a Connection Point

- (a) The User may not add an additional Connection Point to this Contract unless the User makes an application to Western Power, and Western Power approves that application, under:
 - (i) the Applications and Queuing Policy; or
 - (ii) the Customer Transfer Code, as applicable.
- (b) If the User makes an application to Western Power under clause 3.5, then Western Power must process the application under:
 - (i) the Applications and Queuing Policy; or
 - (ii) the Customer Transfer Code, as applicable.

3.6 Deletion of a Connection Point

- (a) The User may give notice to Western Power seeking to delete a Connection Point from this Contract where:
 - (i) a transfer request has been made in relation to the Customer for that Connection Point under the Customer Transfer Code; or
 - (ii) the Connection Point will be added to another Access Contract by some other means to that stipulated in clause 3.6(a)(i); or
 - (iii) the Facilities and Equipment in respect of the Connection Point will be permanently Disconnected from the Connection Point.
- (b) If the User seeks to permanently Disconnect any Facilities and Equipment at a Connection Point, then the notice under clause 3.6(a) must be given to Western Power:
 - (i) for Generating Plant, excluding Generating Plant up to and including 30 kVA which is being used to offset load, at a Connection Point, at least 6 months before the planned Disconnection; and



- (ii) for Consuming plant and Generating Plant up to and including 30 kVA which is being used to offset load, at a Connection Point, at least one month before the planned Disconnection.
- (c) Clause 3.6(b) does not limit, and applies in addition to, the requirement the User and Western Power comply with their obligations (including timeframe service standards) specified in the model service level agreement under the Metering Code (to the extent that model service level agreement applies to the User and Western Power) in respect of any supply abolishment service required to give effect to a permanent Disconnection of Facilities and Equipment.
- (d) Subject to clause 3.6(e), if Western Power receives a notice from the User under clause 3.6(a), then it must notify the User that it accepts the deletion, and the date that the deletion takes effect, if:
 - (i) Western Power has successfully processed a Customer transfer request in relation to the Connection Point under the Customer Transfer Code; or
 - (ii) the Connection Point has been added to another Access Contract by some other means;
 - (iii) the Facilities and Equipment in respect of the Connection Point have been permanently Disconnected from the Connection Point,
 - as soon as reasonably practicable, otherwise Western Power may notify the User as soon as reasonably practicable that it rejects the deletion.
- (e) Clause 3.6(d) does not limit the requirement the User and Western Power comply, in respect of any supply abolishment service required to give effect to a permanent Disconnection, with their obligations (including timeframe service standards) specified in the model service level agreement under the Metering Code (to the extent that model service level agreement applies to the User and Western Power).
- (f) Subject to the Customer Transfer Code, Western Power must not delete a Connection Point other than in accordance with a notice given by a User under clause 3.6.
- (g) If Western Power commits a breach of clause 3.6(f) in circumstances that constitute Wilful Default it is liable to the User for any damage caused by, consequent upon or arising out of the Wilful Default. In this case, the exclusion of Indirect Damage in clause 19.3 does not apply.

3.7 Amendment to Connection Point data

- (a) Unless the Parties otherwise agree, Western Power must, as soon as reasonably practicable, record the information referred to in Part 1 of Schedule 3, with respect to each Connection Point, in the Connection Point Database.
- (b) Subject to clauses 3.7(g) and 3.7(h), Western Power must, as soon as reasonably practicable, update the information contained in a Connection Point Database following any variation made under this clause 3.
- (c) Upon request by the User for information referred to in the Connection Point Database, Western Power will, as soon as reasonably practicable, provide to the User the most up-to-date version of that information.



- (d) The Parties acknowledge that if the User is a Metering Code Participant, for each Connection Point Western Power must also record and update the relevant information required under Part 1 of Schedule 3 in the Metering Database in accordance with the provisions of the Metering Code and, to the extent that a timeframe is not specified in the Metering Code or a service level agreement in force between the User and Western Power, Western Power must do so as soon as is reasonably practicable.
- (e) Nothing in this Contract restricts or prohibits Western Power from maintaining and updating the Metering Database in accordance with the Metering Code.
- (f) Western Power will provide the User with access to the information in the Metering Database in accordance with the Build Pack.
- (g) Subject to clause 3.7(h), where Western Power causes a Permanent Reconfiguration of the Network which results in the information contained in the Contract Database having to be updated:
 - (i) Western Power is not required to update the information contained in the Connection Point Database before the next 1 July following the Permanent Reconfiguration of the Network; and
 - (ii) Western Power must update the information contained in the Connection Point Database before the next 21 July following the Permanent Reconfiguration of the Network.
- (h) Where a Permanent Reconfiguration of the Network occurs as a result of, or arising from, a notice or application by the User under clauses 3.4, 3.5 or 3.6 which results in the information contained in the Contract Database having to be updated:
 - (i) clause 3.7(g) does not apply;
 - (ii) Western Power must update the information contained in the Connection Point Database_as soon as reasonably practicable after the Permanent Reconfiguration of the Network; and
 - (iii) where the information to be updated is contained in Part 1 of Schedule 3, then the information must be updated in accordance with clause 37.2.
- (i) The Parties must notify each other of any errors discovered in the Connection Point Database as soon as reasonably practicable after becoming aware of the error.
- (j) Western Power must amend any error in the Connection Point Database as soon as reasonably practicable after becoming aware of the error, provided that if Western Power becomes aware of an error otherwise than by notice from the User under clause 3.7(i), no amendment shall be made until Western Power has given notice to the User of the error.
- (k) Where under this Contract Western Power has recorded information in more than one of Part 1 of Schedule 3, the Metering Database and any other database maintained by Western Power for the purposes of this Contract and there is an inconsistency or conflict between the information in the databases in which the information is recorded, then the following order of precedence applies, from highest to lowest:
 - (i) where the circumstances in clauses 3.7(g) or 3.7(h) apply:
 - (A) Part 1 of Schedule 3;
 - (B) any other database;
 - (C) the Metering Database; and
 - (ii) in all other circumstances:



- (A) the Metering Database;
- (B) Part 1 of Schedule 3;
- (C) any other database.
- (I) Western Power must notify the User as soon as reasonably practicable upon becoming aware that a Connection Point has reverted to the User as a default supplier retailer (being a retailer of the type contemplated in section 59 of the Act).

4. The User must provide forecast information

4.1 Western Power may request information

Western Power may as a Reasonable and Prudent Person, in respect of a Connection Point, request power and energy forecast information from the User.

4.2 When Western Power may request information

A request under clause 4.1 must not be made more than once in any 12 month period, except in an Emergency or where any forecasts provided by the User materially differ from the User's actual performance and, in the opinion of Western Power (as a Reasonable and Prudent Person), require revision in order to facilitate the operation of the Network in accordance with Good Electricity Industry Practice.

4.3 User must comply with request

The User must comply with Western Power's reasonable request under clause 4.1.

5. Title to electricity

5.1 Transfer into the Network

Title to electricity that is transferred into the Network at a Connection Point passes from the User to Western Power at the time it passes through the Connection Point.

5.2 Transfer out of the Network

Title to electricity that is transferred out of the Network at a Connection Point passes from Western Power to the User at the time it passes through the Connection Point.

6. Controllers

6.1 User must nominate Controller where Connection Point exceeds threshold

- (a) If the User is not the Controller of a Connection Point then the User must, by notice to Western Power before the Start Date of the relevant Services, or as soon as reasonably practicable thereafter (but in all cases no later than 30 Business Days after the Start Date of the relevant Services), nominate a person as the Controller for a Connection Point where:
 - Generating Plant with installed capacity exceeding 30 kVA is connected at the Connection Point; or
 - (ii) the Connection Assets for the Connection Point are operated at 66 kV or greater; or
 - (iii) the rating of the largest motor connected at the Connection Point is greater than 0.4% of the three phase short circuit fault level at the Attachment Point.



- (b) The User may, from time to time, by notice to Western Power, change the person the User nominates as the Controller of a Connection Point.
- (c) The Parties must amend the Connection Point Database following any variation made under this clause 6.1.
- (d) Western Power, acting as a Reasonable and Prudent Person, may at any time on reasonable technical or commercial grounds object to a person nominated by the User as a Controller under clause 6.1, in which case the User must either:
 - (i) Dispute Western Power's objection; or
 - (ii) nominate a different person as a Controller.
- (e) If Western Power requires, the User must use reasonable endeavours to procure that the person nominated by the User as a Controller enters into a Connection Contract with Western Power in respect of the Connection Point.
- (f) If the User requests Western Power to do so, Western Power must use reasonable endeavours and act in good faith to enter into a Connection Contract with a Controller (validly nominated by the User under clause 6.1(a)) in respect of the Connection Point.

6.2 Where the User is not the Controller

- (a) Subject to clause 6.2(f), if the User is not the Controller of a Connection Point, and the Controller of that Connection Point has not entered into a Connection Contract with Western Power in respect of the Connection Point, then the User must ensure that the Controller of that Connection Point complies, and will continue to comply, with the obligations set out in this Contract, to the extent that such compliance is reasonably necessary for the Parties to satisfy their obligations under this Contract, including, but not limited to:
 - (i) clause 11 (Good Electricity Industry Practice); and
 - (ii) clause 12 (Technical Rules); and
 - (iii) clause 13 (Technical characteristics of Facilities and Equipment); and
 - (iv) clause 14 (Cooperation); and
 - (v) clause 15 (Access to premises); and
 - (vi) clause 16 (Directions from System Operator); and
 - (vii) clause 17 (Removal of equipment); and
 - (viii) clause 25 (Curtailment); and
 - (ix) clause 35 (Notices).
- (b) If the User is not the Controller of a Connection Point, and the Controller of that Connection Point has not entered into a Connection Contract with Western Power in respect of the Connection Point, then the User must ensure that it enters into a contract with the Controller obliging the Controller to comply with the obligations set out in this Contract (to the extent set out in clause 6.2(a)) and that such contract entered into between the User and a Controller relating to Services under this Contract contains a provision:
 - (i) that neither the User nor Western Power is in any circumstances liable for Indirect Damage suffered by the Controller, however arising, excluding any damage caused by, consequent upon or arising out of fraud; and



(ii) under which the Controller covenants in favour of Western Power (which covenant is expressed to be enforceable by Western Power in accordance with section 11 of the <u>Property Law Act 1969 (WA)</u>) that it will not bring a claim against Western Power for such Indirect Damage and will not bring a claim which will result in Western Power's aggregate liability to the Controller and the User, under or in connection with this Contract or the Services provided under or in connection with this Contract, exceeding the monetary cap on Western Power's liability in clause 19.5(a).

The exclusion of Indirect Damage in clause 19.3 does not apply to a failure by the User to ensure that its contract with the Controller contains the covenant referred to in paragraph (ii) above.

- (c) On reasonable request from Western Power, the User must (unless the Controller has already entered into a Connection Contract with Western Power) provide evidence to Western Power's satisfaction as a Reasonable and Prudent Person that the User is complying, and will continue to comply, with clause 6.2(a).
- (d) If the User does not satisfy Western Power under clause 6.2(c), Western Power may refuse to commence the Services or may Curtail the provision of Services in respect of the relevant Connection Point unless and until:
 - (i) the Controller has entered into a Connection Contract with Western Power in respect of the Connection Point; or
 - (ii) the User satisfies Western Power under clause 6.2(c).
- (e) For the avoidance of doubt, if the User is in breach of clause 6.2(a), then the User is liable for, and must indemnify Western Power pursuant to clause 19.2 against any Direct Damage caused by, consequent upon or arising out of the acts and omissions, negligent or otherwise, of the Controller to the extent that the acts or omissions, negligent or otherwise, of the Controller are attributable to that breach, unless the Controller has entered into a Connection Contract with Western Power.
- (f) Subject to clause 6.2(g), the User is required to commence, maintain or continue legal proceedings to procure compliance of the Controller with the obligations set out in this Contract, to the extent that such compliance is reasonably necessary for the Parties to satisfy their obligations under this Contract.
- (g) For a Connection Point other than as referred to in clause 6.1, the User is not required to comply with clause 6.2(f) unless Western Power provides an indemnity to the User for all of the User's costs of and incidental to the proceedings.
- (h) Nothing in clause 6.2(f) or clause 6.2(g):
 - (i) limits the User's obligations under the remainder of this clause 6.2; or
 - (ii) derogates from Western Power's other rights under this Contract including its rights under clause 6.2(d),or requires Western Power to pay any compensation to the User for exercising any of those rights.

6.3 Western Power may enter into Access Contracts

Nothing in clause 6.2 is to be taken to prevent Western Power from entering into an Access Contract with any person, including a person who is a Controller.



6.4 Liability and Force Majeure not limited

Nothing in clause 6.2 limits the operation of clauses 19.2 or 22.1 in respect of either the User or Western Power.

7. Tariff and Charges

7.1 Tariff

- (a) The tariff payable under this Contract for a Service is the tariff, or tariffs, as applicable, specified in the Price List from time to time for the Service. For the avoidance of doubt, the tariffs specified in the Price List apply to all consumption during the Pricing Year applicable to the Price List. Where consumption is metered with an accumulation meter and the meter reading interval causes some of the metered consumption to lie within the Pricing Year applicable to the Price List and the remainder within a Pricing Year applicable to another Price List, the consumption covered by the Price List will be determined by prorating the metered consumption uniformly on a daily basis.
- (b) If:
 - (i) no Price List is published by the Authority on the date required under the Code; or
 - (ii) a purported Price List which does not comply with the Access Arrangement is published, then to the extent that the effect of a Price List (if it had been published on the date required under the Code and had been compliant with the Access Arrangement) would have been to reduce the Tariff payable by the User, then the User may recover the Tariff reduction as an overpayment under clause 8.6.
- (c) If applicable, the Tariff payable under clause 7.1(a) for a Service after the end of the current Access Arrangement period is to be determined as follows:
 - (i) if the new Access Arrangement contains a Reference Service (**"Equivalent Reference Service"**) which is materially the same as the Service then the tariff for the Service is to be the tariff for the Equivalent Reference Service; and
 - (ii) if the new Access Arrangement does not contain an Equivalent Reference Service, or if for any reason there is no new Access Arrangement or new Price List under the new Access Arrangement, then the tariff for each quarter will be the Tariff in the final Price List which Western Power was required to publish under the previous Access Arrangement, CPI-Adjusted annually each 1 July.
- (d) Clause 7.1(c) applies, with appropriate modifications, in respect of the end of each successive Access Arrangement period.
- (e) Western Power must notify the User of the Tariffs calculated from time to time under clause 7.1(c).
- (f) For the purposes of calculating Tariffs and Charges for a Service:
 - (i) Western Power is entitled to rely on the information contained in the Contract Database (as updated from time to time in accordance with this Contact); and
 - (ii) where information contained in the Contract Database is updated, or to be updated, in accordance with this Contract, the updated information:
 - (A) will not apply to any period before; and
 - (B) must not be used to calculate a Tariff or Charge until, the date that the information is actually updated in accordance with this Contract.



7.2 Charges

- (a) The User must pay to Western Power the Charge for each Service calculated at the Tariff determined under clause 7.1.
- (b) Nothing in this clause 7.2 prevents Western Power from recovering any other monies otherwise payable by the User to Western Power under this Contract or at Law.

7.3 Charges during Western Power's Force Majeure Event

- (a) If a Service ("Affected Service") is unavailable for any consecutive period of two days or longer ("Affected Service Period") due to a Force Majeure Event where:
 - (i) Western Power is the Affected Person;
 - (ii) the User is unable to use the Affected Service because of the Force Majeure Event; and
 - (iii) Western Power's inability to provide the Affected Service has not been caused by the User's default or negligence,

then, for that part of the Affected Service Period in which the User's Facilities and Equipment in respect of the Affected Service were not or would not have been subject to a scheduled or unscheduled outage by which the User's Facilities and Equipment were De-energised, the User is relieved of its obligation under clause 7.2 and instead must pay 10% of the "Standing Charges" (as defined in clause 7.3(b)) for the Affected Service during that part of the Affected Service Period.

- (b) Under this clause 7.3, Standing Charges means:
 - (i) those Charges or components of a Charge which apply to a Service regardless of the actual Generation or Consumption by the User in respect of that Service, as recorded by the Metering Equipment; and
 - (ii) is not those components of a Charge which are determined by reference to the actual Generation or Consumption by the User in respect of that Service, as recorded by the Metering Equipment.

8. Invoicing and payment

8.1 Western Power invoices

- (a) Subject to clause 8.1(d), Western Power must, within 14 Business Days after the end of an Accounting Period, issue to the User a Tax Invoice for the Accounting Period showing:
 - (i) all amounts payable by the User to Western Power under this Contract for the Accounting Period; and
 - (ii) all outstanding amounts as at the end of the Accounting Period and interest payable on those amounts; and
 - (iii) GST payable on those amounts under clause 8.8.
- (b) A Tax Invoice issued by Western Power under clause 8.1(a) or 8.1(d) may include other amounts payable by the User to Western Power with regards to the Service under this Contract or at Law.
- (c) At the same time as issuing a Tax Invoice under this clause 8.1, Western Power must provide to the User, in electronic form, the metering information used to calculate the Charges shown on the Tax Invoice in sufficient detail to enable the User to understand how Western Power calculated the Charges.



(d) Notwithstanding clause 8.1(a), the Parties may, by mutual agreement, implement a different system of invoicing to that stipulated in clause 8.1(a) including, for example, issuing two or more Tax Invoices per Accounting Period, and separate invoicing for different classes or groups of consumers, Connection Points or Services.

8.2 User invoices

- (a) At the same time as Western Power issues to the User a Tax Invoice for an Accounting Period under clause 8.1, Western Power must provide the User with all information necessary for the User to determine any amounts payable by Western Power to the User for the Accounting Period.
- (b) The User must, within five Business Days after receiving the information under clause 8.2(a), issue to Western Power a Tax Invoice for the Accounting Period showing:
 - (i) all amounts payable by Western Power to the User under this Contract, which amounts may be calculated using the information provided to the User by Western Power under clause 8.2(a); and
 - (ii) all outstanding amounts as at the end of the Accounting Period and interest payable on those amounts; and
 - (iii) GST payable on those amounts payable under clause 8.8.
- (c) If the User Disputes the information provided by Western Power under clause 8.2(a), then:
 - (i) the User may issue a Tax Invoice under clause 8.2(b) for an amount the User (acting as a Reasonable and Prudent Person) estimates to be the correct amount payable; and
 - (ii) the User must, before the Due Date of the Tax Invoice under clause 8.2(b), give notice to Western Power that it Disputes the information provided under clause 8.2(a) and provide in that notice full details of the Dispute, including the difference between the amount for which the Tax Invoice has been issued by the User and the amount for which that Tax Invoice would have been issued had the information provided by Western Power under clause 8.2(a) been accepted by the User as correct.
- (d) Clause 8.4 applies in respect of a Tax Invoice issued under clause 8.2(b), for the purposes of which the "Undisputed Portion" is taken to be an amount calculated in accordance with the information provided by Western Power under clause 8.2(a).

8.3 Payment of invoices

- (a) Each Party which receives a Tax Invoice under clause 8.1 or 8.2, must on or before the Due Date of the Tax Invoice pay to the Party issuing the Tax Invoice all amounts shown on the Tax Invoice which are payable under this Contract.
- (b) If a Party fails to comply with clause 8.3(a) then, without prejudice to the other Party's other rights, the Party must pay interest on any unpaid amount, calculated daily at the Prescribed Rate from the Due Date of the Tax Invoice until payment.

8.4 Disputed invoices

(a) If a Party Disputes any amount set out in a Tax Invoice issued under clause 8.1 or 8.2 then that Party must pay the Undisputed Portion (if any) and must, prior to the Due Date of the Tax Invoice, give notice to the other Party that it Disputes the amount and provide in that notice full details of the Dispute.



- (b) Without prejudice to the other Party's other rights, any amount withheld by a Party under clause 8.4(a) but subsequently found to have been payable attracts interest calculated daily at the Prescribed Rate from the Due Date of the Tax Invoice until payment.
- (c) Without prejudice to the other Party's other rights, any amount paid by a Party under clause 8.4(a) but subsequently found not to have been payable attracts interest calculated daily at the Prescribed Rate from the date the Party paid the amount to the date the other Party repays the amount.

8.5 Charge errors

Nothing in this clause or elsewhere in this Contract affects or limits the operation of sections 65 and 66 of the *Energy Operators (Powers) Act 1979 (WA)* in relation to Charges paid or payable by the User under this Contract.

8.6 Under and over payments

- (a) Subject to clause 8.6(e), if a Party detects a Payment Error by a Party of any amount within 18 calendar months after the Payment Error:
 - (i) the Party must as soon as reasonably practicable give notice to the other Parties of the Payment Error; and
 - (ii) an adjusting payment must be made by the appropriate Party within 10 Business Days of the notice.
- (b) Except where clause 8.6(c) applies, the adjusting payment must, without prejudice to the Party's other rights, include interest calculated daily at the Prescribed Rate from the date of the Payment Error until the date of the adjusting payment.
- (c) An adjusting payment by a Party will not attract interest under clause 8.6(b) if it is made in relation to an underpayment and the underpayment was the result of an error by the other Party.
- (d) Subject to clause 8.6(e), a Party is not entitled to an adjusting payment for a Payment Error notified to the other Parties after the expiry of 18 calendar months after the Payment Error.
- (e) Notwithstanding clauses 8.6(a) and 8.6(d), where:
 - (i) Payment Errors have occurred as a result of an error in the data used to calculate the Charges; and
 - (ii) the Payment Errors occurred in one or more Accounting Periods,
 - the Party who was underpaid or who made an overpayment (as applicable) is entitled to an adjusting payment only for the Payment Errors that occurred in the Accounting Periods that were within the 12 month period preceding the date that the Payment Errors were notified by one Party to the other.
- (f) Where a Payment Error is an error as a result of which the amount set out in a Tax Invoice is less than what it would have been had the error not been made, the Payment Error will be taken to have occurred on the Due Date of the Tax Invoice.
- (g) Where a Payment Error is an error as a result of which the amount set out in a Tax Invoice is more than what it would have been had the error not been made, the Payment Error will be taken to have occurred on the date the User has paid the total amount of the Tax Invoice in full.



8.7 Interest on overdue payment

If a Party Defaults in due and punctual payment of a Tax Invoice:

- (a) clauses 27.1 to 28.1(d)(i) apply; and
- (b) the overdue payments attract interest payable at the Prescribed Rate from the Due Date of the Tax Invoice until the Default is remedied.

8.8 **GST**

- (a) Unless expressly included, the consideration for any supply under or in connection with this Contract (including any Charge or Tariff derived from a Price List and any Contribution) is GST exclusive.
- (b) To the extent that any supply made under or in connection with this Contract is a taxable supply and the price for it (including any Charge or Tariff derived from a Price List and any Contribution) is stated to be GST exclusive, the consideration for that supply is increased by an amount determined by the supplier, not exceeding the amount of the consideration (or its market value) multiplied by the rate at which GST is imposed in respect of the supply.
- (c) Without limiting the obligation to provide a Tax Invoice under clauses 8.1 and 8.2, the supplier must issue a Tax Invoice to the recipient of a supply to which clause 8.8(b) applies before the payment of the GST inclusive consideration determined under that clause.
- (d) If a Party is entitled under this Contract to be reimbursed or indemnified by another Party for a cost or expense incurred in connection with this Contract, the reimbursement or indemnity payment must not include any GST component of the cost or expense for which an input tax credit may be claimed by the Party entitled to be reimbursed or indemnified, or by its representative member.
- (e) If a Party becomes aware of an adjustment event, that Party agrees to notify the other Party as soon as practicable after becoming so aware, and the Parties agree to take whatever steps are necessary, including the issue of an adjustment note, and to make whatever adjustments are required, to ensure that any GST or additional GST on that supply or any refund of any GST (or part of GST) is paid as soon as is practicable but no later than 10 Business Days after the Party has satisfied itself that the adjustment event has occurred.
- (f) Definitions in the GST Act apply also in this clause 8.8 unless the context indicates otherwise.

9. Security for Charges

- (a) Subject to clause 9(b), if Western Power determines at any time during the Term that either or both of the User's or the Indemnifier's technical or financial resources are such that a Reasonable and Prudent Person would consider there to be a material risk that the User will be unable to meet its obligations under this Contract, then:
 - (i) Western Power may require the User to within 15 Business Days nominate which of the User or the Indemnifier ("Nominated Person") is to provide security; and
 - (ii) within 15 Business Days of the User's nomination under clause 9(a)(i), the Nominated Person, at the User's election, must either:
 - (A) pay to Western Power a cash deposit equal to the Charges for two months' Services; or



- (B) provide an irrevocable and unconditional bank guarantee or equivalent financial instrument in terms acceptable to Western Power (acting as a Reasonable and Prudent Person), guaranteeing or otherwise securing the Charges for two months' Services; or
- (C) if Western Power is satisfied, as a Reasonable and Prudent Person, that the User's parent company's financial and technical resources are such that the User's parent company would be able to meet the User's obligations under this Contract (including because the User's parent company meets at least one of the credit ratings given in clauses 9(b)(i) and 9(b)(ii)), procure from the User's parent company a guarantee substantially in the form set out in Schedule 8.
- (b) If the User or the Indemnifier has an unqualified credit rating of at least:
 - (i) BBB from Standard and Poor's Australia Pty Ltd; or
 - (ii) Baa from Moody's Investor Service Pty Ltd,
 - and provides evidence to this effect to Western Power, then Western Power is not entitled to determine under clause 9(a) that the User's financial resources are such that there would be a material risk that the User will be unable to meet its obligations under this Contract.
- (c) If any security held by Western Power under clause 9(a)(ii)(A)) or 9(a)(ii)(B) at any time is not equal to the Charges for two months' Services, then the Nominated Person must, within 15 Business Days of a written request by Western Power to the User:
 - (i) if the security is a cash deposit under clause 9(a)(ii)(A), provide Western Power with an additional cash payment to increase the security so that it is equal to the Charges for two months' Services; or
 - (ii) if the security is a guarantee under clause 9(a)(ii)(B), replace the guarantee with another guarantee (that is in accordance with clause 9(a)(ii)(B)) in an amount that is equal to the Charges for two months' Services.
- (d) If any security held by Western Power under clause 9(a)(ii)(A) or 9(a)(ii)(B) is called upon by Western Power or if that security ceases to be enforceable for any reason (including due to expiry of the security) then within 15 Business Days the Nominated Person must provide replacement security to Western Power complying with the requirements of clause 9(a)(ii).
- (e) Where a guarantee has been provided to Western Power by the User's parent company but Western Power ceases to be satisfied, as a Reasonable and Prudent Person, that the criteria in clause 9(a)(ii)(C) are met then by notice to the User Western Power may require the provision of a new form of security complying with the requirements of clause 9(a)(ii)(A) or 9(a)(ii)(B) which security must be provided within 15 Business Days of service of Western Power's notice.
- (f) Upon the termination of this Contract and receipt by Western Power of all amounts due by the User to it under this Contract Western Power will return to the User any security provided under this clause 9 which is still held by Western Power. Where the security provided to Western Power was a cash deposit, then Western Power will return to the User the unutilised balance of the cash deposit and interest accrued on the deposit less any charges (including fees and charges associated with maintaining the interest bearing account) and taxes attributable to the maintenance of the interest bearing account in which the cash deposit was kept.



- (g) Western Power may call upon a cash deposit or bank guarantee (or equivalent financial instrument) provided to it under this clause 9 if an amount due by the User to Western Power under this Contract is not paid by the due date for payment of that amount or, where this Contract does not specify a due date for payment, is not paid within 10 Business Days of Western Power issuing a notice to the User requiring payment of the amount.
- (h) In this clause 9, a reference to the Charges for two months Services means Western Power's reasonable estimate of the Charges which will be incurred by the User for the Services provided under this Contract in the next two calendar month period from the end of the next Accounting Period (that is, from the end of the Accounting Period which expires after the Accounting Period in which the User is notified of the current level of security it is required to provide).
- (i) Where security is provided to Western Power in the form of a cash deposit, then Western Power shall deposit the amount in an interest bearing account maintained with a financial institution, selected consistently with Western Power's policies, or with the Western Australian Treasury Corporation or other government body. Any interest which accrues on the cash deposit shall form part of the security however where, as at the end of a month, the aggregate amount of cash deposit held by Western Power (including interest and after deducting any fees, charges and taxes associated with maintaining the interest bearing account) exceeds the Charges for two months' Services Western Power will, within a reasonable time, pay the excess amount held (above the Charges for two months' Services) to the Customer's nominated bank account.
- (j) Where Western Power is required, under this Contract, to return the whole of a security held as a cash deposit then it will, within a reasonable time, return to the User the unutilised balance of the cash deposit and interest accrued less any charges (including fees and charges associated with maintaining the interest bearing account) and taxes attributable to the maintenance of the interest bearing account.
- (k) Nothing in this Contract is to be taken as imposing any obligation on Western Power to maximise or obtain any return on cash deposit amounts held by Western Power as security.

10. Security for Contribution

Without limiting the User's security obligations related to clause 26, where Western Power has determined in accordance with the Contributions Policy that the User is required to provide an irrevocable and unconditional bank guarantee (or equivalent financial instrument) in terms acceptable to Western Power (acting as a Reasonable and Prudent Person), guaranteeing the present value of any amount of any Contribution to be made by the User that remains unpaid or unprovided as calculated by Western Power under the Contributions Policy, the Nominated Person must provide to Western Power the requested bank guarantee (or equivalent financial instrument).

TECHNICAL COMPLIANCE PROVISIONS

11. Good Electricity Industry Practice

11.1 Western Power must comply with Good Electricity Industry Practice

Western Power must comply with Good Electricity Industry Practice when providing Services and performing its obligations under this Contract.



11.2 User must comply with Good Electricity Industry Practice

The User must comply with Good Electricity Industry Practice in using the Services and performing its obligations under this Contract.

12. Technical Rules

12.1 Western Power and the User must comply

Western Power and the User must each comply with the Technical Rules.

12.2 User to bear costs

- (a) The User must bear its own costs in relation to compliance with the Technical Rules.
- (b) Western Power must bear its own costs in relation to compliance with the Technical Rules.
- (c) Notwithstanding clause 12.2(b), where an act or omission of the User in breach of this Contract causes Western Power to incur extra costs in order to ensure Western Power complies with the Technical Rules, the User shall bear Western Power's reasonable extra costs so incurred to the extent that such costs are not already recovered from the User or any other person under any other arrangement, including the Contributions Policy.
- (d) Without limiting clause 12.2(c), where a User's equipment increases the fault levels in the Network, the User must bear Western Power's reasonable costs of any upgrades to the Network required under the Technical Rules to the extent that such costs are not already payable by the User under the Contributions Policy.
- (e) For the avoidance of doubt, the User is not liable for any costs incurred by another user of the Network arising from compliance by the other user with the Technical Rules.
- (f) If Western Power recovers costs referred to in clause 12.2(c) from another party in circumstances where the User has already paid them to Western Power, Western Power must refund those costs without interest to the User.

12.3 Actions of third parties

- (a) Subject to clause 6.2(e), if the actions of a third party cause a Party to breach the Technical Rules, then the Party is not in breach of clause 12.1 unless the Party has:
 - (i) been negligent; or
 - (ii) has not acted as a Reasonable and Prudent Person.
- (b) Nothing in this clause 12.3 limits the operation of clauses 19.2 or 22 in respect of either Party.

13. Technical characteristics of Facilities and Equipment

- (a) The Parties must record:
 - (i) in Part 2 of Schedule 3 any technical information that the User was required to provide to Western Power under the Applications and Queuing Policy; and
 - (ii) in Part 3 of Schedule 3 any exemptions to the Technical Rules given to the User under Chapter 1 of the Technical Rules.
- (b) Each Party must record any other information required to be recorded in this Contract by the Technical Rules within a database maintained by that Party, and provide the other Parties with reasonable access to the information upon request by that Party.



- (c) The User must not materially modify any Generating Plant connected at a Connection Point unless:
 - (i) where such modification requires an Application under the Applications and Queuing Policy:
 - (A) the User makes such an Application; and
 - (B) the Application is processed by Western Power under the Applications and Queuing Policy, resulting in an Access Offer for the change, which the User accepted;
 - (ii) where such modification does not require an Application under the Applications and Queuing Policy and relates to a Generating Plant owned by a person other than a Small Customer:
 - (A) the User notifies Western Power of the modifications to the Generating Plant in writing at least <u>6</u>0 days prior to the modifications being made; and
 - (B) the modified Generating Plant does not adversely impact the safety or security of the Network.
- (d) For the purposes of clause 13(c)(ii) a modification is material only if:
 - (i) it involves expenditure of more than \$100,000; or
 - (ii) the modification is one which, consistently with Good Electricity Industry Practice, requires review by a duly qualified engineer before being made.
- (e) The replacement of like for like parts within a Generating Plant or the replacement of parts in the ordinary course of maintenance and repair is not a material modification for the purposes of clause 13(c)(ii).
- (f) If Western Power does not notify the User within 60 days of receipt of notice under clause 13(c)(ii) that the modification may adversely impact the safety or security of the Network the User may proceed to make the modification. However nothing in this clause derogates from the User's responsibility to ensure the Generating Plant complies with the requirements of this Contract including the obligations to comply with the Technical Rules.

14. Cooperation

The User and Western Power (each acting as a Reasonable and Prudent Person) must cooperate and coordinate with each other where reasonably necessary in relation to:

- (a) the planning, development, inspection, testing and commissioning of Facilities and Equipment for a Connection Point and Network Assets for the Network; and
- (b) the development and implementation of Maintenance schedules for Facilities and Equipment for a Connection Point and Network Assets for the Network.

15. Access to premises

15.1 Parties must allow reasonable rights of entry

Each Party ("Host Party") must allow, or use its reasonable endeavours to procure for, the other Party ("Guest Party") all reasonable rights of entry to the Host Party's premises:

(a) for the purposes of constructing, installing, operating, maintaining and verifying the accuracy of any Metering Equipment or other equipment or thing; and



- (b) to inspect for safety or other reasons the construction, installation, operation, maintenance and repair of any Metering Equipment or other equipment or thing; and
- (c) for any other reasonable purpose connected with or arising out of this Contract.

15.2 Entry made at risk of Guest Party

Any entry under clause 15.1 is made in all respects at the expense and risk of the Guest Party, who must, subject to clauses 19.3 and 19.5, make good any damage occasioned by or resulting from the entry, other than to the extent the damage is caused by:

- (a) fair wear and tear; or
- (b) the negligence or Default of the Host Party or any of its Workers or Visitors; or
- (c) a Force Majeure Event.

15.3 Guest Party obligations

A Guest Party must:

- (a) before exercising a right of entry under clause 15.1, give reasonable notice to the Host Party specifying the purpose, proposed time and estimated duration of entry, except where it is not practicable to do so due to any Emergency; and
- (b) while exercising a right of entry under clause 15.1:
 - (i) act as a Reasonable and Prudent Person; and
 - (ii) without limiting clause 15.3(b)(i), take steps that are reasonable in the circumstances to ensure that during the entry its Workers and Visitors cause as little inconvenience to the Host Party as possible, except to the extent that it is not practicable to do so due to any Emergency, and at all times comply with:
 - (A) all reasonable health and safety standards, induction and supervision requirements and other requirements of the Host Party; and
 - (B) all reasonable and lawful directions by or on behalf of the Host Party.

15.4 Third person's premises

To the extent that any equipment or thing relevant to the obligations or rights of a Party under this Contract is located on the premises of a third person, the Parties must use their reasonable endeavours to secure for either or both of the Parties a reasonable right of entry to the third person's premises.

16. Directions from System Operator

16.1 Western Power and the User must comply

Without limiting the generality of clause 14, Western Power and the User must each comply with any directions given by the System Operator.

17. Removal of equipment

On the permanent Disconnection of Facilities and Equipment at any Connection Point:

(a) Western Power may dismantle, decommission and remove Western Power's Works and any Metering Equipment installed on the User's Premises; and



(b) under Western Power's reasonable instructions, the User must dismantle and decommission or remove any of the User's Works at or connected to the Connection Point.

COMMON PROVISIONS

18. Representations and warranties

18.1 The User's representations and warranties

- (a) The User represents and warrants to Western Power that:
 - (i) the User has complied with the Applications and Queuing Policy in the Access
 Arrangement and the requirements in the Code in respect of its Application under the
 Access Arrangement provided that the User will not be taken to be in breach of this
 warranty because of a failure by the User to comply with the Applications and Queuing
 Policy or the Code which is the direct result of a breach by Western Power of the
 Applications and Queuing Policy or the Code; and
 - (ii) the User's obligations under this Contract are valid and binding and are enforceable against the User under their terms; and
 - (iii) this Contract and any other transaction under it does not contravene the User's constituent documents or any Law or any of the User's obligations or undertakings by which the User or any of the User's assets are bound or cause to be exceeded any limitation on the User's or the User's directors' powers; and
 - (iv) neither the User nor any of its Related Bodies Corporate have immunity from the jurisdiction of a court or from legal process (whether through service of notice, attachment prior to judgment, attachment in aid of execution, execution or otherwise).
- (b) The representations and warranties in clause 18.1(a) are to be taken to be made on each day on which:
 - (i) this Contract is in effect; or
 - (ii) any amount payable by the User to Western Power under this Contract is or may be outstanding.
- (c) To the maximum extent permitted by Law, the only warranties given by and terms which apply to the User under this Contract are those expressly contained in this Contract, and all warranties and terms implied by Law, including those on the part of the User implied by the Competition and Consumer Act 2010 of the Commonwealth or the Fair Trading Act 2010 (WA) or any other Law to similar effect do not apply to this Contract.
- (d) If at Law the exclusion of any warranty or term is prohibited, then the User's liability in respect of a breach of such warranty or term is limited to the maximum extent permitted by Law. For example, where any Law permits the User to limit its liability in respect of a breach of an implied warranty or condition to the replacement or resupply of equivalent goods and services, then the User's liability will be so limited.

18.2 Western Power's representations and warranties

(a) Western Power represents and warrants to the User that:



- (i) Western Power has complied with the Applications and Queuing Policy in the Access Arrangement and the requirements in the Code in respect of the User's Application under the Access Arrangement provided that Western Power will not be taken to be in breach of this warranty because of a failure by Western Power to comply with the Applications and Queuing Policy or the Code which is the direct result of a breach by the User of the Applications and Queuing Policy or the Code; and
- (ii) Western Power's obligations under this Contract are valid and binding and are enforceable against Western Power under their terms; and
- (iii) this Contract and any other transaction under it does not contravene Western Power's constituent documents or any Law or any of Western Power's obligations or undertakings by which Western Power or any of Western Power's assets are bound or cause to be exceeded any limitation on Western Power's or Western Power's directors' powers; and
- (iv) neither Western Power nor any of its related bodies corporate have immunity from the jurisdiction of a court or from legal process (whether through service of notice, attachment prior to judgment, attachment in aid of execution, execution or otherwise).
- (b) The representations and warranties in clause 18.2(a) are to be taken to be made on each day on which:
 - (i) this Contract is in effect; or
 - (ii) any amount payable by Western Power to the User under this Contract is or may be outstanding.
- (c) To the maximum extent permitted by Law, the only warranties given by and terms which apply to Western Power under this Contract are those expressly contained in this Contract, and all warranties and terms implied by Law, including those on the part of Western Power implied by the <u>Competition and Consumer Act 2010</u> of the Commonwealth or the <u>Fair Trading Act 2010</u> (WA) or any other Law to similar effect do not apply to this Contract.
- (d) If at Law the exclusion of any warranty or term is prohibited, then Western Power's liability in respect of a breach of such warranty or term is limited to the maximum extent permitted by Law. For example, where any Law permits Western Power to limit its liability in respect of a breach of an implied warranty or condition to the replacement or resupply of equivalent goods and services, then Western Power's liability will be so limited.

18.3 Indemnifier's representations and warranties

The Indemnifier represents and warrants to Western Power that, as at the Commencement Date, there has been no material change in the Indemnifier's financial position since the date Western Power received information from the Indemnifier stating that position.

19. Liability and indemnity

19.1 No several liability

All parties constituting the User shall be liable under this Contract jointly, or jointly and severally, but not severally.

19.2 Liability for Direct Damage

Subject to the terms of this Contract:

(a) a Party who:



- (i) is negligent; or
- (ii) commits a Default under this Contract,
- is liable to the other Party for, and must indemnify the other Party against, any Direct Damage caused by, consequent upon or arising out of the negligence or Default; and
- (b) the Indemnifier must indemnify Western Power in respect of the liabilities of the User under this Contract.

19.3 Exclusion of Indirect Damage

- (a) Subject to clause 19.3(b):
 - (i) either or both of the User or the Indemnifier is not in any circumstances liable to Western Power for any Indirect Damage suffered by Western Power, however arising; and
 - (ii) Western Power is not in any circumstances liable to either or both of the User or the Indemnifier for any Indirect Damage suffered by the User, however arising.
- (b) Where this Contract states that "the exclusion of Indirect Damage in clause 19.3 does not apply", or words to a similar effect, in relation to a matter, then:
 - (i) the exclusion of Indirect Damage in clause 19.3 does not apply in relation to that matter; and
 - (ii) the Parties' liability in relation to the matter is to be determined by Law, and to avoid doubt the definition of Indirect Damage in this Contract is to be disregarded for the purposes of that determination.

19.4 Fraud

- (a) If Western Power is fraudulent in respect of its obligations to the User under this Contract, then Western Power is liable to either the User or the Indemnifier for, and is to indemnify both the User and the Indemnifier against, any damage caused by, consequent upon or arising out of the fraud. In this case, the exclusion of Indirect Damage in clause 19.3 does not apply.
- (b) If the User or the Indemnifier is fraudulent in respect of its obligations to Western Power under this Contract, then the User or the Indemnifier is liable to Western Power for, and is to indemnify Western Power against, any damage caused by, consequent upon or arising out of the fraud. In this case, the exclusion of Indirect Damage in clause 19.3 does not apply.

19.5 Limitation of liability

- (a) Subject to clause 19.5(c), the maximum liability of Western Power to the User and the Indemnifier collectively under and in connection with this Contract is limited to an amount of \$5 million in the aggregate and refreshed annually each 1 July, except that the liability described in clauses 7, 8 and 20 are not counted for the purposes of Western Power's maximum liability under this Contract.
- (b) Subject to clause 19.5(c), the maximum liability of both the User and the Indemnifier collectively to Western Power under and in connection with this Contract is limited to the lesser of:
 - (i) an amount of \$80 million in the aggregate, refreshed annually each 1 July; and
 - (ii) the sum of:



- (A) for each Connection Point at which Generation Plant (other than wind or solar powered generation) is connected at a voltage of 66 kV and above \$22 million in the aggregate, refreshed annually each 1 July; and
- (B) for each Connection Point at which wind or solar powered Generation Plant is connected at a voltage of 66 kV or above \$11 million in the aggregate, refreshed annually each 1 July; and
- (C) for each Connection Point at which Generation Plant is connected at a voltage below 66 kV \$1.2 million in the aggregate, refreshed annually each 1 July; and
- (D) for each Connection Point at which Consuming plant is connected at a voltage of 66 kV and above \$6 million in the aggregate, refreshed annually each 1 July; and
- (E) for every 100 Connection Points at which Consuming plant is connected at a voltage below 66 kV \$1.2 million in the aggregate, refreshed annually each 1 July,

except that the liabilities described in clauses 7, 8 and 20 are not counted for the purposes of both the User's and the Indemnifier's collective maximum liability under this Contract.

(c) The monetary caps on liability in this clause 19.5 will be CPI-Adjusted every three years from the Commencement Date provided that for the purposes of such CPI adjustment the following formula will be used:

$$N = C \times (1 + \frac{CPI_n - CPI_c}{CPI_c})$$

where:

"N" is the new liability cap amount being calculated; and

"C" is the current liability cap amount being adjusted; and

"CPI_n" is the CPI applicable at the end of the calendar quarter (quarter _n) most recently ended prior to the adjustment date; and

"CPI_c" is the value of CPI applicable for the calendar quarter occurring 36 months before the calendar quarter referred to in the definition of CPI_n.

(d) At the end of each three-year period from the Commencement Date, if there has been a Material Change affecting the liability of a Party under this Contract, then the Parties must negotiate in good faith to reset the monetary caps on liability in this clause 19.5. If the Parties are unable to agree on re-setting the monetary caps on liability, the matter shall be determined by an expert nominated by the Parties or, failing agreement, nominated by the Chairperson of the Institute of Arbitrators (Western Australian Chapter) or their nominee and the determination of the expert shall be final and binding upon the Parties.

19.6 Procedure for party seeking to rely on indemnity

If any Claim is made or instituted against:

- (a) either or both of the User or the Indemnifier in respect of which either or both of the User or the Indemnifier ("Indemnified Party") may seek to claim indemnity under this Contract against Western Power ("Indemnifying Party"); or
- (b) Western Power in respect of which Western Power ("Indemnified Party") may seek to claim indemnity under this Contract against either or both of the User or the Indemnifier ("Indemnifying Party"),



the following procedure applies:

- (c) the Indemnified Party must give notice of the Claim to the Indemnifying Party as soon as reasonably practicable; and
- (d) the Indemnified Party must not admit, compromise, settle or pay any Claim or take any other steps which may in any way prejudice the defence or challenge of the Claim without the prior written consent of the Indemnifying Party (which must not be unreasonably withheld) except as may be reasonably required in order to defend any judgment against the Indemnified Party (to avoid doubt, Part 1E of the <u>Civil Liability Act 2002 (WA)</u> applies in respect of any 'apology' (as defined in Section 5AF of that Act) given by the Indemnified Party); and
- (e) the Indemnified Party must permit the Indemnifying Party to take, at the Indemnifying Party's expense, any reasonable action in the name of the Indemnified Party to defend or otherwise settle the claim as the Indemnifying Party may reasonably require; and
- (f) the Indemnified Party must ensure that the Indemnifying Party and its representatives are given reasonable access to any of the documents, records, staff, premises and advisers of the Indemnified Party as may be reasonably required by the Indemnifying Party in relation to any action taken or proposed to be taken by the Indemnifying Party under clause 19.6(e).

19.7 Obligation to pay and right to indemnities survives termination

- (a) A Party's and the Indemnifier's obligation to pay an amount to another Party under this Contract is a continuing obligation, separate and independent from the other obligations of either or both of the Party and the Indemnifier and survives termination (for any reason) of this Contract.
- (b) Each indemnity in this Contract is a continuing obligation, separate and independent from the other obligations of both the Parties and the Indemnifier and survives termination (for any reason) of this Contract. It is not necessary for either or both of a Party or an Indemnifier to incur expense or make payment before enforcing a right of indemnity conferred by this Contract.

19.8 Apportionment of liability

- (a) For the avoidance of doubt, where either or both of the User or the Indemnifier is liable to, or is to indemnify, the other Party under this Contract, the liability or indemnity owed by either or both of the User or the Indemnifier is limited to the proportion of the damage suffered by Western Power as a consequence of the Default, negligence or fraud of either or both of the User or the Indemnifier giving rise to the liability or indemnity.
- (b) For the avoidance of doubt, where Western Power is liable to, or is to indemnify, either or both of the User or the Indemnifier under this Contract, the liability or indemnity owed by Western Power is limited to the proportion of the damage suffered by either or both of the User or the Indemnifier as a consequence of the Default, negligence or fraud of Western Power giving rise to the liability or indemnity.
- (c) For the purposes of the application of the indemnity given by the Indemnifier under clause 19.2(b):
 - (i) clause 19.8(a) may apply to reduce the User's liability to Western Power and, consequently, the amount of liability for which the Indemnifier must indemnify Western Power;
 - (ii) except as provided in clause 19.8(c)(i), clause 19.8(a) does not apply to reduce the Indemnifier's indemnification obligation.



19.9 Mitigation of losses

A Party and the Indemnifier must take such action as is reasonably required to mitigate any loss or damage to it for which indemnity may be claimed under this Contract or otherwise.

19.10 Recoveries under insurance

- (a) To the extent that Western Power recovers against any insurer under an insurance policy effected by either Party or the Indemnifier for a Claim in connection with this Contract in respect of which either or both of the User or the Indemnifier is liable, for any reason (including negligence), the amount as recovered shall, for the purposes of clause 19.5, be deemed to have been paid.
- (b) To the extent that the User recovers against any insurer under an insurance policy effected by either Party or the Indemnifier for a Claim in connection with this Contract in respect of which Western Power is liable, for any reason (including negligence), the amount as recovered shall, for the purposes of clause 19.5, be deemed to have been paid.

19.11 Intermediary Indemnity

Where:

- (a) the User is registered under the Market Rules as the Intermediary (as defined in the Market Rules) of a person; and
- (b) that person is not party to this Contract,

then the User must indemnify and keep indemnified Western Power against any costs, expenses, losses or damages suffered or incurred by Western Power due to Claims made by that person against Western Power:

- (c) which Claims are in connection with the provision of the Services (including any failure of, or defect in provision of, the Services); or
- (d) which Claims relate to a matter for which Western Power's liability to that person would have been limited or excluded had that person been party to this Contract (jointly with the User).

20. Personal injury

The liability for any personal injury Claim will be determined under Law.

21. Insurances

21.1 The User's insurances

- (a) Subject to clause 21.1(b), the User must obtain and maintain insurance, commencing from the Commencement Date, covering those matters, on the terms and basis, and for the amounts, referred to in Part 1 of Schedule 5.
- (b) To the extent that Western Power consents (such consent not to be unreasonably withheld), the User may self-insure for some or all of the matters and amounts referred to in Schedule 5.
- (c) For each Connection Point, prior to the Start Date of a Service at the Connection Point, and at such other times as Western Power shall reasonably request in writing (such request not to be made more than once in respect of a 12 month period unless extraordinary circumstances apply), the User must provide Western Power with certificates of currency for the insurances required under clause 21.1(a).



21.2 Western Power's insurances

- (a) Subject to clause 21.2(b), Western Power must obtain and maintain insurance, commencing from the Commencement Date, covering those matters, on the terms and basis, and for the amounts referred to in Part 2 of Schedule 5.
- (b) To the extent that the User consents (such consent not to be unreasonably withheld), Western Power may self-insure for some or all of the matters and amounts referred to in Part 2 of Schedule 5.
- (c) Western Power must, before the Commencement Date and at such other times as the User reasonably requests in writing (such request not to be made more than once in respect of a 12 month period unless extraordinary circumstances apply), provide the User with certificates of currency for the insurances required under clause 21.2(a).

21.3 Names of insured

In respect of the insurances referred to in Schedule 5 Part 1 (a)(i) (public and products liability insurance) and Schedule 5 Part 1 (a)(iv) (contractors' plant and equipment insurance) the insurance must list Western Power as an additional insured.

21.4 Cross liability

Every policy of public and products liability insurance must include a cross liability clause in which the insurer expressly accepts that the term insured applies to every person who is named in the policy as if there was a separate policy of insurance for each of them but not so as to increase the limit of liability.

21.5 Notice of cancellation

A Party must notify the other Party immediately on being advised by its insurer of cancellation or non-renewal of any of the insurance policies in Schedule 5, and immediately use all reasonable endeavours to reobtain the insurance policies in Schedule 5.

21.6 Further obligation

Both Parties and the Indemnifier must not do any act or make any omission that would be grounds for an insurer to refuse to pay a claim under any of the policies of insurance.

22. Force Majeure

22.1 Affected Person's obligations are suspended

If a Party ("Affected Person") is unable wholly or in part to perform any obligation ("Affected Obligation") under this Contract (other than an obligation to pay money) because of the occurrence of a Force Majeure Event, then, subject to this clause 22, the Affected Person's obligation to perform the Affected Obligation is suspended to the extent that, and for so long as, the Affected Person's ability to perform the Affected Obligation is affected by the Force Majeure Event (such period being the "FM Period").

22.2 When Services are Curtailed

Without limiting clause 22.1, Western Power's obligation in respect of a Connection Point to provide the Services is suspended during any period that the provision of the Services in respect of that Connection Point is Curtailed under clause 25.1, to the extent of the Curtailment.



22.3 Affected Person's obligations

Subject to clauses 22.4 and 22.6, if a Force Majeure Event occurs and the Affected Person is unable wholly or in part to perform any obligation under this Contract, then the Affected Person must:

- (a) notify the other Party if the FM Period continues for a period of two days or longer; and
- (b) use reasonable endeavours (including incurring any reasonable expenditure of funds and rescheduling personnel and resources) to:
 - (i) mitigate the consequences of the Force Majeure Event; and
 - (ii) minimise any resulting delay in the performance of the Affected Obligation.

A notice under clause 22.3(a) must be given as soon as reasonably practicable and in any event within 10 Business Days of a Party forming the view an event is or is likely to be a Force Majeure Event.

22.4 In case of breach

An Affected Person is not obliged to incur any expenditure in complying with clause 22.3(b) if the Force Majeure Event is constituted by a breach of, or failure to comply with, this Contract by the other Party.

22.5 Failure to minimise delays

If an Affected Person fails to comply with clause 22.3(b)(ii), then the only consequence of that failure is that the FM Period is reduced by the period of any delay in the performance of the Affected Obligation attributable to that failure.

22.6 Settlement of a labour dispute

The settlement of a labour dispute which constitutes a Force Majeure Event is a matter which is within the absolute discretion of the Affected Person.

23. Provisions of Access Arrangement on Supplementary Matters apply

The provisions of the Access Arrangement in respect of Supplementary Matters apply also as terms of this Contract, to the extent they are relevant.

24. User does not acquire interest in Network

To avoid doubt, nothing in, and nothing done under or in connection with, this Contract causes the User to acquire any right, title or interest in or to the Network or any part of it.

25. Curtailment

25.1 Western Power may Curtail Services

Western Power may, in accordance with Good Electricity Industry Practice, Curtail the provision of Services in respect of a Connection Point:

- (a) to carry out planned Augmentation or Maintenance to the Network; or
- (b) to carry out unplanned Maintenance to the Network where Western Power considers it necessary to do so to avoid injury to any person or material damage to any property or the environment; or



- (c) if there is any breakdown of or damage to the Network that affects Western Power's ability to provide Services at that Connection Point; or
- (d) if a Force Majeure Event occurs affecting Western Power's ability to provide Services at the Connection Point, for so long as Western Power's ability to provide Services is affected by the Force Majeure Event; or
- (e) to the extent necessary for Western Power to comply with a Law.

25.2 Extent of Curtailment

Western Power must keep the extent and duration of any Curtailment under clause 25.1 to the minimum reasonably required in accordance with Good Electricity Industry Practice.

25.3 Notification of Curtailment

Western Power must use reasonable endeavours to notify the User of any Curtailment under clause 25.1 as soon as practicable.

25.4 User must comply with Curtailment

If Western Power notifies the User of a Curtailment of Services under clause 25.3 in respect of a Connection Point, the User (acting as a Reasonable and Prudent Person) must comply, or procure compliance, with any reasonable requirements set out in the notice concerning the Curtailment.

25.5 Contract does not limit other powers and rights

This Contract does not limit any power or right conferred on Western Power by any other agreement between the Parties or any Law, including Section 57 of the <u>Energy Operators (Powers) Act 1979</u> (<u>WA</u>).

26. Payments and recoveries under the Contributions Policy

The Parties must comply with the provisions set out in Schedule 4 regarding any Contributions.

27. Default

27.1 Default

A Party is in "Default" if:

- (a) that Party defaults in the due and punctual payment, at the time and in the manner required for payment by this Contract, of any amount payable under this Contract; or
- (b) that Party defaults in the due and punctual performance or observance of any of its obligations contained or implied by operation of Law in this Contract; or
- (c) an Insolvency Event occurs in respect of that Party; or
- (d) that Party materially breaches any representation or warranty given to the other Party under this Contract.

27.2 Default by the User

In the event of the User's Default, then Western Power may:

(a) notify the User of the User's Default and require the User to remedy the User's Default; or



- (b) if the User's Default is a Default in the payment of any amount and has not been remedied by the end of the third Business Day after the notice was given, De-energise, or Curtail the provision of Services in respect of, all or any of the User's Connection Points from the Network whilst the User's Default is continuing; or
- (c) if the User's Default is any other type of Default and at the end of the fifth Business Day after the notice was given:
 - (i) the User's Default has not been remedied; or
 - (ii) the User has not to the reasonable satisfaction of Western Power begun remedying the User's Default or has begun remedying but is not, in the reasonable opinion of Western Power, diligently proceeding to remedy the User's Default,

De-energise, or Curtail the provision of Services in respect of, all or any of the User's Connection Points from the Network whilst the User's Default is continuing; and

(d) if the User's Default has not been remedied at the end of the 20th Business Day after the notice was given, terminate this Contract.

27.3 Western Power's rights not affected

The User's Default under clause 27.2 does not prejudice the rights or remedies accrued to Western Power at the date of the User's Default.

27.4 Default by Western Power

If Western Power is in Default, the User may:

- (a) notify Western Power of Western Power's Default and require Western Power to remedy the Default; and
- (b) if Western Power's Default has not been remedied at the end of the 20th Business Day after the notice was given:
 - (i) terminate this Contract; or
 - (ii) withhold payment of any charges payable by the User from the date of Default under this Contract for so long as the Default continues unremedied (and no interest is payable by the User on any amounts so withheld provided they are paid within 10 Business Days after the Default is remedied).

27.5 User's rights not affected

Western Power's Default under clause 27.4 does not prejudice the rights or remedies accrued to the User at the date of Western Power's Default.

28. Termination

28.1 Termination

- (a) Subject to clause 28.1(b), this Contract terminates on the Termination Date.
- (b) This Contract may be terminated before the Termination Date by:
 - (i) written agreement between Western Power and the User; or
 - (ii) notice by either Party at any time at which this Contract does not include at least one Connection Point; or



- (iii) notice by either Party where there is a Default by the other Party under this Contract, subject to clauses 27.2 or 27.4, as the case may be; or
- (iv) notice by either Party to an Affected Person if a Force Majeure Event occurs and then:
 - (A) the Affected Person is unable wholly or in part to perform any obligation under this Contract; and
 - (B) the FM Period continues for a period of greater than 180 days in aggregate in any 12-month period.
- (c) On termination of this Contract Western Power may Disconnect any one or more of the User's Connection Points, permanently (under clause 17) or otherwise.
- (d) On termination of this Contract, unless otherwise agreed by the Parties:
 - (i) the User must pay any unpaid amount owed to Western Power pursuant to this Contract; and
 - (ii) Western Power must pay any unpaid amount owed to the User pursuant to this Contract.

28.2 Rights of Parties not affected

Termination of this Contract under clause 28.1(b) does not prejudice the rights or remedies accrued to either Party at the date of termination.

29. Disputes

29.1 Party may give notice of Dispute and require Representatives' Meeting

If a Dispute arises between the Parties, either Party may give to the other Party written notice setting out the material particulars of the Dispute and requiring duly authorised representatives of each Party to meet at a place, agreed between the Parties, within 10 Business Days of the date of receipt of such notice by the relevant Party ("Receipt Date"), to attempt in good faith by way of discussions and using their best endeavours to resolve the Dispute ("Representatives' Meeting") and the Parties must do so.

29.2 Party may require CEO Meeting

If the Dispute is not resolved (as evidenced by the terms of a written settlement signed by each Party's duly authorised representative) within 20 Business Days after the Receipt Date then either Party may, by written notice, require that the senior executive officer of each Party meet at a place agreed between the Parties within 30 Business Days after the Receipt Date and must attempt in good faith by way of discussions and using their best endeavours to resolve the Dispute within 35 Business Days after the Receipt Date ("CEO Meeting").

29.3 Method of Meetings

- (a) A Representatives' Meeting or CEO Meeting may be conducted in person, by telephone, video conference or similar method of real time communication.
- (b) If the Parties are unable to agree on a meeting place under clause 29.1 or 29.2 in the allocated time frame, the meeting will take place at a place determined by Western Power (acting as a Reasonable and Prudent Person).



29.4 Party may commence court proceedings

If, after complying with the process set out in clauses 29.1 and 29.2 a Dispute is not resolved, then either Party may commence an action to resolve the Dispute through litigation and other court processes.

29.5 Obligations must be performed

A Party must continue to perform its obligations under this Contract despite the existence of a Dispute, unless otherwise agreed.

30. Set off

30.1 Party may set off payment

A Party ("First Party") may set off any amount due for payment by it to the other Party under this Contract against any amount which is due for payment by the other Party to the First Party under this Contract.

30.2 No other set off permitted

Except as permitted in clause 30.1, no set off is permitted by either Party in connection with this Contract, whether under this Contract or otherwise.

31. Assignment by User

31.1 User may make Bare Transfer

Subject to clause 31.2, the User may make a Bare Transfer of its Access Rights under the Transfer and Relocation Policy without Western Power's prior written consent.

31.2 User must notify Western Power of Bare Transfer details

If the User makes a Bare Transfer, the User must notify Western Power of:

- (a) the identity of the assignee; and
- (b) the nature of the Assigned Access Rights,

before the assignee may commence using the Assigned Access Rights.

31.3 Assignment other than Bare Transfer

For an Assignment other than a Bare Transfer, the User may Assign its Access Rights subject to compliance with the Transfer and Relocation Policy.

32. Corporate restructuring of Western Power

32.1 If Western Power is restructured

If Western Power is restructured under government policy:

- (a) by Law; or
- (b) through other means, including the:
 - (i) use of subsidiary or associated companies; or
 - (ii) transfer of assets, rights and liabilities,



then the rights and obligations of Western Power under this Contract are assigned to and assumed by the appropriate legal entity pursuant to the restructure.

32.2 User's consent not required

A restructure, transfer or assignment under clause 32.1 does not require the User's approval or consent.

33. Confidentiality

33.1 Confidential information

This Contract and information exchanged between the Parties under this Contract or during the negotiations preceding this Contract is confidential to them if:

- (a) the information disclosed contains a notification by the disclosing Party that the information is confidential; or
- (b) the circumstances in which the information was disclosed or the nature of the information disclosed may reasonably be considered as being confidential; or
- (c) the information constitutes trade secrets; or
- (d) the information has a commercial value to a Party which would be destroyed or diminished by the publication of the information; or
- (e) the information relates to the business, professional, commercial or financial affairs of a Party and the value to the Party would be destroyed or diminished by the publication of the information; or
- (f) the information is about or relating to a Controller or a person who is proposed to be a Controller.

33.2 When information is not confidential

Clause 33.1 does not apply to information which, without breach of this Contract or other breach of confidence:

- (a) is or becomes generally and publicly available; or
- (b) is lawfully obtained by a Party from a person other than a Party or a Related Body Corporate of a Party where such person is entitled to disclose the Confidential Information; or
- (c) is, at the date of this Contract, lawfully in the Possession of the recipient of the Confidential Information through sources other than the Party which supplied the information.

33.3 Prohibited disclosure

Subject to clause 33.4, an Information Recipient must not disclose or allow to be disclosed any Confidential Information to a Third Party Recipient.

33.4 Permitted disclosure

- (a) An Information Recipient may disclose or allow to be disclosed any Confidential Information to a Third Party Recipient in the following circumstances:
 - (i) with written consent of the Information Provider; or
 - (ii) to employees, a Related Body Corporate or legal advisers, auditors or other consultants of the Party requiring information for the purposes of this Contract or for the purposes of providing professional advice in relation to this Contract; or



- (iii) to a bona fide proposed assignee of a Party to this Contract or registered shareholder of 20 percent or more of the voting shares in a Party; or
- (iv) if required by Law or by an authority (including the Independent Market Operator) which has jurisdiction over a Party or any of its Related Bodies Corporate or by the rules of a stock exchange which has jurisdiction over a Party or any of its Related Bodies Corporate; or
- (v) if required for the purposes of prosecuting or defending a Dispute or if otherwise required in connection with legal proceedings related to this Contract.
- (b) The User may disclose or allow to be disclosed a copy of this Contract to a Controller with whom the User will enter, or has entered into, a contract as required by clause 6.
- (c) Nothing in clause 33.4 limits Western Power's obligations to comply with Chapter 13 of the Code.

33.5 Third party disclosure

An Information Recipient disclosing information under clause 33.4 must:

- (a) use all reasonable endeavours to ensure that a Third Party Recipient does not disclose the Confidential Information except in the circumstances permitted by clause 33.4; and
- (b) notify the Third Party Recipient that it has a duty of confidence to the Information Provider in respect of the Confidential Information; and
- (c) except to the extent that the Third Party Recipient is under an existing enforceable legal obligation to maintain the confidence of the Confidential Information as contemplated in clause 33.5(b), procure a written confidentiality undertaking from the Third Party Recipient consistent with clauses 33.1 to 33.10.

33.6 No unauthorised copying

Subject to any obligation under any Law to do so, a Party must not copy any document containing the other Party's Confidential Information except as necessary to perform this Contract.

33.7 Secure storage

A Party must ensure that proper and secure storage is provided for the Confidential Information while in its Possession, provided that if a Party is a corporation it may retain any such documents or parts of documents that form part of board papers (or other formal approval processes) of such corporation and which are required to be retained by that corporation under usual corporate governance requirements.

33.8 Return of materials

Subject to any obligation under any Law relating to records retention and subject to prudent recording – keeping procedures (including, in contemplation of potential legal action), a Party must return all documents containing the other Party's Confidential Information, including all copies, to the other Party on termination of this Contract, or, upon request by the other Party, destroy all such documents.



33.9 Remedies

Each Party acknowledges and agrees that any breach or threatened breach of clauses 33.1 to 33.10 may cause a Party immediate and irreparable harm for which damages alone may not be an adequate remedy. Consequently, each Party has the right, in addition to any other remedies available at Law, to seek injunctive relief or compel specific performances of these clauses 33.1 to 33.10 in respect of any such breach or threatened breach.

33.10 Survival of obligations

- (a) Clauses 33.1 to 33.10 survive the termination of this Contract and remain enforceable for a period of 7 years from the date of such termination.
- (b) Any person who ceases to be a Party to this Contract continues to be bound by these clauses 33.1 to 33.10.

34. Ring Fencing

If Western Power is an Integrated Provider, then a court or tribunal, in considering whether:

- (a) representations made by Workers of the Other Business can or ought be attributed to the Network Business, or vice versa; or
- (b) a notice or other information given to a Worker of the Other Business has been communicated, or should be deemed to have been communicated, to the Network Business, or vice versa; or
- (c) a Contract entered into by the Other Business does or ought express or imply an intention to vary this Contract, or vice versa,

must have fair and reasonable regard to:

- (d) the fact that Western Power comprises a Network Business and an Other Business and the distribution of personnel and responsibilities between those businesses; and
- (e) the intent and purpose of Western Power's obligations under Chapter 13 of the Code and anything done or not done by Western Power in connection with those obligations.

35. Notices

35.1 Requirements for Communications

Except as provided in clause 35.2, or where given under the electronic communications protocol in Schedule 7, a Communication must be:

- (a) in writing (which includes any Electronic form capable of being reduced to paper writing by being printed); and
- (b) delivered or sent to the address of the addressee as specified in Schedule 6 by one or more of the following means:
 - (i) by hand delivery; or
 - (ii) by priority post (airmail if posted to or from a place outside Australia); or
 - (iii) by way of a courier service for hand delivery; or
 - (iv) Electronically to the email address of the addressee.



35.2 Operational and urgent Communication

Where this Contract expressly provides:

- (a) and where the Parties agree in writing, Communications of a day to day operational nature; or
- (b) Communications given in an operational Emergency,

may be given orally and confirmed in writing, under the electronic communications protocol in Schedule 7, within five Business Days.

35.3 Communication takes effect

Subject to clause 35.4, a Communication takes effect from the later of:

- (a) the time it is received; and
- (b) any later time specified in the Communication.

35.4 Deemed receipt

For the purposes of this Contract:

- (a) a Communication delivered by hand to the address of a Party (including where a reputable courier service is used for that purpose) is deemed to be received if it is handed (with or without acknowledgment of delivery) to any person at the address who, in the reasonable judgment of the person making the delivery (upon making appropriate enquiries):
 - (i) appears to be; and
 - (ii) represents himself or herself as,
 - a representative of the Party to whom the Communication is addressed;
- (b) a Communication which is posted is deemed to be received by the Party to whom the Communication is addressed:
 - (i) where the Communication is sent from outside the country of the address to which it is sent 10 Business Days after the day of posting; and
 - (ii) otherwise three Business Days after the day of posting;
- (c) a Communication sent Electronically, other than under the electronic communications protocol in Schedule 7, is deemed to have been received by the Party under the <u>Electricity Industry Metering Code 2005 Communication Rules</u>; and
- (d) a Communication sent under the electronic communications protocol in Schedule 7 is deemed to be received by the party as specified in the electronic communications protocol in Schedule 7.

36. Change of address

A Party may at any time, by notice given to the other Party to this Contract, designate a different email or postal address for the purpose of these clauses 35.1 to 35.4.

37. Miscellaneous

37.1 Compliance

Each Party to this Contract must comply with all applicable Laws.



37.2 Variation

- (a) Subject to clause 37.2(b), a purported agreement between Western Power and the User to revoke, substitute or amend any provision of this Contract has no effect unless it is in writing.
- (b) Clause 37.2 does not prevent the User and Western Power from agreeing by non-written means under clause 35.2 to revoke, substitute or amend any provision of this Contract in an Emergency provided that the non-written revocation, substitution or amendment applies only while the effects of the Emergency subsist.

37.3 No third party benefit

This Contract does not confer any right or benefit on a person other than the User and Western Power, despite the person being named or identified, or belonging to a class of persons named or identified, in this Contract.

37.4 Duty

The User is liable for and must pay any duty that is assessed on this Contract under the <u>Duties Act</u> <u>2008 (WA)</u>. If it is dutiable, the User must produce this Contract to the Office of State Revenue for assessment.

37.5 Costs

Each Party must pay its own costs, charges, expenses, disbursements or fees in relation to:

- (a) the negotiation, preparation, execution, performance, amendment or registration of, or any notice given or made; and
- (b) the performance of any action by that Party in compliance with any liability arising, under this Contract, or any agreement or document executed or effected under this Contract, unless this Contract provides otherwise.

37.6 Waiver

A provision of this Contract may only be waived by a Party giving written notice signed by a duly authorised representative to the other Party.

37.7 Entire agreement

This Contract constitutes the entire agreement between the Parties as to its subject matter and, to the extent permitted by Law, supersedes all previous agreements, arrangements, representations or understandings.

37.8 Severance

If the whole or any part of this Contract is void, unenforceable or illegal in a jurisdiction, it is severed for that jurisdiction. The remainder of this Contract has full force and effect and the validity or enforceability of the provision in any other jurisdiction is not affected. This clause 37.8 has no effect if the severance alters the basic nature of this Contract or is contrary to public policy.

37.9 Counterpart execution

(a) This Contract may be signed in any number of counterparts and all such signed counterparts, taken together, shall be deemed to constitute one and the same instrument even though all Parties may not have signed each separate counterpart.



(b) Where it has been signed in counterparts, the date of this Contract shall be taken to be the day on which the last of the Parties to give such notice gives notice in writing or by fax or electronic mail to the other Parties that it has signed a counterpart, such notice being accompanied by a copy, or a printable Electronic image, of the whole of that counterpart.

37.10 Further assurance

Each Party agrees, at its own expense, on the request of another Party, to do everything reasonably necessary to give effect to this Contract and the transactions contemplated by it, including, but not limited to, the execution of documents.

37.11 Authorised officers

- (a) Notice, approval, consent or other Communication given under this Contract may be given by an Authorised Officer of a Party specified in Schedule 6 to an Authorised Officer of another Party specified in Schedule 6.
- (b) A Party may at any time, by notice given to the other Party, add or replace an Authorised Officer for the purposes of clause 37.11.

37.12 Merger

The warranties, undertakings and indemnities in this Contract do not merge on termination of this Contract.

37.13 Remedies

- (a) Subject to clause 37.13(b), the rights, powers and remedies provided in this Contract are cumulative with and not exclusive of the rights, powers or remedies provided by Law independently of this Contract.
- (b) A Party may only terminate this Contract in circumstances permitted by express provisions of this Contract. Any rights to terminate this Contract at common law are excluded.

37.14 Governing Law

- (a) This Contract and the transactions contemplated by this Contract are governed by the Law in force in Western Australia.
- (b) Without limiting clause 37.14, each Party irrevocably and unconditionally submits to the non-exclusive jurisdiction of the Courts of Western Australia and the Courts of appeal from them for the purpose of determining any Dispute concerning this Contract or the transactions contemplated by this Contract.



EXECUTION CLAUSE:

| Executed as an agreement on the | day of | 20 | by: |
|--|-----------------------------------|---------|-----|
| EXECUTED for and on behalf of ELECTRICITY NETWORKS CORPORATION ABN 18 540 492 861 in accordance with paragraph 135(4) of the <i>Electricity Corporations Act 2005 (WA)</i> : | | | |
| Signature of Authorised Officer | Signature of Authorised Officer | | |
| Full name | Full name | | |
| Position title | Position title | | |
| EXECUTE D by [NAME OF PARTY & ABN/ACN/ARBN] in accordance with section 127(1) of the <i>Corporations Act 2001 (C^{rth})</i> : | | | |
| Signature of Director | Signature of Director/Company Sec | cretary | |
| Full name | Full name | | |



EXECUTED by [NAME OF PARTY & ABN/ACN/ARBN] in accordance with section 127(1) of the *Corporations Act 2001 (C^{rth})*:

| Signature of Director | Signature of Director/Company Secretary |
|-----------------------|---|
| | |
| | |
| Full name | Full name |

SCHEDULE 1 - DICTIONARY

Unless the context otherwise requires, the defined terms in column 1 below have the respective meanings in column 2:

Column 1 Column 2

Access Arrangement means the current 'access arrangement' (as defined in the Code) approved

in respect of the Network under the Code.

Access Contract has the meaning given to 'access contract' in the Code.

Access Offer has the meaning given to 'access offer' in the Applications and Queuing

Policy.

Access Rights means all or part of the User's rights under this Contract to obtain a

Covered Service.

Accounting Period means one calendar month.

Act means the <u>Electricity Industry Act 2004 (WA)</u>.

Affected Obligation has the meaning given to it in clause 22.1.

Affected Person has the meaning given to it in clause 22.1.

Affected Service has the meaning given to it in clause 7.3(a).

Affected Service Period has the meaning given to it in clause 7.3(a).

Application means an application made under the Applications and Queuing Policy.

Applications and Queuing

Policy

means the 'applications and queuing policy' (as defined in the Code) in the

Access Arrangement.

Assign includes assign or Novate.

Assignment includes an assignment or Novation.

Attachment Point has the meaning given to 'attachment point' in the Applications and

Queuing Policy.

Augmentation in relation to the Network, means an increase in the capability of the

Network to provide Covered Services, including by the development, construction, acquisition or commissioning of new Network Assets.

Authorised Officer means the authorised officer of a party as specified in Schedule 6 to whom

any Communication may be given.

Authority means the Economic Regulation Authority established by the *Economic*

Regulation Authority Act 2003(WA).

Bare Transfer means an Assignment under which the User Assigns the whole or a part of

its access rights under this Contract to an assignee, but under which there is no Novation, with the result that the User's obligations under this Contract, and all other terms of this Contract, remain in full force and effect after the Assignment, whether or not the assignee becomes bound to the User or any

other party to fulfil those obligations.

Bidirectional Point has the meaning given to 'bidirectional point' in the Applications and

Queuing Policy.



Bidirectional Service means a Covered Service provided by Western Power at a Connection Point

under which the User may transfer electricity into and out of the Network

at the Connection Point.

Build Pack means the 'Build Pack' developed under the *Electricity Industry Customer*

Transfer Code 2004 Communication Rules (made under Part 5 of the

Customer Transfer Code) and/or the Electricity Industry Metering Code 2004

Communication Rules (made under Part 6 of the Metering Code), as

applicable in the circumstances.

Business Day means a day that is not a Saturday, Sunday or public holiday throughout

Western Australia.

Capacity with regards to a Connection Point, means the maximum rate at which the

Network can transfer electricity at the Connection Point in accordance with

Good Electricity Industry Practice.

CEO Meeting has the meaning given to it in clause 29.2.

Charge for a Service for an Accounting Period, means the amount that is payable by

the User to Western Power for the Service, calculated by applying the Tariff

for the Service, during the Accounting Period.

Claim means any claim, demand, action or proceeding made or instituted against

a Party.

CMD means Contract Maximum Demand.

Code means the *Electricity Networks Access Code 2004*.

Code Objective has the meaning given to 'Code objective' in section 2.1 of the Code.

Commencement Date means the date of execution of this Contract by the last signing Party, or the

first date on which all of the Conditions Precedent are satisfied or waived,

whichever is later.

Communication means a notice, approval, consent or other communication given or made

under this Contract.

Conditions Precedent means the conditions precedent specified in Schedule 2.

Confidential Information means information which is confidential under clause 33.1.

Connect has the meaning given to 'connect' in the Code.

Connection Assets has the meaning given to 'connection assets' in the Code.

Connection Contract means, at the option of Western Power:

(a) a contract containing provisions materially equivalent to those in this

Contract; or

(b) some other agreement in writing to be bound by provisions

materially equivalent to such terms and conditions of this Contract

satisfactory to Western Power,

but omitting clauses 3 to 9 of this Contract.

Connection Point means a point on the Network identified, or to be identified, as an Exit Point

or Entry Point or Bidirectional Point in the Contract Database.



Connection Point Database

means:

- (a) Part 1 of Schedule 3; or
- (b) another database or databases containing information relating to this Contract and maintained by Western Power as agreed between the Parties, which for the avoidance of doubt can include the Metering Database if the User is not a Metering Code Participant and this is agreed by the User and Western Power,

as applicable.

Consume has the meaning given to 'consume' in the Code.

Consumer has the meaning given to 'consumer' in the Code.

Consumption for a Connection Point, means the amount of electricity Consumed at the

Connection Point, and is measured in Watt-hours.

Contract means this agreement between Western Power and the User.

Contract Database means the Connection Point Database or, if the Metering Database is not

included within the Connection Point Database and clause 3.7(k)(ii) applies,

then it means the Metering Database.

Contracted Capacity for a Connection Point, means the maximum rate at which the User is permitted to transfer electricity to or from the Network at the Connection Point, being either:

(a) the rate specified in the Connection Point Database from time to time; or

- (b) if no rate is specified in the Connection Point Database, the maximum rate of electricity permitted to be transferred under the Eligibility Criteria for the Reference Service for that Connection Point; or
- (c) if no rate is specified in the Connection Point Database or in the Eligibility Criteria for the Reference Service for that Connection Point, the maximum rate of electricity permitted to be transferred though the Connection Assets under the Technical Rules,

and is measured in Watts or Volt-Amps.

Contribution means any contribution made under the Contributions Policy.

Contributions Policy means the contributions policy' (as defined in the Code) contained in the

Access Arrangement.

Controller means, in respect of a Connection Point, a person, including a Customer,

who owns, operates, controls or otherwise is responsible for the operation of the Facilities and Equipment at the Connection Point, and includes the

Controller's Workers and Visitors.

Corporations Act means the <u>Corporations Act 2001</u> of the Commonwealth.

Covered Service has the meaning given to 'covered service' in the Code and includes a

Bidirectional Service.



CPI, or Consumer Price

Index,

means the Consumer Price Index (all groups) for the Weighted Average of Eight Capital Cities published by the Australian Bureau of Statistics from time to time or, if the Consumer Price Index (all groups) for the Weighted Average of Eight Capital Cities ceases to be published, such alternative index as Western Power acting reasonably and in good faith may

determine, and in all cases the CPI figure is to be adjusted to correct for any

effects of a change in the rate of GST.

CPI-Adjusted has the meaning given to it in clause 1.3.

Curtail means curtailing or interrupting the whole or part of a Service.

Curtailment includes a whole or partial curtailment or whole or partial interruption of a

Service.

Customer has the meaning given to 'customer' in the Act.

Customer Transfer Code means the <u>Electricity Industry Customer Transfer Code 2016</u>, made under

section 39(2a) of the Act in respect of the matter referred to in section 39(2)(b) of the Act, and includes all rules, policies or other subordinate

documents developed under the Customer Transfer Code.

De-energise in respect of a Connection Point, means to operate, modify or remove

switching or other equipment to prevent the transfer of electricity through

the Connection Point.

Default in relation to a Party, has the meaning given to it in clause 27.1.

Direct Damage suffered by a person means loss or damage suffered by the person which is

not Indirect Damage.

Disconnect in respect of a Connection Point, means physically detach Network Assets

from assets owned by another person at the Connection Point.

Dispute means any dispute or difference concerning:

(a) construction of; or

(b) anything contained in or arising out of; or

(c) rights, obligations, duties or liabilities of a Party under,

this Contract.

DSOC means Declared Send Out Capacity.

Due Date means, for a Tax Invoice issued under clause 8.1 or 8.2, the date 10 Business

Days after the Party to whom it is addressed receives the Tax Invoice.

Electronically in relation to a Communication, means a communication of information by

means of guided or unguided electromagnetic energy, or both, by way of packet transfer between and within computer networks using the TCP/IP or

other widely accepted protocol for packet transfer.

Eligibility Criteria means, for a Reference Service, the 'Eligibility Criteria' stipulated in

Appendix E of the Access Arrangement for that Reference Service.

Emergency means any accident, emergency, potential danger or other unavoidable

cause or extraordinary circumstance.

End Date for a Connection Point, means the date specified as such in the Connection

Point Database for the Connection Point.



Entry Point has the meaning given to 'entry point' in the Applications and Queuing

Policy.

Entry Service means a Covered Service provided by Western Power at a Connection Point

under which the User may transfer electricity into the Network at the

Connection Point.

Equivalent Reference

Service

has the meaning given to it in clause 7.1(c)(i).

Exit Point has the meaning given to 'exit point' in the Applications and Queuing Policy.

Exit Service means a Covered Service provided by Western Power at a Connection Point

under which the User may transfer electricity out of the Network at the

Connection Point.

Extension Period has the meaning given to it in clause 2.2(a).

Facilities and Equipment has the meaning given to 'facilities and equipment' in the Code.

First Party has the meaning given to it in clause 30.1.



Force Majeure

in respect of a Party, means an event or circumstance beyond the Party's control, and which the Party, acting as a Reasonable and Prudent Person, is not able to prevent or overcome, including (where the foregoing conditions are satisfied):

- (a) any act of God, lightning, earthquake, storm, fire, flood, subsidence, land slide, mud slide, wash-out, explosion or natural disaster; or
- (b) any insurrection, revolution or civil disorder, terrorism, act of public enemies, malicious damage, sabotage, vandalism, war (whether declared or undeclared) or a military operation, blockade or riot; or
- (c) any determination, award or order of any court or tribunal, or any regulatory authority or the award of any arbitrator arising after the Commencement Date; or
- (d) any act or omission of government or any government or regulatory department, body, instrumentality, ministry, agency, fire brigade or any other authority other than a Party (including restraint, expropriation, prohibition, intervention, direction or embargo); or
- (e) any inability or delay in obtaining any governmental, quasi-governmental or regulatory approval, consent, permit, licence or any other authority; or
- (f) any industrial disputes of any kind, strike, lock-out, ban, limitation or other industrial disturbances; or
- (g) any significant plant or equipment failure which could not have been avoided by the exercise of Good Electricity Industry Practice; or
- (h) any act or omission of any person (other than a Party) with Facilities and Equipment connected to the Network which prevents the Party's ability to perform its obligations under this Contract; or
- (i) any application of any law of the Commonwealth, any Commonwealth authority, the State, any State authority or any local government; or
- accidents, weather and acts of third parties (such as Generators or Consumers) that affect the quality, frequency and continuity of the supply of electricity.

Force Majeure Event

means an event of Force Majeure.

FM Period

means the period of suspension of the Affected Obligation pursuant to clause 22.1.

Generate

has the meaning given to 'generate' in the Code.

Generating Plant

has the meaning given to 'generating plant' in the Code.

Generation

for a Connection Point, means the amount of electricity Generated at the Connection Point, and is measured in Watt-hours.

Generator

has the meaning given to 'generator' in the Code.

Good Electricity Industry
Practice

has the meaning given to 'good electricity industry practice' in the Code.



GST means goods and services tax or similar value added tax levied or imposed

in Australia on a taxable supply under the GST Act or otherwise.

GST Act means the A New Tax System (Goods and Services Tax) Act 1999 of the

Commonwealth.

Guest Party has the meaning given to it in clause 15.1.

Host Party has the meaning given to it in clause 15.1.

Indemnifier means the Indemnifier specified in the Parties section of this Contract (if

any).

Indemnified Party has the meaning given to it in clause 19.6.

Indemnifying Party has the meaning given to it in clause 19.6.

Independent Market

Operator

is the Independent Market Operator established under the <u>Electricity</u>

Operator

Industry (Independent Market Operator) Regulations 2004, exercising

functions under the <u>Electricity Industry (Independent Market Operator)</u>
<u>Regulations 2004</u>, the <u>Electricity Industry (Wholesale Electricity Market)</u>
<u>Regulations 2004</u> and the Wholesale Electricity Market Rules made under the <u>Electricity Industry (Wholesale Electricity Market)</u> Regulations 2004.

Indirect Damage suffered by a person means any one or more of:

(a) any consequential loss, consequential damage or special damages however caused or suffered by the person, including:

- (i) loss of (or loss of anticipated) opportunity, use production, revenue, income, profits, business and savings; or
- (ii) loss due to business interruption; or
- (iii) increased costs; or
- (iv) punitive or exemplary damages, whether or not the consequential loss or damage or special damage was foreseeable; or
- (b) in respect of contractual damages, damages which would fall within the second limb of the rule in *Hadley v Baxendale* [1854] 9 Exch. 341; or
- (c) any liability of the person to any other person, or any Claim brought against the person by any other person, and the costs and expenses connected with the Claim.

Information Provider in relation to Confidential Information, means the party providing the

information.

Information Recipient in relation to Confidential Information, means the recipient of the

information.

Insolvency Event

in respect of a Party, means any one or more of:

- (a) the Party is insolvent within the meaning of section 95A of the Corporations Act; or
- (b) any execution or other process of any court or authority being issued against or levied upon any material part of that Party's property or assets; or
- (c) a petition or application being presented (and not being withdrawn within 10 Business Days) or an order being made or a resolution being passed for the winding up or dissolution without winding up of that Party otherwise than for the purpose of reconstruction or amalgamation under a solvent scheme; or
- (d) a receiver or a receiver and manager of the undertaking or any material part thereof of that Party being appointed; or
- that Party proposing to enter into or enters into any arrangement, reconstruction or composition with or for the benefit of its creditors; or
- (f) an administrator of that Party being appointed or the board of directors of that Party passing a resolution to the effect that is specified in section 436A(1) of the Corporations Act; or
- (g) that Party failing (as defined by section 459F of the Corporations Act) to comply with a statutory demand; or
- a controller (as defined in the Corporations Act) being appointed in respect of that Party or the whole or a material part of that Party's undertaking, property or assets; or
- (i) an application being made to a court for an order in respect of that Party under part 2F.1 of the Corporations Act; or
- (j) an event referred to in section 459C(2) of the Corporations Act occurring in respect of that Party; or
- (k) anything analogous or having a substantially similar effect to any of the events specified above occurring under the Law of any applicable jurisdiction.

Insured Year

means the period between and including 1 July in a Year and 30 June in the following Year.

Integrated Provider

has the meaning given to 'integrated provider' in the Code.

Latest Termination Date

has the meaning given to it in clause 2.2(b).

Law

means "written laws" and "statutory instruments" as defined in the Code, orders given or made under a written law or statutory instrument as so defined or by a government agency or authority, Codes of Practice and Australian Standards deemed applicable under a written law and rules of the general law including the common law and equity.

Maintain, and Maintenance

includes (as necessary and as applicable) calibrate, test, verify, renew, replace, repair and update.



Market Rules means the 'market rules' referred to in section 123(1) of the Act, and

includes all rules, policies or other subordinate documents developed under

the Market Rules.

Material Change any change to the regulatory environment or market structure of the

Western Australian electricity market which materially alters or could reasonably be expected to materially alter the risk of a Party under this Contract, the nature of any Claim that can be made under this Contract or

both.

Meter has the meaning given to 'meter' in the Metering Code.

Metering Code means the code made under Section 39(1) of the Act in respect of a matter

referred to in Section 39(2)(a) of the Act, and includes any service level agreement, metering data agency agreement, communications rules, metrology procedure, mandatory link criteria and registration process

developed under that code.

Metering Code Participant has the meaning given to 'Code Participant' in the Metering Code.

Metering Database means the metering database operated by Western Power under the

Metering Code.

Metering Equipment means a Meter or Meters and associated equipment complying with the

Metering Code used to measure and record electricity as transferred to or

from the Network at a Connection Point, which may include the

measurement of the rate of transfer and the quantity and quality of the

transferred electricity.

Network has the same meaning given to 'Western Power Network' in the Code.

Network Assets in relation to the Network, means the apparatus, equipment, plant and

buildings used to provide or in connection with providing Covered Services on the Network, which assets are either Connection Assets or Shared

Assets.

Network Business has the same meaning given to 'network business' in the Code.

NMI, or National Market means the unique identifier assigned to the Connection Point.

Identifier

Novate and Novation mean to substitute, with the consent of all Parties to this Contract and with effect on and from a date nominated as the effective date of the novation,

has the meaning given to it in clause 9(a)(i).

an assignee for the User as a party to this Contract, with the result that:

(a) all rights and obligations of the User under this Contract become rights and obligations of the assignee as if the assignee had been

named in the Contract in place of the User; and

(b) the User is released from any obligations under this Contract arising on or after the effective date of the novation, but remains liable for

any default by it in the performance of those obligations prior to the

effective date of the novation.

Other Business has the meaning given to 'other business' in the Code.

Party means Western Power or the User.

{Note: If there is an Indemnifier, refer to clause 1.1(h)(iv)}



Nominated Person

Parties means Western Power and the User.

{Note: If there is an Indemnifier, refer to clause 1.1(h)(iv)}

Payment Error means:

> (a) any underpayment or overpayment by a Party of any amount in respect of a Tax Invoice; or

(b) any error in a Tax Invoice (including the omission of amounts from that Tax Invoice, the inclusion of incorrect amounts in that Tax Invoice, calculation errors in the preparation of a Tax invoice or a Tax Invoice being prepared on the basis of data which is later established to have been inaccurate).

Permanent Reconfiguration

Prescribed Rate

Price List

Pricing Year

Receipt Date

Reasonable and Prudent

means:

- a permanent physical change (including a change to the zone (a) substation applicable to a Connection Point and a change to the distance from the applicable zone substation to a Connection Point); or
- a change to the pricing zone applicable to a Connection Point.

Possession includes custody, control, and an immediate right to possession, custody, or control.

> means, at any point in time, the interest rate (expressed as a rate per cent per annum) equal to the aggregate of 3 annual percentage points and the interest rate (expressed as a rate per cent per annum) then published by the Reserve Bank of Australia as the large business variable indicator lending rate.

means a person acting in good faith and, where applicable, in accordance

means the 'price list' (as defined in the Code) specified in the Access Arrangement.

has the meaning given to 'pricing year' in the Code.

Person with Good Electricity Industry Practice.

has the meaning given to it in clause 29.1. Reference Service means a 'reference service' (as defined in the Code) specified in the Access

Arrangement.

Reference Service Point means a Connection Point for which under this Contract Western Power

provides, or is to provide, a Reference Service.

Related Body Corporate has the meaning given to 'Related Body Corporate' in section 50 of the

Corporations Act.

Relocation has the meaning given to 'relocation' in the Transfer and Relocation Policy.

Representatives' Meeting has the meaning given to it in clause 29.1.

Service means an Entry Service or an Exit Service or a Bidirectional Service to be

provided under this Contract in respect of a Connection Point as specified in

the Contract Database.

Shared Assets has the meaning given to 'shared assets' in the Code.

Small Customer means a customer (as defined in the *Electricity Industry Act 2004 (WA)*)

consuming not more than 160 MWh of electricity per annum.



Standing Charges has the meaning given to it in clause 7.3.

Start Date for a Connection Point, means the date specified as such in the Connection

Point Database for the Connection Point.

Supplementary Matters means the provisions incorporated in the Access Arrangement under

sections 5.27 and 5.28 of the Code.

System Operator for the Network means, unless the Technical Rules provide otherwise, the

person or persons who:

(a) operate and control the system operation control centre; or

(b) where there is no system operation control centre — is responsible for the control of the Network through monitoring, switching and

dispatch; or

(c) where the system operation control centre and another party are both responsible for the control of the Network through monitoring, switching and dispatch — perform the tasks described in either or

both of paragraphs (a) and (b).

Tariff for a Service, means the tariff specified in clause 7.1 for that Service.

Tax Invoice has the meaning given to 'Tax Invoice' in the GST Act.

Technical Rules means the technical rules applying from time to time to the Network under

Chapter 12 of the Code, as modified in accordance with the Code, including any derogations agreed to by Western Power in writing and specified in Part

3 of Schedule 3.

Term means, from time to time, the term of this Contract which commences on

the Commencement Date and ends on the date which is then the

Termination Date.

Termination Date means, subject to clause 2.2, the date specified in Part 1 of Schedule 2.

Third Party Recipient means any person to whom the Information Recipient discloses

Confidential Information, or allows Confidential Information to be disclosed.

Transfer and Relocation

Policy

means the transfer and relocation policy (as defined in the Code) contained in the Access Arrangement

in the Access Arrangement.

Undisputed Portion for the purposes of a Tax Invoice issued under 8.2(b) has the meaning given

to it in clause 8.2(d) and, in all other cases, means the portion of the

amount set out in a Tax Invoice that is not in Dispute.

User has the meaning given to it in the Code, and for the purposes of this

Contract is the User stipulated in the 'Parties section' of this Contract.

User's Default means an event of Default by the User.

User's Premises means the land on which the User's Facilities and Equipment are located.

Visitors means the customers, invitees, licensees and visitors of a Party or a

Controller, as the case requires.

Western Power means the Electricity Networks Corporation established under section

4(1)(b) of the *Electricity Corporations Act 2005 (WA)*.



Wilful Default means a deliberate and purposeful act or omission carried out with:

(a) a calculated regard for the consequences of the act or omission; or

(b) a reckless or wilful disregard for the consequences of the act or omission,

but does not include any error of judgment, mistake, act or omission, whether negligent or not, which is made in good faith.

means the directors, officers, servants, employees, agents and contractors

of a Party or a Controller, as the case requires.

Works has the meaning given to it in the Contributions Policy.

Year means calendar year.

Workers



SCHEDULE 2 - ACCESS CONTRACT INFORMATION

| Part 1 | Term | | |
|--------|--|--|--|
| | Termination Date: | | |
| Part 2 | Extension of Term {Note: Referred to in clause 2.2.} | | |
| | Extension Period: | | |
| | Latest Termination Date: | | |

Part 3 Conditions Precedent

{Note: Referred to in clause 2.3.}

| For the benefit of | 1 | [Description] |
|--------------------|---|---------------------------|
| the User | | [Date to be satisfied by] |
| | | |
| For the benefit of | 1 | [Description] |
| Western Power | | [Date to be satisfied by] |



SCHEDULE 3 - DETAILS OF CONNECTION POINTS

Part 1 Commercial Details

{Note:

- (a) If in accordance with clause 3.7 the Parties agree to not have these details stored in this Part then state in each row in the right hand column below where the respective details are to be stored; and
- (b) Western Power will store these details in the Metering Database where the User is a Metering Code Participant.}

| 1 | Connection Point 1 Title | |
|---|-------------------------------------|--|
| | Address of Premises | |
| | Name and contact details of | |
| | Controller | |
| | NMI | |
| | Service | |
| | Start Date | |
| | End Date | |
| | CMD (kW/ kVA) (if applicable) | |
| | DSOC (kW/ kVA) (if applicable) | |
| | Size of Generator (if applicable) | |
| | Make and model of Generator (if | |
| | applicable | |
| | Substation (if applicable) | |
| | Substation distance (if applicable) | |

Part 2 Technical Details

{Note: referred to in clause 13(a)}

| # | Connection Point | Description of Facilities and Equipment |
|---|------------------|---|
| 1 | | |

{Note: attach plans, drawings and other documentation as necessary to fulfil the requirements of clause 13(a).}

Part 3 Agreed exemptions from Technical Rules

{Note: referred to in clause 13(a)(ii) }

| # | Connection | Technical | Description of Technical Rules | Description of |
|---|------------|-----------|--------------------------------|----------------|
| | Point | Rules | requirement | Derogation |
| | | Reference | | |
| 1 | | | | |
| | | | | |



SCHEDULE 4 - WORKS AND CONTRIBUTIONS

{Note: Referred to in clause 26.}

| 1 | [Connection Point Title / NMI] | |
|---|--------------------------------|--|
| | [Contribution provisions] | |
| 2 | [Connection Point Title / NMI] | |
| | [Contribution provisions] | |



SCHEDULE 5 - INSURANCES

{Note: Referred to in clause 21.}

Part 1 User insurances

- (a) The User must effect and maintain, commencing from the Commencement Date the following policies of insurance:
 - (i) public and products liability of:
 - (A) public liability insurance for a limit of not less than \$50 million or the maximum liability of the User under clause 19.5 (whichever is greater) in the aggregate of all claims made in an Insured Year; and
 - (B) products liability insurance for a limit of not less than the maximum liability of the User under clause 19.5 per claim and in the aggregate, refreshed annually;
 - covering the User's liability to Western Power or any third party for death, bodily injury and loss or damage to property caused by any act, omission or negligence in relation to this Contract;
 - (ii) when reasonably requested by Western Power, workers' compensation insurance for all persons employed by the User including employer's liability at common law, with a limit of cover in respect of any one occurrence at least equal to \$50 million;
 - (iii) when reasonably requested by Western Power, motor vehicle third party property insurance for all loss or damage to property caused by or attributable to the use of a motor vehicle in the performance of the Services or any Works under the Contract, for a limit of \$10 million per claim and unlimited in the aggregate of all claims made; and
 - (iv) contractors' plant and equipment insurance covering all loss or damage to the User's plant or equipment used in connection with this Contract for its replacement value.
- (b) The policies of insurance under Schedule 5 Part 1(a) must be with an insurer authorised under the <u>Insurance Act 1973 (Cth)</u> or the equivalent in the United States of America or the United Kingdom.

Part 2 Western Power insurances

- (a) Western Power must effect and maintain, commencing from the Commencement Date, the following policies of insurance:
 - (i) public and products liability of:
 - (A) public liability insurance for a limit of not less than the maximum liability of Western Power under clause 19.5 per claim and unlimited in the aggregate of all claims made; and
 - (B) products liability insurance for a limit of not less than the maximum liability of Western Power under clause 19.5 per claim and in the aggregate, refreshed annually;
 - covering Western Power's liability to the User or any third party for death, bodily injury and loss or damage to property caused by any act, omission or negligence in relation to this Contract;
 - (ii) workers' compensation insurance for all persons employed by Western Power including employer's liability at common law, with a limit of cover in respect of any one occurrence at least equal to \$50 million;



- (iii) motor vehicle third party property insurance for all loss or damage to property caused by or attributable to the use of a motor vehicle in the performance of the services or any work under the Contract, for a limit of \$10 million per claim and unlimited in the aggregate of all claims made; and
- (iv) contractors' plant and equipment insurance covering all loss or damage to Western Power's plant or equipment used in connection with this Contract for its replacement value.
- (b) The policies of insurance under Schedule 5 Part 2(a) must be with an insurer authorised under the *Insurance Act 1973 (Cth)* or the equivalent in the United States of America or the United Kingdom.



SCHEDULE 6 - NOTICES

{Note: Referred to in clause 35.}

Part 1 User

| Subject | Information |
|--|-------------|
| Address for service of notices/ place of business: | |
| Authorised Officers: | |
| Email address: | |

Part 2 Western Power

| Subject | Information |
|--|-------------|
| Address for service of notices/ place of business: | |
| Authorised Officers: | |
| Email address: | |



SCHEDULE 7 - ELECTRONIC COMMUNICATIONS PROTOCOL

{Note: Referred to in clause 35.}

In this Schedule, unless the context otherwise requires, the defined terms in column 1 below have the respective meanings in column 2:

| Column 1 | Column 2 |
|----------|----------|
| COIGIIII | COIGIIII |

Addressee means the person to whose Email Address an email is sent.

Automated Response Message

means an email ("Reply Email") sent automatically upon receipt of an email ("Original Email"), where the Reply Email is sent from an Addressee's Information System to the Originator of the Original Email, acknowledging that the Original Email has been received by the Addressee's Information System and containing:

- (i) the name of the Originator of the Original Email; and
- (ii) at least the time, date and subject title of the Original Email; and
- (iii) the name of the Addressee of the Original Email; and
- (iv) the date and time the Original Email was received by the Addressee's Information System (which in the absence of evidence to the contrary is taken to be the creation date of the Reply Email).

Data includes the whole or part of a computer program within the meaning of

the *Copyright Act 1968* of the Commonwealth.

Email means a communication of Information by means of guided or unguided

electromagnetic energy, or both, by way of packet transfer between and

within computer networks using the TCP/IP protocol.

Email Address means the address nominated in Schedule 6, being an address which is a

combination of a personal identifier and a machine/network identifier, which are together capable of being resolved by computer networks

transmitting email using the TCP/IP protocol, so that email is transmitted to

the person providing that email address.

Information means information in the form of Data, text, images or sound.

Information System means a system for generating, sending, receiving, storing or otherwise

processing emails.

Originator means the person who sends an email to an Addressee.

Place of Business means a place of business nominated under Schedule 6 and in relation to a

government, a government authority or a non-profit body, includes a place where any operations or activities are carried out by that government,

authority or body.

Purported Originator means the person on the face of the email who appears to be, or purports

to be the Originator, including by purported compliance with clause 4 of

this Schedule.



1. Application to invoicing

Where the Parties have agreed under clause 8.1(d), the procedure set out in this Schedule does not apply to invoicing under this Contract, and the alternative agreed procedure will apply in its place.

2. Parties to establish email Addresses

- (a) Western Power and the User must:
 - (i) from time to time, nominate a Place of Business and establish an Email Address to be used for the Communications under this Contract; and
 - (ii) use reasonable endeavours to ensure that the Information System, on which emails addressed to the Email Address are received, is operational:
 - (A) a 24 hours-a-day; and
 - (B) 7 days-a-week,

to receive emails and send Automated Response Messages as required by this Contract; and

- (iii) as soon as practicable notify the other Party of its Place of Business and Email Address and of any change in each of them; and
- (iv) establish a mechanism to generate an Automated Response Message for each email (other than an Automated Response Message) received at the Email Address.

3. Requirement for Automated Response Message

- (a) An email is neither given nor received under this Contract until the Originator receives the Addressee's Automated Response Message for the email.
- (b) It is the Originator's responsibility for each attempted email to verify that it receives an Automated Response Message, and if it does not receive an Automated Response Message arrange either for:
 - (i) retransmission of the email; or
 - (ii) communication of the Information by an alternative medium (but this clause 3(b) does not limit the Addressee's responsibilities under clause 4 of this Schedule).
- (c) If the Originator receives an Automated Response Message for an email, then (unless the Addressee proves otherwise) for the purposes of this Contract the:
 - (i) Originator has sent; and
 - (ii) Addressee has received,

the email at the date and time shown in the Automated Response Message.

- (d) It is the Addressee's responsibility for each email for which the Addressee's Information System generates an Automated Response Message to:
 - (i) read the email and the Information it contains, and if applicable communicate it to the appropriate Worker within the Addressee's organisation; and
 - (ii) if necessary, notify the Originator of any difficulty in opening, reading, de-compressing or otherwise accessing (in a form reasonably readable) any Information contained in the email; and
 - (iii) if it appears to the Addressee that the Addressee was not the intended or correct recipient of the Information in the email, communicate this fact to the Originator.



4. Location

Unless otherwise agreed between the Originator and the Addressee of an email, the email and the Information it contains is deemed to have been sent from the Originator's Place of Business and received at the Addressee's Place of Business.

5. Attribution of emails and reliance

Except to the extent that:

- (i) the Purported Originator of an email and the Addressee of the email agree otherwise; or
- (ii) the Purported Originator of an email proves otherwise,

the Addressee of an email in respect of which an Automated Response Message has been given may assume for all purposes under this Contract that the:

- (iii) Purported Originator of the email is the Originator of the email; and
- (iv) email was sent by, or with the knowledge and express authority of, the Purported Originator.

6. Signatures

For the purposes of this Contract, an email must identify the Originator.

7. Information format

An Originator must use reasonable endeavours, in selecting the data format for Information contained in an email, to adopt a consistent format over time to facilitate any automated processing of the Information by the Addressee.



SCHEDULE 8 - FORM OF GUARANTEE

Date [###]

Parties

- 1. [### ACN ### a company registered in ### of ###] ("Guarantor"); and
- 2. **Electricity Networks Corporation ABN 18 540 492 861**, a statutory body corporate established by paragraph 4(1)(b) of the *Electricity Corporations Act 2005 (WA)* of 363 Wellington Street, Perth, Western Australia ("**Western Power**").

Recitals

- A. Western Power may in its discretion provide Services to [###] ("User") under an Access Contract at the request of each of the User and the Guarantor.
- B. The Guarantor wishes to execute this Guarantee to secure payment of all amounts payable under the Access Contract to Western Power.

Operative Provisions

(a) Guarantee

The Guarantor unconditionally and irrevocably Guarantees as a continuing security to Western Power payment by the User of all moneys and liabilities due and/or payable from or by the User to Western Power under or in connection with the contract dated [###] ("Access Contract") created between the User and Western Power ("Secured Moneys"), including moneys and liabilities incurred or arising:

- (i) (liability): at any present or future time, whether actually or contingently;
- (ii) (default): as a result of any breach of or default under the Access Contract; and/or
- (iii) (account): by way of principal, interest, cost, charge, expense, disbursement, fee, tax, stamp or other duty, indemnity, damages or monetary judicial order.

(b) Secured Moneys

(i) Demand payment

The Guarantor must pay to Western Power, upon demand by Western Power at any present or future time, the amount of the Secured Moneys due from and payable by the User to Western Power at that time under, and in the manner and currency specified in, the Access Contract.



(ii) Costs

The Guarantor must at any present or future time indemnify Western Power upon demand for any cost, charge, expense, disbursement, fee, tax or stamp or other duty incurred by Western Power at any time in connection with the Access Contract, this Guarantee or the Secured Moneys relating to:

- (A) (security agreements): preparation, negotiation, execution or performance, or any termination, amendment, consent, claim, demand or waiver;
- (B) (security rights): any exercise or enforcement of any right or power conferred on Western Power;
- (C) (credit increases): any extension of further, additional or increased credit or financial accommodation by Western Power, or agreement by Western Power to increase the amount secured; and/or
- (D) (payments): the receipt or payment of any moneys, including moneys paid by Western Power by way of reimbursement to any third party.

(iii) Set-Off exclusion

The Guarantor must make any payment required under this Guarantee without set-off or other deduction, except for the deduction or withholding of any tax compelled by law.

(c) **Indemnity**

The Guarantor must as a separate and additional liability of the Guarantor as a principal debtor, and not as a surety, indemnify Western Power against, and pay to Western Power upon demand by Western Power an amount equal to, all Secured Moneys that are or may become invalid, unenforceable, illegal or irrecoverable for any reason or under any circumstances as a liability to Western Power by the Guarantor as a surety, despite any other provision of this Guarantee.

(d) Guarantee protection

This Guarantee, and the liability of the Guarantor under this Guarantee, is not affected at any time by:

- (i) (waiver): the granting to any person by Western Power of any waiver;
- (ii) (agreements): any agreement, deed or document created with, or action or omission performed, representation made or non-disclosure of any fact or information by, Western Power or any person;
- (iii) (Secured Moneys): any increase or variation in the amount of the Secured Moneys occurring for any reason;
- (iv) (document amendment): any amendment to or transfer, release or termination of any agreement, deed or document or any right, power or liability of any person under any agreement, whether for or without consideration;



- (v) (enforcement decisions): any exercise or enforcement, or any failure or invalidity in, the
 exercise or enforcement by Western Power of any right or power conferred on Western Power
 under any agreement, deed or document or by law;
- (vi) (invalidity): any actual or potential invalidity, unenforceability, illegality or irrecoverability of any agreement, deed or document or consent or any payment made or due to Western Power under any agreement for any reason;
- (vii) (incapacity): any incapacity or absence of power or authorisation of, or other fact relating to, any person in connection with the execution of any agreement, deed or document or otherwise, including any change in the constitution or membership of any person; or
- (viii) (residual): any other breach, default, waiver or fact which, except for this provision, might legally operate:
 - (A) to release or discharge or have any prejudicial effect on; or
 - (B) in any manner to release or discharge the Guarantor from performance of, or limit or provide a defence to any legal action to enforce,

this Guarantee, or any liability of the Guarantor under or in connection with this Guarantee.

(e) **Termination**

The Guarantor is not entitled to terminate or limit this Guarantee, or any liability of the Guarantor under this Guarantee, until the Secured Moneys have been paid in full.

(f) Governing Law

This Guarantee is governed by and construed under the law of the State of Western Australia.

(g) General

(i) Continuing Security

This Guarantee is a continuing security and is not wholly or partially discharged by the payment at any time of any Secured Moneys, settlement of account or other fact and applies to the balance of the Secured Moneys at any time until a final termination of this Guarantee by Western Power.

(ii) Further Assurance

The Guarantor must upon request by Western Power at any time execute any document and perform any action necessary to give full effect to this Guarantee, whether prior or subsequent to performance of this Guarantee.

(iii) Waivers

Any failure or delay by Western Power to exercise any right or power under this Guarantee does not operate as a waiver and the single or partial exercise of any right or power by Western Power does not preclude any other or further exercise of that or any other right or power by Western Power.



Appendix B

Applications and Queuing Policy

Revised proposed access arrangement

14 June 2018



Applications and Queuing Policy

14 June 2018



An appropriate citation for this paper is:

Applications and Queuing Policy

Western Power

363 Wellington Street Perth WA 6000 GPO Box L921 Perth WA 6842

T: 13 10 87 | Fax: 08 9225 2660 TTY 1800 13 13 51 | TIS 13 14 50

Electricity Networks Corporation ABN 18 540 492 861

enquiry@westernpower.com.au westernpower.com.au

Enquiries about this report should be directed to:

AA4 Project Team

Email: AA4@westernpower.com.au



Contents

| | Part A | – Common Provisions | 6 |
|---|-----------------|--|----|
| 1 | Operation | on and Objectives | 6 |
| | 1.1 | Status of Figure 1 and Appendix A | 6 |
| | 1.2 | Objectives | 6 |
| 2 | Introduc | tion | 8 |
| | 2.1 | Definitions | 8 |
| | 2.2 Transfer | Application of this Applications and Queuing Policy to Connection Applications | • |
| | 2.3 | Interpretation | 16 |
| | 2.4 | Prior Applications | 16 |
| | 2.5 | Supplementary Matters Apply | 17 |
| | 2.6 | Exercising an Option Not Affected | 17 |
| 3 | The App | lication | 17 |
| | 3.1 | Applications to be Made in Good Faith | 17 |
| | 3.2 | Commencing the Application Process | 17 |
| | 3.3 | Applicant to be Market Participant | 17 |
| | 3.4 | Related Electricity Transfer Application and Connection Application | 17 |
| | 3.5 | Information Required With All Applications | 18 |
| | 3.6 | Information Required with Electricity Transfer Applications | 18 |
| | 3.7 | Information Required with Connection Applications | 19 |
| | 3.8 | One Electricity Transfer Access Contract per Connection Point | 19 |
| | 3.9 | Forecasts of Information | 19 |
| | 3.10 | Errors or Omissions in an Application | 19 |
| | 3.11 | Additional Information | 20 |
| | 3.12 | Western Power must be Expeditious and Diligent | 20 |
| | 3.13 | Amendment and Withdrawal of Application | 20 |
| | 3.14 | Applications Do Not Expire | 20 |
| | 3.15 | Network Planning | 20 |
| 4 | The Acce | ess Offer | 21 |
| | 4.1 | Access Offer to be Signed by Western Power | 21 |
| | 4.2 | If Application Requests Reference Services | 21 |
| | 4.3 | If Application Requests Non-Reference Service | 21 |
| | 4.4 | Services Start Date and Services End Date | 21 |
| | 4.5 | Conditions Precedent Permitted in Access Contract | 21 |



| | 4.6 | Objectives with Regard to Conditions Precedent | 22 | |
|----|--|---|------------|--|
| | 4.7 | Conditions Precedent and Determination of Spare Capacity | 22 | |
| | 4.8 | Conditions Precedent Not Longer Than 8 Months | 22 | |
| | 4.9 | Security | 23 | |
| | 4.10 | Arbitrator's Powers Preserved | 23 | |
| 5 | Entering Into or Modifying an Access Contract | | | |
| | 5.1 | When Access Offer Becomes Access Contract | 23 | |
| | 5.2 | Applicant's Options on Receipt of an Access Offer | 23 | |
| | 5.3 | If Applicant Rejects Access Offer and Requests Amendments | 24 | |
| | 5.4 | If Applicant Accepts Access Offer | 24 | |
| | 5.5 | Connection Application Ceases to Exist After Signing | 24 | |
| 6 | Confide | ntiality | 2 4 | |
| | 6.1 | Confidential Information | 24 | |
| | 6.2 | Confidential Information Must Not be Disclosed | 24 | |
| | Part B | - Electricity Transfer Applications | 26 | |
| 7 | Costs and Timing of Processing Electricity Transfer Applications | | | |
| | 7.1 | Where Applicant Seeks a Reference Service | 26 | |
| | 7.2 | Where Applicant Seeks a Non-Reference Service | 26 | |
| | 7.3 | Connection Application Costs Not Affected | 27 | |
| | 7.4 | Unused | 27 | |
| 8 | Eligibilit | y Criteria for Reference Services | 27 | |
| 9 | Electrici | ty Transfer Application for a New Connection Point | 27 | |
| | 9.1 | Customer Transfer Request | 27 | |
| | 9.2 | Creating a New Connection Point or Connecting New Generating Plant | 27 | |
| 10 | Electrici | ty Transfer Application to Modify an Existing Covered Service | 28 | |
| | 10.1 Referen | Selection of Different Covered Service or Selection or Modification of an Existir | - | |
| | 10.2 | Increase or Decrease in Contracted Capacity | 29 | |
| | 10.3 | More than 1 Change or Modification Within 12 Months | 30 | |
| | 10.4 | Modification of Generating Plant | 30 | |
| 11 | De-energisation and Re-energisation | | 30 | |
| | 11.1 | De-energisation | 30 | |
| | 11.2 | Re-energisation | 30 | |
| 12 | Electrici | ty Transfer Application to Obtain a New Access Contract | 31 | |
| 13 | Contest | ability Assessment | 31 | |



| | 13.1 | Western Power Must Perform Contestability Assessment | 31 |
|----|--|---|----|
| | 13.2 | Unused | 32 |
| | 13.3 | Rejection of Application | 32 |
| 14 | Connection Point Configuration | | |
| | 14.1 | Rules for Mapping Network Assets to a Single Connection Point | 32 |
| | 14.2 | One NMI per Connection Point | 32 |
| | 14.3 | Combining Multiple Connection Points into a Single Connection Point | 32 |
| | 14.4 | Separating a Single Connection Point to Create Multiple Connection Points | 33 |
| | 14.5 | Multiple Trading Relationships at a Connection Point | 34 |
| 15 | Time to Perform Obligations | | |
| | 15.1 | Extension of Time to Perform Obligations | 34 |
| | 15.2 | Concurrent Applications | 34 |
| | Part C | - Connection Applications | 35 |
| 16 | Specific Connections Applications | | 35 |
| | 16.1 | Connection Application for a New Connection Point | 35 |
| | 16.2 | Connection Application for an Increase or Decrease of Contracted Capacity | 35 |
| | 16.3 | Connection Application to Modify Generating Plant | 35 |
| | 16.4 | Connection Application to Modify or Augment the Network | 35 |
| | 16.5 | Opt-out of Competing Applications Group Process | 35 |
| 17 | Lead Time for Connection Applications | | 36 |
| | 17A. Pre | -enquiry Discussions | 36 |
| | 17A.1 Applicant May Contact Western Power | | 36 |
| | 17A.2 Informal Discussions Not Binding | | 36 |
| | 17A.3 Provision of Information on Request | | 36 |
| | 17A.4 Provision of Confidential Information | | 36 |
| 18 | Enquiry State | | 37 |
| | 18.1 | Compulsory Enquiry Notification | 37 |
| | 18.2 | Applicant May Request Studies and Information | 37 |
| | 18.2A Western Power to Issue an <i>Enquiry</i> Response Letter at Conclusion of <i>Enquiry</i> Stage | | 37 |
| | 18.3 | Enquiry Response Letter and Discussions Not Binding | 38 |
| | 18.4 | Fees Payable | 38 |
| 19 | Reporting During the Processing of the Connection Application | | 38 |
| | 19.1 | Initial Response | 38 |
| | 19.2 | Initial Response is Not Binding | 38 |
| | 19.3 | Preliminary Assessment | 38 |



| | 19.4 | Updates and Progress Reporting | . 39 |
|----|--|---|------|
| 20 | Connection Application Costs | | |
| | 20.1 | Applicant Must Pay Costs | . 39 |
| | 20.2 | Processing Proposal | . 40 |
| | 20.3 | Applicant-specific Solution Option | . 41 |
| | 20.3A | Interaction Between Applicant-Specific Solutions and Competing Applications Group | os41 |
| | 20.4 | Disputes May be Referred to Arbitrator | . 42 |
| | 20.5 | Use of Engineering Firms to Provide Studies | . 42 |
| | 20A. | Unpaid Fees or Charges | . 42 |
| 21 | Contribu | tions Policy Applies | . 42 |
| 22 | Dormant | applications | . 42 |
| 23 | Release o | of Contracted Capacity | . 43 |
| 24 | Where T | here Are Competing Applications | . 43 |
| | 24.1 | Formation of Competing Applications Groups | . 43 |
| | 24.2 | Notice of Intention to Prepare a Preliminary Access Offer | . 44 |
| | 24.3 | Response to Notice of Intention to Prepare a Preliminary Access Offer | . 44 |
| | 24.4 Western Power's Actions Following Response to the Notice of Intention to Prepare a Preliminary Access Offer | | |
| | 24.5 | Response to Preliminary Access Offer | . 45 |
| | 24.6 | Subsequent Access Offers | . 46 |
| | 24.6A | Minimum and Maximum Levels of Acceptance | . 46 |
| | 24.6B | Failure to Achieve Minimum Levels | . 47 |
| | 24.6C | Exceeding Maximum Levels | . 47 |
| | 24.7 | Changing Composition of Competing Applications Group | . 47 |
| | 24.7A Te | rmination of a Competing Applications Group | . 48 |
| | 24.8 | Spare Capacity | . 48 |
| | 24.9 | Types of Information | . 48 |
| | 24.10 | When Western Power Must Update Information | . 49 |
| | 24.11 | Concurrent Consideration | . 49 |
| | 24.12 | When Clause 24 Does Not Apply | . 49 |
| | 24A. | Priority Dates of Applications in Particular Circumstances | . 49 |
| | 24A.1 | Withdrawn Connection Applications | . 49 |
| | 24A.2 Un | used | . 49 |
| | 24A.3 An | nended Connection Applications | . 49 |
| | 24A.4 | Network Control Services | . 50 |



| | 24A.5 Su | pplier of Last Resort and Default Supplier Arrangements | . 50 |
|-----|-----------|---|------|
| 25 | Addition | al Terms of the Preliminary Access Offer or Access Offer | . 50 |
| | 25.1 | Terms Under Contributions Policy | . 50 |
| | 25.2 | Exemptions from Technical Rules | . 51 |
| 26 | Making t | he Access Offer | . 51 |
| Sch | edule 1 | Form of Guarantee | . 52 |
| Ann | endix A - | Timelines for Applicant-specific Solutions and for Competing Applications Group | . 56 |



Part A – Common Provisions

1 Operation and Objectives

1.1 Status of Figure 1 and Appendix A

Figure 1 and Appendix A contain additional explanatory material regarding information provided to *applicants* and the processes contemplated by this applications and queuing policy. To avoid doubt, Figure 1 and Appendix A are included for explanatory purposes and do not form part of the operative provisions of this applications and queuing policy.

1.2 Objectives


The objectives of this applications and queuing policy are:

- (a) To provide an equitable, transparent and efficient process for assessing the suitability of plant and equipment to connect to Western Power's *network* and to make *access offers* based on that assessment; and
- (b) To undertake assessments and to provide shared *network access offers* that facilitate access by *generators* and loads to the WA Electricity Market (**WEM**) on an economically efficient and non-discriminatory basis that is consistent with WEM requirements, and uses a process that is equitable, transparent and efficient; and
- (c) Where feasible and cost-effective, to facilitate joint solutions for *connection applications*.

Western Power may from time to time determine that it can provide *shared asset works* that can provide *access* to multiple *applicants*.



Figure 1



$\{ \hbox{Notes regarding Figure 1:} \\$

- 1. Figure 1 is not intended to be an exhaustive depiction of all processes and outcomes under this applications and queuing policy. Figure 1 depicts the successful pathways to obtaining an access offer only.
- 2. Figure 1 is limited to the processes that arise under this applications and queuing policy and does not capture processes that otherwise apply pursuant to the access arrangement.
- 3. Figure 1 should be read in conjunction with the operative provisions of this applications and queuing policy.

To avoid doubt, where electricity transfer applications and connection applications are required, the electricity transfer application may be made at the same time as the connection application or subsequently.}



2 Introduction

2.1 Definitions

In this applications and queuing policy, unless the contrary intention is apparent:

"access arrangement" means the current access arrangement approved in respect of the network under the Code.

"access contract" means an agreement between Western Power and another person for that person to have access to covered services.

{Note: Under the Code "access agreement" has the meaning given to it in part 8 of the Act, and under section 13.4(d) of the Code includes a "deemed access contract". The definition of "access agreement" under the Act is "an agreement under the Code between a network service provider and another person (a "network user") for that person to have access to services".}

"access contract number" means the unique identifier given to each access contract by Western Power.

"access dispute" has the meaning given to it in the Code.

{"access dispute" means a dispute, in connection with an access application, between the applicant and the service provider, including a dispute in relation to any one or more of the following (and the paragraphs of this definition do not limit each other):

- (a) whether the applicant or the service provider has complied with, or the manner in which the applicant or the service provider has purported to comply with, the applications and queuing policy; and
- (b) the terms and conditions, including service standards, on which the applicant should be permitted to acquire covered services from the service provider; and
- (c) whether work is required work and the terms and conditions applying, or proposed to apply, to any such work; and (ca) anything connected with or arising out of a proposed contribution; and
- (cb) a matter heard under section 15.7; and
- (cc) anything connected with or arising out of Appendix 8; and
- (cd)anything connected with or arising out of Appendix 9; and
- (d) whether the service provider should grant the applicant an exemption to the technical rules under section 12.34; and
- (e) the arrangements which will apply in respect of a supplementary matter connected with the access application".}

"access offer" means a form of contract developed under this applications and queuing policy which has been signed by Western Power and is in such a form that it can, without anything else being required, become an access contract when signed by an applicant.

"Act" means the Electricity Industry Act 2004.

"accumulation meter" has the meaning given to it in the Metering Code.

{Note: Under the *Metering Code*, "accumulation meter" means "a meter that measures accumulated energy data and records it in one or more accumulated energy registers, and includes a meter with interval energy data storage capability which is deemed to be an accumulation meter under clause 3.2(2)".}

"applicant" means a person (who may be a *user* or a *customer*) who has lodged, or intends to lodge, an *application*.

"applicant-specific solution" means a method of satisfying a connection application by either:

- (a) works funded solely by the applicant whether by direct funding or through payment of tariffs and/or contributions by that applicant and not involving another applicant; or
- (b) an operational solution involving only that applicant; or



(c) a combination of works funded solely by the applicant and an operational solution involving only that applicant.

"application" means an electricity transfer application or a connection application.

"application form" with regards to an application, means the applicable application form (as is specified as being applicable to the applicant's application in this applications and queuing policy or on Western Power's website) provided by Western Power on its website, or otherwise published by Western Power, for that type of application.

"attachment point" means a point on the *network* at which *network assets* are *connected* to assets owned by another person.

"augment" and "augmentation" have the meaning given to 'work' in the Code.

{Note: Under the Code "work" means "any activity or undertaking in connection with the covered network, whether of a capital or non-capital nature, including the planning, designing, development, approval, construction, acquisition and commissioning of new facilities and new network assets and the procurement or provision of any good or service".}

"bidirectional point" means a single, indivisible (except as allowed under this applications and queuing policy) point, that for purposes under the access arrangement involving the transfer of electricity, is deemed to consist of a single attachment point, connected or to be connected to a user's connection point, with a single meter (regardless of the actual configuration of network assets making up the bidirectional point), at which electricity is to be transferred into and out of the network.

"bidirectional service" means a covered service provided by Western Power at a connection point under which the user may transfer electricity into and out of the network at the connection point.

"capacity", with regards to a part of the *network* (including a *connection point*), refers to the maximum rate at which electricity can be transported through that part of the *network* in accordance with *good electricity industry practice*.

"charge", for a covered service relating to the transfer of electricity, means the amount that is payable by a user to Western Power for the covered service under an access contract.

"Code" means the Electricity Networks Access Code 2004 (as amended).

"competing", in relation to two or more connection applications, means that the provision of the covered service sought in one connection application may impede Western Power's ability to provide the covered services that are sought in the other connection applications.

"competing applications group" means a number of applications that are competing for access to limited network capacity and have been grouped together by Western Power in accordance with clause 24.

"complete", in relation to an application or notice, means where the applicant or controller (as applicable) has:

- (a) used reasonable endeavours to accurately and completely address each item in the applicable application form (including by the provision of any supporting information required by the application form); and
- (b) with respect to an *electricity transfer application*, provided all of the information required under clauses 3.5 and 3.6 for the *application*; and
- (c) with respect to a *connection application*, provided all of the information required under clauses 3.5 and 3.7 for the *application*,

to Western Power's satisfaction, acting as a reasonable and prudent person.



"completion date" means, in relation to works, the date when the works are complete except for minor omissions and minor defects which will not prevent the use of the works.

"confidential information" means:

- (a) in the case of information disclosed by an *applicant* or a *disclosing person* to Western Power in or in connection with an *application*, information which the *disclosing person* (acting as a reasonable and prudent person) has identified as being commercially sensitive or confidential; and
- (b) in the case of information disclosed by Western Power to an *applicant* or a *disclosing person* in connection with an *application*, information which Western Power (acting as a reasonable and prudent person) has identified as being commercially sensitive or confidential, and does not include the information referred to in clause 6.1.

"connection application" means an application in relation to a covered service lodged with Western Power under this applications and queuing policy that has the potential to require a modification to the network, including an application to:

- (a) connect facilities and equipment at a new connection point; or
- (b) increase consumption or generation at an existing connection point; or
- (c) materially modify facilities and equipment connected at an existing connection point in a way that means that they no longer meet the eligibility criteria for the covered service at the relevant connection point or if the modification is likely to adversely impact the security, safety or reliability of the network; or
- (d) augment the *network* for any other reason,

and includes any additional information provided by the applicant in regard to the application.

"connection asset" has the meaning given to it in the Code.

{Note: Under the Code "connection assets" for a connection point means "all of the network assets that are used only in order to provide covered services at the connection point".}

"connection point" means:

- (a) an exit point; or
- (b) an entry point; or
- (c) a bidirectional point;

identified or to be identified as such in an access contract.

"consume" has the meaning given to it in the Code.

{Note: Under the Code, "consume" means "to consume electricity".}

"consumption", for a connection point, means the amount of electricity consumed at the connection point, and is measured in Watt-hours.

"contestable customer" means a *customer* to whom the supply of electricity is not restricted under section 54 of the *Electricity Corporations Act 2005* or under another enactment dealing with the progressive introduction of *customer* contestability.

{Note: At the time this applications and queuing policy comes into effect, the relevant instrument under section 54 of the *Electricity Corporations Act* 2005 was the *Electricity Corporations (Prescribed Customers) Order 2007*, gazetted 29 June 2007.}

"contract for services" has the meaning given to it in the Code.



{Note: Under the *Code* "contract for services" means "an agreement between a service provider and another person for the person to have access to services, and includes an access contract".}

"contracted capacity", for a connection point, means the maximum rate at which a user is permitted to transfer electricity to or from the network at the connection point, being either:

- (a) the rate specified in the user's access contract from time to time; or
- (b) if no rate is specified in the *user's access contract*, the maximum rate of electricity permitted to be transferred under the *reference service* eligibility criteria for the *reference service* for that *connection point* in the *user's electricity transfer access contract*; or
- (c) if no rate is specified in the *user's access contract* or in the *reference service* eligibility criteria, the maximum rate of electricity permitted to be transferred through the *connection assets* under the *technical rules*,

as applicable, and is measured in Watts or Volt-Amps.

"contribution" means any contribution applicable under the contributions policy.

"contributions policy" means the contributions policy in the access arrangement.

"controller" means a person, which includes a *customer*, who owns, operates or controls (or will own, operate or control) *facilities* and *equipment* at a *connection point*, and who is specified by an *applicant* in an *application* in respect of the *connection point*.

"covered service" has the same meaning given to it in the Code but also includes a bidirectional service.

{Note: Under the Code "covered service" means "a service provided by means of a covered network, including:

- (a) a connection service; or
- (b) an entry service or exit service; or
- (c) a network use of system service; or
- (d) a common service; or
- (e) a service ancillary to a service listed in paragraph (a) to (d) above,

but does not include an excluded service".}

"customer" has the meaning given to it in the Act.

"Customer Transfer Code" means the Electricity Industry Customer Transfer Code 2016, made under section 39(2)(a) of the Act in respect of the matter referred to in section 39(2)(b) of the Act, and includes all rules, policies or other subordinate documents developed under the Customer Transfer Code.

"customer transfer request" has the meaning given to it in the Customer Transfer Code.

{Note: Under the *Customer Transfer Code,* "customer transfer request" means "a request by a retailer to a network operator made using the form published under clause 4.1 to transfer a contestable customer at a connection point in the network operator's network from one retailer to another".}

"de-energise" in respect of a connection point, means to operate, modify or remove switching or other equipment to prevent the transfer of electricity through the connection point.

"disclosing person", in relation to an application, means a person who discloses confidential information to Western Power in, or in connection with, an application.

"dormant application" means a connection application in respect of which:

- (a) no work has been undertaken by Western Power; or
- (b) no work has been agreed by Western Power and the *applicant* to be undertaken by Western Power,



to progress the *application*, including a system or other study, the preparation of a detailed cost estimate or other work, under clauses 20.2, 20.3 or 24, for a period of 12 continuous months calculated retrospectively from the date that the assessment as to dormancy is made.

"electricity transfer application" means an application in relation to a covered service lodged with Western Power under this applications and queuing policy seeking to obtain or modify an entry service or an exit service or a bidirectional service, and includes any additional information provided by the applicant in regard to the application.

"electricity transfer access contract" means a type of access contract that provides the user with an entry service or exit service or bidirectional service, or any combination of the three, at a connection point or connection points.

"enquiry" means an enquiry by an applicant under clause 18.

"entry point" means a single, indivisible (except as allowed under this applications and queuing policy) point, that for purposes under the access arrangement involving the transfer of electricity, is deemed to consist of a single attachment point, connected or to be connected to a user's connection point, with a single meter (regardless of the actual configuration of network assets making up the entry point), at which electricity is more likely to be transferred into the network than out of the network.

"entry service" means a covered service provided by Western Power at a connection point under which the user may transfer electricity into the network at the connection point.

"exit point" means a single, indivisible (except as allowed under this applications and queuing policy) point, that for purposes under the access arrangement involving the transfer of electricity, is deemed to consist of a single attachment point, connected or to be connected to a user's connection point, with a single meter (regardless of the actual configuration of network assets making up the entry point), at which electricity is more likely to be transferred out of the network than into the network.

"exit service" means a covered service provided by Western Power at a connection point under which the user may transfer electricity out of the network at the connection point.

"final notice" has the meaning given in clause 20A.

"generate" has the meaning given to it in the Code.

{Note: Under the Code, "generate" means "to produce electricity".}

"generating plant" has the meaning given to it in the Code.

{Note: Under the Code, "generating plant" means in relation to a connection point "all equipment involved in generating electricity".}

"generation", for a connection point, means the amount of electricity generated at the connection point, and is measured in kilowatts.

"generator" has the meaning given to it in the Code.

{Note: Under the Code "generator" means a person who generates electricity".}

"incoming retailer" has the meaning given to it in the Customer Transfer Code.

{Note: Under the Customer Transfer Code, "incoming retailer", in relation to a customer transfer request or transfer, means "the retailer that will supply a contestable customer after the transfer time".}

"initial response" means the initial response of Western Power to an *applicant* under clause 19.1 in relation to a *connection application*.

"interval meter" has the meaning given to it in the *Metering Code*.



{Note: Under the Metering Code, "interval meter" means "a meter that measures interval energy data and records it in a data logger, and excludes a meter with interval energy data storage capability which is deemed to be an accumulation meter under clause 3.2(2)".}

"law" means "written law" and "statutory instruments" as defined in the *Code*, orders given or made under a written law or statutory instrument as so defined or by a government agency or authority, Codes of Practice and Australian Standards deemed applicable under a written law and rules of the general law including the common law and equity.

"lodgement fee" means the fee specified for an enquiry or an application in the price list.

"loss factor" has the meaning given to it in the Market Rules.

{Note: Under the Market Rules, "loss factor" means "(a) a factor representing network losses between any given node and the Reference Node where the Loss Factor at the Reference Node is 1, expressed as a product of a Transmission Loss Factor and a Distribution Loss Factor and determined in accordance with clause 2.27.5 [of the Market Rules]; and (b) in relation to the Balancing Portfolio, the Portfolio Loss Factor".}

"market operator" means the entity conferred the functions in respect of the 'Wholesale Electricity Market' under the WEM Rules which, as at the date this version of the applications and queuing policy comes into effect, is the Australian Energy Market Operator Limited.

"market participant" means a person who, at a time after "energy market commencement" (as defined in the Market Rules) is a "market participant" (as defined in the Market Rules).

"Market Rules" means the rules made pursuant to the *Electricity Industry (Wholesale Electricity Market)*Regulations 2004.

"meter" has the meaning given to it in the Metering Code.

{Note: Under the Metering Code, "meter" means "a device which measures and records electricity production or consumption".}

"Metering Code" means the code made under section 39(1) of the *Act* in respect of a matter referred to in section 39(2)(a) of the *Act*, and includes any service level agreement, metering data agency agreement, communications rules, metrology procedure, mandatory link criteria and registration process developed under that code.

"metering database" means the "metering database" (as defined in the *Metering Code*) operated by Western Power under the *Metering Code*.

"metering equipment" means a meter or meters and associated equipment complying with the Metering Code used to measure and record electricity transferred to or from the network at a connection point, which may include the measurement of the rate of transfer and the quantity and quality of the transferred electricity.

"metering installation" has the meaning given to it in the Metering Code.

{Note: Under the *Metering Code*, "metering installation" means "the *devices* and methods for the purpose of metrology which lie between: (a) at one boundary, a *metering point*; and (b) at the other boundary, either: (i) if a telecommunications network is used for the delivery of *energy data* from the *metering point* – the point of connection to the telecommunications network; or (ii) if there is no such telecommunications network – the interface port of either the *meter* or *data logger* or both."}

"network" has the meaning given to "Western Power Network" in the Code.

{Note: Under the *Code*, "Western Power Network" means "the *covered network* that is *covered* under section 3.1". The "Western Power Network" is the portion of the SWIN that is owned by the Electricity Networks Corporation.}

"network assets" has the meaning given to it in the Code.

{Note: Under the Code, "network assets", in relation to a network means "the apparatus, equipment, plant and buildings used to provide or in connection with providing covered services on the network, which assets are either connection assets or shared assets".}



"Network Control Services" has the meaning given to Network Control Service in the Market Rules.

"NMI" means National Market Identifier, which is the unique identifier assigned by Western Power to each connection point.

"operational solution" means a method of satisfying a *connection application* that does not rely primarily on construction of new *network assets* or *augmentation* of existing *network assets*.

{Note: Examples of operational solutions could include generator runback schemes, load inter-trips, and off grid voltage support}

"preliminary acceptance" has the meaning given to it in clause 24.5(b).

"preliminary access offer" mean an indicative and non-binding access offer that is made to an applicant within a competing applications group in accordance with clause 24.

"premise" has the meaning given to it in the Energy Operators (Powers) Act 1979.

"previous retailer" has the meaning given to it in the Customer Transfer Code.

{Note: Under the *Customer Transfer Code* "previous retailer", in relation to a transfer, "means the retailer that supplied the contestable customer before the transfer time".}

"price list" means the price list (as defined in the Code) in the access arrangement.

{Note: Some costs and fees that may be levied under this applications and queuing policy may not be specified as firm values in the price list.}

"priority date" has the meaning given to it in clause 3.2(c).

"reallocated applicant" has the meaning given to it in clause 24.6C(a).

"re-energise", in respect of a previously *de-energised connection point*, means to operate switching or other equipment so as to permit the transfer of electricity through the *connection point*.

"reference service" means a covered service designated in the access arrangement as a reference service (as defined by the Code).

{Note: under the Code, 'reference service' "means a covered service designated as a reference service in an access arrangement under section 5.1(a) for which there is a reference tariff, a standard access contract and service standard benchmarks."}

"relocation" has the meaning given to 'relocation' in the transfer and relocation policy.

{Note: under the *transfer and relocation policy*, 'relocation' has the meaning given in clause 6.1. That clause provides that a 'relocation' occurs when a user:

- (a) decreases its contracted capacity at a connection point (a "retiring point"); and
- (b) makes a corresponding increase in its contracted capacity at another connection point the user is entitled to use under its access contract (a "destination point")}

"retailer" has the meaning given to it in the Act.

"revenue meter" has the meaning given to it in the Metering Code.

{Note: Under the *Metering Code*, "revenue meter" means "subject to clause 3.13(5), a meter that is used under this *Code* as the source of energy data, unless this *Code* permits an alternative source of energy data to be used".}

"services end date" means, in respect of a *connection point*, the date on which Western Power ends the provision of *covered services* to the *user* in respect of that *connection point*.

"services start date" means, in respect of a connection point, the date on which Western Power commences providing covered services to the user in respect of that connection point.

"shared assets" has the meaning given to it in the Code.

{Note: Under the Code "shared assets" mean "those network assets which are not connection assets".}



"signed" by Western Power or the *applicant* means duly signed or otherwise executed by or on behalf of all persons who comprise Western Power or the *applicant*, as the case may be.

"spare capacity" means the *capacity*, from time to time, of the *network*, as configured at the time of an *application*, to provide the *covered services* sought in the *application*, having regard to matters including Western Power's contractual obligations in respect of the *network* and forecast natural load growth.

"standard access contract", with respect to a reference service, means the access contract applicable to that reference service under the access arrangement.

"standing data" has the meaning given to it in the Metering Code.

"system management" means the entity conferred the functions in respect of 'System Management' under the WEM Rules which, as at the date that this version of the applications and queuing policy comes into effect, is the Australian Energy Market Operator Limited.

"technical rules" means the technical rules (as defined in the Code) applying from time to time to the network under Chapter 12 of the Code, as modified in accordance with the Code.

"transfer and relocation policy" means the transfer and relocation policy in the access arrangement;

"transition application" means an application which:

- (a) seeks modifications to an access contract or any other contract for services; and
- (b) the modifications, if implemented, would not materially impede Western Power's ability to provide a *covered service* sought in one or more other *applications* compared with what the position would be if the modifications were not implemented.

"unmetered connection", with respect to a *connection point*, has the same meaning as the term "type 7 connection point" when that term is used in the *Metering Code*.

"user" has the meaning given to it in the Code.

{Note: Under the Code "user" means "a person, including a generator or a consumer, who is a party to a contract for services with a service provider, and under section 13.4(e) includes another business as a party to a deemed access contract".}

"verifiable consent" has the meaning given to it in the Customer Transfer Code.

{Note: Under the Customer Transfer Code "verifiable consent", in relation to a request for historical consumption data or a customer transfer request, means "consent that is given by a contestable customer—

- (a) expressly; and
- (b) either:
 - (i) orally, if the oral consent is evidenced in such a way that it can be verified and made the subject of a record under clause 3.9.4; or
 - (ii) in writing; and
- (c) after the retailer obtaining the consent has in plain language appropriate to the contestable customer disclosed all matters materially relevant to the giving of the consent, including each specific purpose for which the consent will be used; and
- (d) by a person whom a retailer (acting reasonably) would consider competent to give consent on the contestable customer's behalf; and
- (e) which has not expired under clause 1.5".}

"works" has the meaning given to it in the contributions policy.

{Note: Under the contributions policy, "works" means "headworks and all works required to be undertaken to provide an applicant with the covered services sought by the applicant in a connection application, including works associated with:

(a) augmentation of connection assets;



- (b) augmentation of shared assets;
- (c) alternative options; and
- (d) other non-capital works".}

2.2 Application of this Applications and Queuing Policy to Connection Applications and Electricity Transfer Applications

- (a) Part A and Part B but not Part C of this applications and queuing policy apply to an *electricity* transfer application.
- (b) Part A and Part C but not Part B of this applications and queuing policy apply to a *connection* application.
- (c) To avoid doubt, this applications and queuing policy only applies to *applications* in relation to *covered services*.
- (d) An applicant and Western Power may agree to deal with any matter in connection with an application in a manner different to the treatment of the matter in this applications and queuing policy as long as the ability of Western Power to provide a covered service that is sought by another applicant is not impeded.

2.3 Interpretation

- (a) Unless:
 - (i) the contrary intention is apparent; or
 - (ii) the term has been redefined in clause 2,
 - a term with a defined meaning in the *Code* has the same meaning in this applications and queuing policy.
- (b) Unless the contrary intention is apparent:
 - (i) a rule of interpretation in the Code; and
 - (ii) the Interpretation Act 1984,
 - apply to the interpretation of this applications and queuing policy.

2.4 Prior Applications

- (a) Unused
- (b) To the extent permitted by *law*, an a*pplication* made prior to the date of commencement of this applications and queuing policy shall be deemed to have been made under this applications and queuing policy, with its *priority date* being the date it was lodged under the previous version of the applications and queuing policy, but if the *application* was taken to be amended under that version of the policy such that its priority was determined by the time of amendment, then the *priority date* is that time of amendment.
- (c) To the extent permitted by *law*, for the purposes of timeframes within this applications and queuing policy only, an *application* made prior to the current *access arrangement* period shall be deemed to have been made on the day the current *access arrangement period* commences.



2.5 Supplementary Matters Apply

Western Power and the *applicant* must, in accordance with section 5.28 of the *Code*, comply with any provisions of the *supplementary matters* relating to this applications and queuing policy.

2.6 Exercising an Option Not Affected

An option granted to a *user* as part of the terms of an *access contract* to extend the duration of the *access contract* is not an *application* and is not subject to this applications and queuing policy if it is exercised in accordance with its terms.

3 The Application

3.1 Applications to be Made in Good Faith

Western Power and an *applicant* must act reasonably and in good faith with regard to each other in relation to an *application*.

3.2 Commencing the Application Process

- (a) The application process is commenced by the applicant submitting an enquiry to Western Power.
- (b) Following Western Power's response to the *enquiry*, the *applicant* must submit:
 - (i) an application to Western Power on the appropriate application form; or
 - (ii) where permitted under this applications and queuing policy, notice to Western Power, that is *complete*.
- (c) Western Power will stamp complete applications with the date on which the applications are lodged and complete, and this date will be the priority date. The priority date may change in accordance with the provisions of clause 24A or otherwise be determined in accordance with clauses 10 or 11.2.

3.3 Applicant to be Market Participant

An applicant who seeks an exit service or an entry service or a bidirectional service:

- (a) must submit an electricity transfer application; and
- (b) must be, or intend to be (providing reasonable proof of intent), a *market participant* at the time the electricity transfer is to take place.

3.4 Related Electricity Transfer Application and Connection Application

Where:

- (a) a retailer seeks to obtain or modify an exit service or an entry service or a bidirectional service on behalf of a customer; or
- (b) a generator seeks to obtain or modify an entry service or a bidirectional service on behalf of a controller who is not the generator,

and both a *connection application* and an *electricity transfer application* will be required under this applications and queuing policy, then the *applications* may:

(c) be submitted concurrently by the *retailer* or *generator*; or



(d) be submitted at different times by the *retailer* or *generator* and the *customer* or *controller* as applicable, in which case both parties are *applicants*.

3.5 Information Required With All Applications

All applicants must provide the following information to Western Power in respect of an application at the time of submitting the application:

- (a) details of the applicant, including:
 - (i) the full name and address of the applicant; and
 - (ii) whether the applicant is acting as agent for any person in making the application, and if so, details of the applicant's principals; and
 - (iii) whether the *applicant* is an existing *user*, and if so, details of the *applicant's* existing *access* contract,

and

- (b) any conditions precedent that the applicant seeks to include in the resulting access offer; and
- (c) details of the connection point, including:
 - (i) the location or NMI of the connection point, as applicable; and
 - (ii) the forecast annual consumption of electricity, if applicable; and
 - (iii) the forecast annual generation of electricity, if applicable,

and

(d) such information concerning the *applicant* as Western Power requires, acting as a reasonable and prudent person, to assess the *applicant's* ability to meet its obligations under the resulting *access contract*.

3.6 Information Required with Electricity Transfer Applications

The applicant must provide the following information to Western Power in respect of an *electricity transfer* application at the time of submitting the *electricity transfer* application:

- (a) the covered services requested, and for each requested covered service:
 - (i) the requested services start date and requested services end date;
 - (ii) if the covered service is a non-reference service, then a description of the non-reference service, including any deviation sought from the applicable tariff, service standard or standard access contract for an equivalent reference service;
 - (iii) if applicable, the contracted capacity sought for the covered service; and
 - (iv) the applicant's eligibility for the covered service sought; and
- (b) details of the connection point, including:
 - (i) for an existing *connection point*, any changes to be made to the *standing data* for that *connection point* as a result of the *application*; and
 - (ii) for a new connection point:
 - (A) such information regarding the connection point required as standing data; and
 - (B) any facilities and equipment likely or required to be connected at the connection point; and



(iii) if the *applicant* will not be the *controller*, information regarding the *controller* in compliance with the relevant provisions of the *Metering Code* in regard to the provision of *controller* information (with all references to a 'customer' under the relevant provisions of the *Metering Code* to be read as references to the *controller* for the purposes of this clause 3.6).

3.7 Information Required with Connection Applications

The applicant must provide the following information to Western Power in respect of a connection application at the time of submitting the connection application:

- (a) the covered services requested; and
- (b) the requested *services start date* and requested *services end date* for *covered services* involving the transfer of electricity that are likely to be sought under an associated *electricity transfer application*,

as applicable, and

- (c) the capacity sought, if applicable; and
- (d) such information regarding the *facilities* and *equipment* likely or required to be connected at the *connection point* to the extent required by:
 - (i) the technical rules; and
 - (ii) Western Power acting as a reasonable and prudent person,

and

(e) a full description of any exemptions to the *technical rules* sought by the *applicant* under Chapter 12 of the *Code*.

3.8 One Electricity Transfer Access Contract per Connection Point

Each connection point must be included in one and only one electricity transfer access contract to allow the transfer of electricity at that connection point, except where multiple trading relationships at a connection point are permitted by law and all necessary approvals have been given for such an arrangement.

3.9 Forecasts of Information

When an *application* contains estimates or forecasts of any information:

- (a) Western Power may treat that estimated or forecast information as factual information; and
- (b) the *applicant* warrants to Western Power that each such estimate or forecast is the *applicant's* best estimate or forecast acting as a reasonable and prudent person.

3.10 Errors or Omissions in an Application

- (a) If Western Power becomes aware of any material error or omission in an *application* it must immediately notify the *applicant* about it and may request information under clause 3.11.
- (b) If an applicant is notified by Western Power under clause 3.10(a), or otherwise becomes aware of any material error or omission in an application, it must amend the application to remedy it as soon as practicable after becoming aware of it.
- (c) If Western Power has notified the *applicant* under clause 3.10(a), the *applicant* must amend the *application* to remedy the material error or omission within 20 business days, or the *application*



Page 19

- and, as applicable, any associated *electricity transfer application* or *connection application* will be deemed to have been withdrawn.
- (d) If remedying an error or omission in an *application* amounts to a material amendment to the *application*, clause 24A.3 applies.

3.11 Additional Information

- (a) At any time, Western Power may, acting as a reasonable and prudent person, request the applicant to provide further information that Western Power reasonably requires to enable it to process the application.
- (b) If Western Power has notified the *applicant* under clause 3.11(a), the *applicant* must amend the *application* to provide the additional information within 20 business days, or the *application* and, as applicable, any associated *electricity transfer application* or *connection application* will be deemed to have been withdrawn.
- (c) If providing additional information for an *application* amounts to a material amendment to the *application*, clause 24A.3 applies.

3.12 Western Power must be Expeditious and Diligent

Western Power must process an application expeditiously and diligently.

3.13 Amendment and Withdrawal of Application

- (a) An applicant may at any time by notice in writing to Western Power, amend an application.
- (b) If an amendment to an *application* results in a change to the original *lodgement fee*, Western Power may charge the *applicant* the new *lodgement fee* or refund part of the original *lodgement fee*, having regard to the work already completed in processing the *application*.
- (c) An *applicant* may at any time before it enters into an *access contract*, by notice in writing to Western Power, withdraw an *application*.
- (d) Unused.
- (e) Without limiting this clause 3.13, an amendment to an *application* may include a change to the identity of the *applicant* in which case the other information in the *application* must also be amended.

3.14 Applications Do Not Expire

Unless expressly provided otherwise by this applications and queuing policy, an *application* does not expire due to the passage of time.

3.15 Network Planning

- (a) In processing *applications* (including as *applicant-specific solutions* or *competing applications groups*) Western Power must have regard to the general network planning otherwise being undertaken by Western Power and seek to develop solutions and process *applications* in a manner which most effectively enables *applicants* to benefit from any efficiencies and costs savings provided by that network planning.
- (b) Due to the range of potential network constraints and related solutions, timeframes for the development of solutions will be variable. Western Power will keep *applicants* informed on a



- regular basis of the network constraints that affect them and expected timeframes for the development of solutions.
- (c) The information Western Power will provide to *applicants*, and the further studies it may be requested to undertake, extend to information and studies as to how *applications* co-ordinate with network planning being undertaken by Western Power.
- (d) In undertaking network planning Western Power, acting as a reasonable and prudent person, will have regard to matters including forecast natural load growth and the nature and number of enquiries and applications Western Power has received under this applications and queuing policy, it being acknowledged that in doing so Western Power will need to make a good faith assessment as to the likelihood that specific projects will proceed.

4 The Access Offer

4.1 Access Offer to be Signed by Western Power

Western Power must present the *access offer* in such a form that it can, without anything else being required, become or modify an *access contract* or *access contracts* when *signed* by an *applicant*.

4.2 If Application Requests Reference Services

If an *application* requests a *reference service*, then the *access offer* must be on materially the same terms as the *standard access contract* applicable to the *reference service*.

4.3 If Application Requests Non-Reference Service

If an application requests a non-reference service, then the terms of the access offer must be:

- (a) consistent with the Code objective; and
- (b) reasonable; and
- (c) subject to this applications and queuing policy, as similar as practicable to those terms requested in the *application* dealing with the relevant matter, and negotiated in good faith by the *applicant* and Western Power during the processing of the *application*.

4.4 Services Start Date and Services End Date

The services start date and the services end date specified in the access offer must be as close as practicable to the services start date and the services end date sought in the application.

4.5 Conditions Precedent Permitted in Access Contract

Western Power and an *applicant* must negotiate in good faith regarding any conditions precedent that the *applicant* or Western Power seek to have included in an *access contract* in order to achieve the objectives set out in clause 4.6. For the avoidance of doubt, Western Power may require a condition precedent in the *access contract* that:

- (a) the works involved in providing access to the applicant pass a regulatory test (if required); and
- (b) other applicants that:
 - (i) are in the same competing applications group as the applicant; and
 - (ii) have been or are subsequently offered access contracts,



enter those *access contracts* with Western Power and that any conditions precedent in those *access contracts* are fulfilled.

4.6 Objectives with Regard to Conditions Precedent

The objectives of this applications and queuing policy with regard to conditions precedent are:

- (a) conditions precedent in *access contracts* should facilitate the development of electricity consuming and *generating* projects and provide flexibility; and
- (b) conditions precedent should not unduly impede the ability of Western Power to provide *covered* services to competing applicants or cause uncertainty and delay; and
- (c) conditions precedent should not constitute an inappropriate barrier to entry into a market or be for the purpose of hindering or preventing *access* by any person to *covered services*.

4.7 Conditions Precedent and Determination of Spare Capacity

In determining whether there is sufficient *spare capacity* to provide *covered services* requested in an *application*, Western Power must regard any existing *access contracts* with conditions precedent as being unconditional.

4.8 Conditions Precedent Not Longer Than 8 Months

- (a) Western Power and an *applicant* must not enter into an *access contract* that contains a condition precedent that may be fulfilled more than 8 months from the date the *access contract* was entered into, unless the condition precedent relates to the completion of the related *works* and the *applicant* and Western Power agree that a longer period is reasonably necessary due to the nature of *works* to be conducted, in which case the period of 8 months may be extended by agreement between the *applicant* and Western Power.
- (b) If, after the period of time agreed under clause 4.8(a), a condition precedent in an *access contract* has not been fulfilled, then:
 - (i) if there is no *competing application*, Western Power and the relevant *user* may agree within 20 business days to extend the period in the *access contract* allowed for the satisfaction of the condition precedent by up to a further 6 months; or
 - (ii) if there is a *competing application*, then, subject to clause 6, Western Power and the existing *user* must negotiate in good faith within 20 business days to accommodate both the *user's* and the *competing applicant's* requirements.

{Note: this might mean sharing the costs of *augmentation* as calculated under the *contributions* policy, or some other means of resolving the conflict.}

- (c) If no agreement is reached under clause 4.8(b), then either Western Power or the user may:
 - (i) terminate the access contract; or
 - (ii) waive any conditions precedent that are for the benefit of that party if that would result in the *access contract* becoming unconditional; or
 - (iii) refer this matter to the Arbitrator as an access dispute.



4.9 Security

- (a) Subject to clause 4.9(b), if there is a material risk that the *applicant* will be unable to meet any or all of its liabilities under an *access contract* resulting from the *applicant's application*, then Western Power may require the *applicant* to procure:
 - (i) an indemnifier acceptable to Western Power (acting as a reasonable and prudent person) who will agree to be a party to the *access contract* and indemnify Western Power in respect of those liabilities; or
 - (ii) a guarantor acceptable to Western Power (acting as a reasonable and prudent person) to provide a guarantee in favour of Western Power substantially in the form set out Schedule 1,
- (b) If an *applicant* has an unqualified credit rating of at least:
 - (i) BBB from Standard and Poor's Australia Pty Ltd; or
 - (ii) BAA from Moody's Investor Service Pty Ltd,
 - and provides evidence to this effect to Western Power, without limiting the User's security obligations related to clause 4.9(c), then Western Power is not entitled to require the User to provide the security under clause 4.9(a).
- (c) Notwithstanding an *applicant* providing evidence that it has an unqualified credit rating in accordance with clause 4.9(b), Western Power may, as a condition under an *access contract* or otherwise, require the *user or indemnifier* to provide an irrevocable and unconditional bank guarantee or equivalent financial instrument in terms acceptable to Western Power (acting as a reasonable and prudent person), guaranteeing the value of any amount of any *contribution* that remains unpaid or not provided at the time of requirement.
- (d) Western Power may perform a security assessment under this clause 4.9 prior to making an *access* offer.

4.10 Arbitrator's Powers Preserved

Nothing in this clause 4 limits the *Arbitrator's* power to make an award compelling Western Power to provide *access* to a *covered service* on terms specified in the award.

5 Entering Into or Modifying an Access Contract

5.1 When Access Offer Becomes Access Contract

- (a) An access offer becomes an access contract, or modifies an existing access contract in accordance with the terms of that access contract, as applicable, when signed by both parties.
- (b) Western Power must sign the access offer before giving the access offer to the applicant.

5.2 Applicant's Options on Receipt of an Access Offer

The *applicant* must as soon as practicable, and in any event within 30 business days after receipt of an *access offer*, either:

- (a) sign the access offer, thereby entering into an access contract or modifying an existing access contract, as applicable; or
- (b) by notice to Western Power reject the access offer and request amendments to the application; or



(c) by notice to Western Power withdraw the application,

and if 30 Business Days after receipt of the *access offer* the *applicant* has not complied with any of clauses 5.2(a), 5.2(b), or 5.2(c), then (unless the *Arbitrator* makes an order extending the time limit on the ground that the delay is beyond the *applicant's* reasonable control) the *applicant* is to be taken to have withdrawn its *application* and any, as applicable, associated *electricity transfer application* or *connection application*.

5.3 If Applicant Rejects Access Offer and Requests Amendments

If the *applicant* rejects an *access offer* and requests amendments to the *application* under clause 5.2(b), Western Power and the *applicant* must negotiate in good faith regarding the *application*, but if Western Power and the *applicant* have not signed an *access contract* (including an *access contract* with conditions precedent) within 30 business days, then the *application* and any, as applicable, associated *electricity transfer application* or *connection application* will be deemed to have been withdrawn.

5.4 If Applicant Accepts Access Offer

If the applicant signs the access offer, it must:

- (a) forthwith give written notice of the signing to Western Power;
- (b) as soon as practicable procure the stamping of the *signed access contract*, if applicable, and pay all duties that are assessed by the Office of State Revenue on the *access contract*; and
- (c) as soon as practicable thereafter give to Western Power at least one original copy of the *signed* and stamped *access contract*.

5.5 Connection Application Ceases to Exist After Signing

Upon both Western Power and the *applicant signing* an *access contract*, and any conditions precedent in the *access contract* being fulfilled, the *application* in relation to which the *access contract* was entered ceases to exist.

6 Confidentiality

6.1 Confidential Information

Information which Western Power is required to disclose under clauses 18.2A, 24.9(a), 24.9(b) and 24.9(c) is not *confidential information*.

6.2 Confidential Information Must Not be Disclosed

Western Power, an applicant or a disclosing person must not disclose confidential information unless:

- (a) the disclosure is made on a confidential basis:
 - (i) to the Authority;
 - (ii) to the market operator; or
 - (iii) to system management; or
- (b) the disclosure, where it is made by an *applicant* or a *disclosing person*, is made to a worker of Western Power who is bound by an adequate confidentiality undertaking; or
- (c) the disclosure is made with the consent of the disclosing person; or



- (d) the disclosure is required or allowed by *law*, or by the *Arbitrator* or another court or tribunal constituted by *law*; or
- (e) the information has entered the public domain other than by breach of this clause 6.2; or
- (f) the information could be inferred by a reasonable and prudent person from information already in the public domain; or
- (g) the disclosure is made in accordance with clauses 24.9(d) or 24.10.



Part B - Electricity Transfer Applications

7 Costs and Timing of Processing Electricity Transfer Applications

7.1 Where Applicant Seeks a Reference Service

- (a) An applicant who seeks a reference service must pay to Western Power the lodgement fee in the price list specified as being applicable to the applicant's application in this applications and queuing policy, which will be either:
 - (i) a new connection point fee; or
 - (ii) an access contract modification fee; or
 - (iii) a new access contract fee.
- (b) If the *applicant* is not an existing *user*, then the *lodgement fee* must be paid at the time the *applicant* lodges its *electricity transfer application*.
- (c) If the *applicant* is an existing *user*, then the *lodgement fee* will be added to the next invoice under the *user's* existing *access contract*.
- (d) Western Power must notify the *applicant* that it has received the *applicant's electricity transfer application* within 5 business days.
- (e) Subject to Western Power performing a security assessment under clause 4.9, if the *applicant* is an existing *user* and selects a *reference service*, then Western Power must use reasonable endeavours to make an *access offer*, by notice to the *applicant*, to modify the *applicant's access contract*:
 - (i) within 5 business days of receiving the complete electricity transfer application; or
 - (ii) within 5 business days of an access offer being signed by an applicant for any associated connection application,

whichever is later.

- (f) Subject to Western Power performing a security assessments under clause 4.9, if the *applicant* is not an existing *user*, and selects a *reference service*, Western Power must use reasonable endeavours to make an *access offer*:
 - (i) within 10 business days of receiving the complete electricity transfer application; or
 - (ii) within 5 business days of an access offer being signed by an applicant for any associated connection application,

whichever is later.

7.2 Where Applicant Seeks a Non-Reference Service

- (a) An applicant seeking a non-reference service, including, but not limited to, an exit service or an entry service or a bidirectional service with a different tariff or a different access contract than for an equivalent reference service, must, when requested by Western Power, pay an amount to Western Power in respect of a reasonable cost incurred, or to be incurred within a reasonable timeframe, in processing the application.
- (b) The total of the costs referred to in clause 7.2(a) must not exceed the reasonable costs which would be incurred by a prudent *service provider*, acting efficiently and in good faith, seeking to achieve the lowest practicable cost of processing the *application*.



- (c) The costs referred to in clause 7.2(a) must not include any costs of Western Power in relation to an *access dispute* (which are to be awarded by the *Arbitrator* under Chapter 10 of the *Code*).
- (d) If an *applicant* selects a *non-reference service*, then Western Power must make an *access offer* as soon as practicable after the *complete application* is lodged, having regard to the nature of the *non-reference service* being sought by the *applicant*.

7.3 Connection Application Costs Not Affected

Nothing under this Part B affects costs applicable for a *connection application*.

7.4 Unused

8 Eligibility Criteria for Reference Services

If an *applicant* seeks a *reference service* under this Part B and Western Power is satisfied as a reasonable and prudent person that the *applicant* does not meet the eligibility criteria given in the *access arrangement* for the *reference service*, then Western Power may reject the *applicant's electricity transfer application*.

9 Electricity Transfer Application for a New Connection Point

9.1 Customer Transfer Request

- (a) An *incoming retailer* may lodge a *customer transfer request* with Western Power with respect to an *exit point* at which electricity is proposed to be supplied to a *contestable customer*. With respect to the *customer transfer request*:
 - (i) Western Power, the *incoming retailer* and the *previous retailer* must comply with the *Customer Transfer Code*; and
 - (ii) except as specified in this clause 9, this applications and queuing policy does not apply.
- (b) Western Power must not process the *customer transfer request* if it determines under clause 13 that the *customer transfer request* relates to the supply of electricity to a *customer* who is not a *contestable customer*.
- (c) Western Power must process a *customer transfer request* such that the *incoming retailer* receives the same *covered service* at the same *contracted capacity* as the *previous retailer*.
- (d) The *exit point* must be transferred as a complete and indivisible unit such that all associated meters are transferred in one transaction.
- (e) If the *incoming retailer* seeks to modify the *covered service* with respect to an *exit point* that has been the subject of a *customer transfer request*, then that *incoming retailer* must make an *application* under this applications and queuing policy as a separate transaction after the *customer transfer request* has been processed.

9.2 Creating a New Connection Point or Connecting New Generating Plant

- (a) An *applicant* who seeks to create a new *connection point* or to install new *generating plant* at an existing *connection point* must:
 - (i) submit an *electricity transfer application* on the *application form* that is applicable for the type of *facilities and equipment* to be *connected* at the *connection point*; and
 - (ii) submit, or procure that its *customer* submits, a *connection application*.



- (b) If the *applicant* is seeking a *reference service*, then:
 - (i) if the *applicant* is an existing *user*, the new *connection point lodgement fee* applies to the *application*; or
 - (ii) if the *applicant* is not an existing *user*, the new *access contract lodgement fee* applies to the *application*,

but if the applicant is seeking a non-reference service then clause 7.2 applies to the application.

- (c) If an *applicant* submits an *electricity transfer application* subsequent to Western Power making an *access offer* for an associated *connection application* (to the *applicant*, its *customer* or another person) and:
 - (i) the capacity; or
 - (ii) the services start date (as relates to the transfer of electricity); or
 - (iii) the services end date (as relates to the transfer of electricity),

sought in the *connection application* and the *electricity transfer application* are not the same, such that the application of the *contributions policy* based on the information in the *electricity transfer application* would produce a *contribution* different to that specified in the *access offer* for the associated *connection application*, then Western Power may:

- (iv) where the *contribution* would be higher to that specified in the *access offer*, require the *applicant* to pay the difference; or
- (v) where the *contribution* would be lower to that specified in the *access offer* and the *contribution* specified in the *access offer* has been paid by the *applicant*, rebate the difference to the person who paid a *contribution* in respect of the *connection application*,

as applicable.

- (d) The *services start date* for the *covered services* sought under the *electricity transfer application* will be the later of:
 - (i) the *services start date* (as relates to the transfer of electricity) sought in the *connection* application; or
 - (ii) the services start date sought in the electricity transfer application; or
 - (iii) the completion date of any works resulting from the connection application

10 Electricity Transfer Application to Modify an Existing Covered Service

10.1 Selection of Different Covered Service or Selection or Modification of an Existing Non-Reference Service

- (a) An applicant may make an electricity transfer application to select a different reference service, or to select or modify a non-reference service, with respect to a connection point in the applicant's access contract, by notice to Western Power.
- (b) If the *applicant* is seeking a *reference service*, then the new *connection point lodgement fee* applies to the *application*.
- (c) If the *applicant* is seeking a *non-reference service* then clause 7.2 applies to the *application*.



- (d) If Western Power considers, as a reasonable and prudent person, that the requested change in *covered service* indicates that the *applicant* will require a greater *capacity*, then:
 - (i) Western Power must notify the *applicant* within 5 business days whether the *applicant* must also submit, or procure that its *controller* submits, a *connection application* for an increase in *contracted capacity*; and
 - (ii) the *priority date* of such *connection application* shall comprise:
 - (A) if a complete connection application is received by Western Power within 20 business days of the notice sent to the applicant under clause 10.1(d)(i), the date Western Power received the electricity transfer application under clause 10.1(a); and
 - (B) otherwise, the date Western Power received the complete connection application.
- (e) If the *application* requests a new *covered service* that is serviced at a different voltage than the existing *covered service*, then Western Power must notify the *applicant* that it must submit, or procure that its *controller* submits, a *connection application*.

10.2 Increase or Decrease in Contracted Capacity

- (a) An *electricity transfer application* to increase or decrease *contracted capacity* with respect to an existing *covered service* under the *applicant's access contract*, including as required for a *relocation*, may be made by notice to Western Power.
- (b) The *lodgement fee* for an *access contract* modification applies to the *applicant's application*, plus any costs for any associated *connection application*.
- (c) Western Power must notify the *applicant* whether or not it accepts the increase or decrease in *contracted capacity* within 5 business days of receipt by Western Power of the *applicant's* notice under clause 10.2(a) (or such further time as a prudent *service provider* would reasonably require to consider such *application*).
- (d) Western Power must accept the increase or decrease in *contracted capacity* if it forms the view as a reasonable and prudent person that:
 - (i) accepting the increase or decrease in *contracted capacity* would not be likely to impede the ability of Western Power to provide a *covered service* sought in an *application* lodged by another *applicant*; and
 - (ii) it is not likely that an *augmentation* or any *work* would be required to provide the increase or decrease in *contracted capacity*; and
 - (iii) in the case of a second or further *application* or notice in any rolling period of 12 months, the additional *application* or notice satisfies clause 10.3.
- (e) If Western Power determines that it cannot form the view required for acceptance of the increase or decrease in *contracted capacity* under clause 10.2(d), then:
 - (i) Western Power must notify the *applicant* that it must submit, or procure that its *controller* submits, a *connection application*; and
 - (ii) the priority date of such connection application shall comprise:
 - (A) if a complete connection application is received by Western Power within 20 business days of the notice sent to the applicant under clause 10.2(e)(i), the date Western Power received the electricity transfer application under clause 10.2(a); and
 - (B) otherwise, the date Western Power received the complete connection application.



10.3 More than 1 Change or Modification Within 12 Months

If Western Power receives:

- (a) more than 1 application or notice under clause 10.1; or
- (b) more than 1 application or notice under clause 10.2,

seeking to change the *covered service*, including to decrease or increase the contracted capacity, with respect to a single *connection point* in any rolling period of 12 months, then in relation to each additional *application* or notice, Western Power:

- (c) must, subject to this clause 10, accept the change of *covered service*, where Western Power is satisfied, as a *reasonable and prudent person*, that the new *covered service* will be sufficient to meet the actual requirements of the *applicant*, and that it is required by reason of one or more of the following circumstances:
 - (i) a fundamental change in the nature of the business or operation conducted at the connection point; or
 - (ii) a shutdown of the business or operation conducted at the connection point (including a shutdown for maintenance purposes) for longer than 1 continuous month; or
 - (iii) a decrease in the number of capacity credits (as defined in the Market Rules) allocated to any generating plant at the connection point under the Market Rules; or
 - (iv) as part of a relocation,

and

(d) notwithstanding clause 10.3(c), is entitled to refuse the change in *covered service* where Western Power is satisfied, as a reasonable and prudent person, that the change is sought by reason of the seasonal nature of the business or operation at the *connection point*.

10.4 Modification of Generating Plant

- (a) An *applicant* must make a *connection application* before materially changing any of those characteristics of *generating plant connected* at a *connection point* required to be provided in the applicable *application form*.
- (b) If the *applicant signs* an *access offer* in respect of the *connection application*, then the parties must amend the *applicant's access contract* accordingly.

11 De-energisation and Re-energisation

11.1 De-energisation

A request by a *user* to Western Power to *de-energise* an existing *connection point* under the *user's access contract* or applicable *laws* is not an *application* and this applications and queuing policy does not apply to it.

11.2 Re-energisation

(a) An applicant who seeks to re-energise an existing de-energised connection point must submit an electricity transfer application on the application form that is applicable for the type of facilities and equipment connected or to be connected at the connection point.



Page 30

- (b) If the applicant does not have an electricity transfer access contract, then the lodgement fee for a new access contract applies to the application, plus costs associated with the re-energisation under the Metering Code.
- (c) If the *de-energised connection point* is not on the *applicant's electricity transfer access contract*, then the *lodgement fee* for a new *connection point* applies to the *application*, plus costs associated with the *re-energisation* under the *Metering Code*.
- (d) If the *de-energised connection point* is on the *applicant's electricity transfer access contract*, then only the costs associated with the *re-energisation* under the *Metering Code* apply to the *application*.
- (e) Subject to clause 11.2(g), Western Power must determine, as a reasonable and prudent person, within 5 business days whether it will accept the request for *re-energising*.
- (f) If Western Power determines that it cannot accept the request for *re-energising* under clause 11.2(e), then:
 - (i) Western Power must notify the *applicant* that it must submit, or procure that its *controller* submits, a *connection application*; and
 - (ii) the priority date of such connection application shall comprise:
 - (A) if a complete connection application is received by Western Power within 20 business days of the notice sent to the applicant under clause 11.2(f)(i), the date Western Power received the electricity transfer application under clause 11.2(a); and
 - (B) otherwise, the date Western Power received the complete connection application.
- (g) Nothing in clause 11.2 derogates from the obligations of Western Power to *re-energise* a connection point within the timeframes specified in clause 8.2 of the Code of Conduct for the Supply of Electricity to Small Use Customers 2004 or regulations 7 and 8 of the Electricity Industry (Obligation to Connect) Regulations 2005.

12 Electricity Transfer Application to Obtain a New Access Contract

- (a) An *applicant* who seeks a new *access contract*, other than under clauses 8 to 11, may make an *electricity transfer application* by notice to Western Power.
- (b) If an applicant makes an application under clause 12(a), then:
 - (i) if the *applicant* seeks a *standard access contract*, the *lodgement fee* for a new *access contract* applies to the *application*; or
 - (ii) if the *applicant* seeks an *access contract* that is materially different to a *standard access contact*, then clause 7.2 applies to the *application*.

13 Contestability Assessment

13.1 Western Power Must Perform Contestability Assessment

- (a) When:
 - (i) an applicant makes an electricity transfer application or a connection application to establish a new exit point; or
 - (ii) an incoming retailer makes a customer transfer request with regard to an exit point,



- Western Power must determine if the *application* or *customer transfer request* is being made for the purpose of the supply of electricity to a *contestable customer* at that *exit point*.
- (b) Western Power must perform an assessment under this clause 13 within 5 business days of the event that triggered the assessment.

13.2 Unused

13.3 Rejection of Application

Western Power must reject an *application* where it is not authorised under the *Electricity Corporations Act* 2005 or other *written law* to make an *access offer* for the purpose of the supply of electricity to a *customer* because that *customer* is not a *contestable customer*.

{Note: Under section 54 of the *Electricity Corporations Act 2005*, Western Power is prohibited from supplying services for the purpose of the supply of electricity to a *customer* that is not a *contestable customer* by a person other than the 'Electricity Generation and Retail Corporation' (as defined in section 3 of the *Electricity Corporations Act 2005*) or a subsidiary of that corporation.}

14 Connection Point Configuration

14.1 Rules for Mapping Network Assets to a Single Connection Point

Western Power must comply with the following when determining the configuration of a connection point:

- (a) the proposed configuration must meet the WA Electrical Requirements, made pursuant to regulation 49 of the Electricity (Licensing) Regulations 1991; and
- (b) a connection point may be associated with one or more revenue meters which measure and record energy data, or none if it is an unmetered connection point; and
- (c) if the *connection point* is associated with more than one *revenue meter*, they must be either all *interval meters* or all *accumulation meters*, and not a combination of more than one type of *revenue meter*; and
- (d) a connection point may comprise more than one attachment point to the network provided that each attachment point is to the same lot or premises and is operated at the same voltage; and
- (e) a connection point must have one and only one controller at the connection point; and
- (f) a connection point must have only one type of exit service, if any, and only one type of entry service, if any, and only one type of bidirectional service, if any; and
- (g) a connection point must have only one applicable loss factor.

14.2 One NMI per Connection Point

Western Power must allocate one NMI per connection point.

14.3 Combining Multiple Connection Points into a Single Connection Point

- (a) A person may make an *electricity transfer application* to have multiple *connection points* supplying a single *premise* or adjacent *premises* of a single commercial or industrial complex combined into a single *connection point*, subject to clause 14.1, by notice to Western Power.
- (b) The lodgement fee for a new connection point applies to an application made under clause 14.1.



- (c) Where an *applicant* applies under clause 14.3(a), the *applicant* must demonstrate that the *connection points* are integral to a single business.
 - {For example, a supermarket acquiring adjacent *premises* to its existing *premises* with the intention of expanding its operation across these *premises* can combine the two *exit points* into a single *exit point*.}
- (d) Where an *application* is made under clause 14.3(a) by an *applicant* who is not the *retailer* in relation to a relevant *connection point*, the *applicant* must obtain the consent of the *retailer*.
- (e) A retailer must have verifiable consent from its customer before making an electricity transfer application to change the configuration of a connection point.
- (f) Western Power must determine, as a reasonable and prudent person, within 5 business days whether it will accept the *application*.
- (g) If Western Power determines that it cannot accept the application under clause 14.3(f), then:
 - (i) Western Power must notify the *applicant* that it must submit, or procure that its *controller* submits, a *connection application*; and
 - (ii) the *priority date* of such *connection application* shall be determined:
 - (A) if a complete connection application is received by Western Power within 20 business days of the notice sent to the applicant under clause 14.3(g)(i), from the date Western Power received the electricity transfer application under clause 14.3(a); and
 - (B) otherwise, from the date Western Power received the complete connection application.

14.4 Separating a Single Connection Point to Create Multiple Connection Points

- (a) An *applicant* may make an *electricity transfer application* to divide a single *connection point* into multiple *connection points*, subject to clause 14.1.
 - {Note: This might occur, for example, to allow the new *connection points* to be migrated to a different *user's access contract*.}
- (b) Each connection point created under clause 14.4(a) must have its own metering equipment.
- (c) Where an *application* is made under clause 14.4(a) by an *applicant* who is not the *retailer* in relation to the *connection point*, the *applicant* must obtain the consent of the *retailer*.
- (d) A retailer must have verifiable consent from its customer before making an electricity transfer application to change the configuration of a connection point.
- (e) Western Power must determine, as a reasonable and prudent person, within 5 business days whether it will accept the *application*.
- (f) If Western Power determines that it cannot accept the application under clause 14.4(e), then:
 - (i) Western Power must notify the *applicant* that it must submit, or procure that its *controller* submits, a *connection application*; and
 - (ii) the *priority date* of such *connection application* shall be determined:
 - (A) if a complete connection application is received by Western Power within 20 business days of the notice sent to the applicant under clause 14.4(f)(i), from the date Western Power received the electricity transfer application under clause 14.4(a); and
 - (B) otherwise, from the date Western Power received the complete connection application.



14.5 Multiple Trading Relationships at a Connection Point

Notwithstanding clauses 14.1 to 14.5, if multiple trading relationships at a *connection point* are permitted by *law* and all necessary approvals have been given for such an arrangement, Western Power and an *applicant* may agree to depart from the requirements of this clause 14 to the extent necessary to facilitate that arrangement.

15 Time to Perform Obligations

15.1 Extension of Time to Perform Obligations

- (a) If:
 - (i) Western Power (acting as a reasonable and prudent person) has requested further information from an *applicant* under clause 3.11 which it reasonably requires to process an *electricity* transfer application; and
 - (ii) the request was made as soon as Western Power became aware that it required the information; and
 - (iii) Western Power has expeditiously and diligently progressed the processing of the *electricity* transfer application before making the request, after receiving the information and (to the extent possible) between making the request and receiving the information,

then the time period for complying with any obligation under this applications and queuing policy is extended by an amount of time equal to the time taken by the *applicant* to comply with the request.

- (b) Without limiting the generality of clause 2.5, an applicant and Western Power may agree to extend any one or more of any of the time periods set out in this applications and queuing policy on one or more occasions, and:
 - (i) the time period is extended by the amount of time agreed; and
 - (ii) unless otherwise agreed, the time for complying with any other obligation is extended by the same amount of time.

15.2 Concurrent Applications

Western Power must use reasonable endeavours to comply with the timeframes set out in this applications and queuing policy in respect of each *electricity transfer application* which is lodged with Western Power, whether or not it is processing more than one *electricity transfer application* concurrently.



Part C - Connection Applications

16 Specific Connections Applications

16.1 Connection Application for a New Connection Point

An *applicant* who seeks to create a new *connection point* or to install new *generating plant* at an existing *connection point* must:

- (a) submit a connection application on the connection application form that is applicable for the type of facilities and equipment to be connected at the connection point; and
- (b) submit, or procure that its *retailer* submits, an *electricity transfer application* under Part B of this applications and queuing policy.

16.2 Connection Application for an Increase or Decrease of Contracted Capacity

- (a) If, after processing an *electricity transfer application* under clause 10.2, Western Power requires a *connection application*, including in relation to a *relocation*, then the *user* must submit or, if applicable, procure that its *customer* submits, a *connection application* on the *connection application form* that is applicable for the type of *facilities and equipment* that is *connected* at the *connection point*.
- (b) If a customer submits a connection application with respect to a connection point that will result in an increase to the contracted capacity of the customer's retailer for that connection point, then the customer must procure that its retailer submit an associated electricity transfer application under Part B of this applications and queuing policy.

16.3 Connection Application to Modify Generating Plant

If an applicant seeks to materially change the characteristics of generating plant connected at a connection point, including in relation to a relocation, then the applicant must complete those parts of the appropriate application form that deal with those characteristics, and include any additional information specified in the application form (which might include equipment schedules, drawings and computer models) that Western Power, as a reasonable and prudent person, might require to assess the impact of the modification on the network and other users, and compliance of the modified generating plant with the technical rules.

16.4 Connection Application to Modify or Augment the Network

- (a) An *applicant* who seeks to modify or *augment* the *network* for the purpose of receiving a *covered* service, including in relation to a *relocation*, other than under clause 16.1 must submit a *connection* application on the applicable *connection* application form.
- (b) If there is no applicable *application form* provided for a *connection application* then the *applicant* may submit its *connection application* by notice to Western Power.

16.5 Opt-out of Competing Applications Group Process

(a) An applicant may, at the time of making a connection application under clause 16, elect that the connection application is to be processed as an applicant-specific solution and is not to be considered as part of a competing applications group.



(b) If an *applicant* makes an election under clause 16.5(a), it will be deemed to have made a request for a study under clause 20.3(a) and clause 20.3 shall apply to the processing of that *application*.

17 Lead Time for Connection Applications

An applicant must endeavour to lodge a connection application to Western Power within a reasonable time before the requested services start date, having regard for:

- (a) the time required to determine if any *works* are required, and if so then the time required to plan, design, cost, approve, finance, construct and commission the *works*, including, if applicable, the time required to perform a *regulatory test*; and
- (b) the time required to finalise an access offer for the connection application; and
- (c) if the *applicant* has requested a derogation from the *technical rules*, then the time required to process this request.

17A. Pre-enquiry Discussions

17A.1 Applicant May Contact Western Power

A party considering making a *connection application* may contact Western Power to discuss a proposed *connection application* with Western Power. Western Power will provide reasonable assistance to such *applicants* but this will not include undertaking studies for the *applicant*.

17A.2 Informal Discussions Not Binding

The discussions under this clause 17A are not binding on Western Power, and Western Power is not liable for any error or omission that is made as a reasonable and prudent person in the discussions under this clause 17A.

17A.3 Provision of Information on Request

On request by the party, Western Power will, subject to clauses 17A.4 and 6.2, provide the party with all existing commercial and technical information that is in Western Power's possession, custody or control that is reasonably required or requested by the party to help it decide whether to make an *application*.

17A.4 Provision of Confidential Information

- (a) Where commercial or technical information referred to in clause 17A.3 is confidential information:
 - (i) which is confidential to Western Power and in Western Power's possession, custody or control, Western Power will use reasonable endeavours to enter into an adequate confidentiality undertaking with respect to the disclosure of the *confidential information* to the party deciding whether to make an *application*;
 - (ii) disclosed to Western Power by a disclosing person, an applicant or a third party, except where clause 24.9(d) applies, Western Power will request the consent of the relevant disclosing person or applicant to the disclosure of the confidential information to the applicant and, in the event that the relevant disclosing person or applicant does not consent to such disclosure, Western Power will use reasonable endeavours to provide the relevant confidential information to the party who has requested the information in an aggregated or other form in which its confidential aspects cannot be identified.



(b) Where the relevant disclosing person or applicant ("first person"), under clause 17A.4(a)(ii), notifies Western Power it will consent to the disclosure of the confidential information to the other applicant ("second person") if the second person executes a confidentiality undertaking in favour of the first person, then Western Power will seek to facilitate the process of conclusion of such undertaking but the first and second person must directly negotiate the terms of that undertaking between themselves.

18 Enquiry State

18.1 Compulsory Enquiry Notification

- (a) Where an *applicant* expects, in good faith, to proceed to a *connection application*, then prior to lodging a *connection application* with Western Power, the a*pplicant*:
 - (i) must lodge an *enquiry* with Western Power to notify Western Power of the proposed *connection application*; and
 - (ii) may request that a preliminary assessment is undertaken under clause 19.3 prior to the *applicant* lodging the *connection application*.
- (b) Western Power must engage in discussions in good faith and use all reasonable endeavours to satisfactorily and promptly address any matters raised by the *applicant*.

18.2 Applicant May Request Studies and Information

An *applicant* may request Western Power to undertake system studies or perform other work necessary to assist the *applicant* in preparing its *connection application*, in which case:

- (a) Western Power must endeavour to perform such work within a reasonable time;
- (b) unused; and
- (c) clause 20 applies.

{This might occur, for example, if the *applicant* needs input into feasibility studies to determine which of its potential projects proceeds to an *application*.}

18.2A Western Power to Issue an *Enquiry* Response Letter at Conclusion of *Enquiry* Stage

- (a) At the conclusion of the *enquiry* stage, Western Power must issue an *enquiry* response letter to the *applicant* setting out:
 - (i) a description of the information required for a *complete application*, and the results of any assessment that it may have carried out to indicate the extent of any *spare capacity* available to provide *covered services*;
 - (ii) the existence of any competing applications; and
 - (iii) any constraints known to Western Power on the ability of the *network* to provide the *capacity* proposed as *contracted capacity* in the *connection application* by the *applicant*.
- (b) Western Power will provide the *enquiry* response letter to the *applicant* within 20 business days of the lodgement of the *enquiry*, or within 20 business days of completion of any system studies or other *works* requested by the *applicant* under clause 18.2. If not all the information is available within that timeframe, Western Power will provide the *applicant* with as much information as



possible within 20 business days and an estimated time, being not greater than 20 business days, when the balance of the outstanding information will be provided.

18.3 Enquiry Response Letter and Discussions Not Binding

The *enquiry* response letter and discussions under this clause 18 are not binding on Western Power, and Western Power is not liable for any error or omission that is made as a reasonable and prudent person in the *enquiry* response letter and discussions under this clause 18.

18.4 Fees Payable

At the time that the *applicant* lodges an *enquiry* under this clause 18, Western Power may charge a non-refundable fixed fee for processing the *enquiry* as specified in the *price list*. For the avoidance of doubt, this is in addition to any other payment, charge for costs, or fee.

19 Reporting During the Processing of the Connection Application

19.1 Initial Response

- (a) Subject to clause 19.1(b), Western Power must provide an *initial response* to the *applicant* within 20 business days of receiving the *applicant's connection application*, specifying:
 - (i) the time by which Western Power will provide a preliminary assessment under clause 19.3 of the *connection application* (if such an assessment was not provided under clause 18.1 before the *connection application* was submitted and is required under clause 19.3); and
 - (ii) the time by which Western Power expects to make an access offer.
 - (iii) Unused.
- (b) If, by the time by which Western Power is required to give an *applicant* an *initial response* under clause 19.1, Western Power has given the *applicant* an *access offer*, Western Power is not required to provide an *initial response* to the *applicant*.

19.2 Initial Response is Not Binding

An *initial response* is not binding on Western Power, and Western Power is not liable for any error or omission, which is made as a reasonable and prudent person, in an *initial response*.

19.3 Preliminary Assessment

A preliminary assessment with regards to a connection application may consist of an assessment as to:

- (a) whether it is likely that there is sufficient spare capacity to provide the requested covered services or whether any works might be required to provide the covered services, including whether it is likely that any new connection assets will be required to provide the covered services requested in the application; and
- (a2) whether any other *applications* are *competing* with the *application* and the possible grouping of the *application* with *competing applications* into one or more *competing applications groups*; and
- (b) if it is likely that works will be required operational and technical details of the works; and
- (c) if it is likely that *works* will be required whether or not a *contribution* will likely be required from the *applicant* under the *contributions policy* and a good faith estimate of the approximate amount of the *contribution*; and



- (d) if it is likely that *works* will be required a good faith estimate of the likely time required for the planning, designing, approving, financing, construction and commissioning, as applicable, of any necessary *augmentation* or *works*; and
- (e) Western Power's proposal for processing the application, if applicable under clause 20.2.

To avoid doubt, a preliminary assessment must be undertaken in relation to a *connection application* either before that *application* is submitted in accordance with a request under clause 18.1 or after that *connection application* is lodged as advised by Western Power under clause 19.1(a)(i), unless otherwise agreed by Western Power.

19.4 Updates and Progress Reporting

- (a) An *applicant* must advise Western Power if there is a material change in any information previously provided by the *applicant* as part of the *applicant's application*.
- (b) Western Power must upon request by the *applicant* (which request must not be made more frequently than once per month, and must not be made less than one month following the provision of an *initial response*) provide a progress report to the *applicant* containing information in reasonable detail regarding the processing of the *connection application*, including whether there has been any material change in any estimates of scope, costs or times, either for processing the *connection application* or for any *works* that might result from the *connection application*, previously provided by Western Power.

20 Connection Application Costs

20.1 Applicant Must Pay Costs

- (a) If:
 - (i) the *applicant* lodges an *enquiry* under clause 18, and the *applicant* requests Western Power to perform any system or other studies, prepare detailed cost estimates or do any other work to assist the *applicant* prior to the *applicant* lodging a *connection application*;
 - (ii) an *applicant* has submitted a *connection application* and has agreed for Western Power to perform any system or other studies, prepare detailed cost estimates or do any other work to process the application, under clause 20.2, clause 20.3 or clause 24.1(d); or
 - (iii) an actual or prospective *applicant* has sought information or assistance from Western Power and Western Power has agreed to perform any system or other studies, prepare detailed cost estimates or do any other work to provide, or in connection with, that information or assistance,
 - then the *applicant* must, when requested by Western Power, pay to Western Power its reasonable costs incurred, or to be incurred within a reasonable timeframe, in processing the *enquiry* or *connection application* or otherwise undertaking the studies, cost estimates and work referred to in paragraphs (i), (ii) and/or (iii) above.
- (b) The total of the costs referred to in clause 20.1(a) must not exceed a genuine pre-estimate of the reasonable costs which would be incurred by a prudent *service provider*, acting efficiently and in good faith, in accordance with good electricity industry practice, seeking to achieve the lowest practicable cost of processing the *connection application*.
- (b1) For the avoidance of doubt, Western Power may charge *applicants* other fees and charges in addition to the costs referred to in this clause, and the provisions of clause 20.1(b) do not apply to



- such other fees and charges. Such fees include the *application* fees referred to in clause 7.1, the enquiry fee referred to in clause 18.4, the preliminary offer processing fee referred to in clause 24.3, and the preliminary acceptance fee referred to in clause 24.5(b).
- (c) The costs referred to in clause 20.1(a) must not include any costs of Western Power in relation to an access dispute (which are to be awarded by the *Arbitrator* under Chapter 10 of the *Code*).

20.2 Processing Proposal

- (a) Where Western Power considers that to process a *connection application*, or in connection with any request for information or other assistance made to it by an actual or prospective *applicant*, it must perform any system or other studies, prepare detailed cost estimates or do any other *works* or where an *applicant* requests a study under clause 20.3 then:
 - (i) Western Power must provide a proposal to the *applicant* outlining the scope, timing and a good faith estimate of the likely costs to be incurred for processing the *connection application* and/or otherwise undertaking the studies, cost estimates or other *works*; and
 - (ii) the *applicant* may request amendments to the scope of work in the proposal, in which case Western Power and the *applicant* must negotiate in good faith regarding the proposal. In the case of a *connection application* which has been lodged, if Western Power and the *applicant* have not agreed within 60 business days on the scope of the work in the proposal, then the *connection application* and any associated *electricity transfer application* will be deemed to have been withdrawn; and
 - {Note: This might occur, for example, where the *applicant* is able to perform some of the works itself.}
 - (iii) the *applicant* may reject the proposal, and in such a case, where a *connection* application has been lodged, then the *connection application* and any associated *electricity transfer application* are deemed to have been withdrawn; and
 - (iv) (if applicable) the *applicant* may at any time request Western Power to cease processing the *connection application*, in which case the *connection application* and any associated *electricity transfer application* are deemed to have been withdrawn and Western Power must cease all work on the *application*.
- (b) Where Western Power spends the costs paid to it by an *applicant* under clause 20.1(a) in processing the *connection application* or otherwise undertaking the requested cost estimates, studies or other work and requires further payment to cover its actual costs in completing the proposal, then it will notify the *applicant* of the reasons for these higher costs and will make a proposal for payment of such additional costs, and Western Power's proposal under this clause will be dealt with under clause 20.2(a) as though it was an original proposal.
- (c) Where Western Power has charged an *applicant* costs under clause 20.1(a), then at the time of making an *access offer* to that *applicant* or at the time an *application* is withdrawn (whichever is earlier):
 - (i) if Western Power's actual costs are less than the costs that it has charged, Western Power must refund the unexpended portion of those costs; or
 - (ii) if Western Power's actual costs are more than the costs that it has charged, Western Power may charge an additional fee to cover the reasonable costs in excess of the fee it charged, and the *applicant* must pay any such additional fee.
- (d) To avoid doubt, in this clause 20.2 references to an *applicant* may extend to a prospective *applicant*.



20.3 Applicant-specific Solution Option

- (a) An *applicant* may request Western Power to perform a study of the nature and costs of an *applicant-specific solution* to satisfy the *connection application*. Subject to agreement being reached under clause 20.2(a) in respect of that study, the *applicant* must pay the costs of that study. Western Power will endeavour, subject to receiving any necessary cooperation from the *applicant*, to complete the study within 60 business days.
- (b) Once Western Power has completed the study, it must provide:
 - (i) existing users that Western Power considers may be impeded; and
 - (ii) any competing applicant with an earlier priority date,

with the opportunity to object to providing the applicant-specific solution to the applicant.

- (c) An existing user and competing applicant with an earlier priority date may object to the applicant-specific solution within 30 business days on the grounds that the applicant-specific solution would impede Western Power's ability to provide covered services to that existing user or to provide the covered services that are sought in a competing application with an earlier priority date compared with what the position would be if the applicant-specific solution were not implemented.
- (d) Western Power will evaluate the objection within 40 business days of it being lodged and if it agrees that the *applicant-specific solution* would impede Western Power's ability to provide *covered services* to an existing *user* or to provide the *covered services* that are sought in a *competing connection application* with an earlier *priority date*, then it must either decline to offer an *applicant-specific solution* to the *applicant* or modify the *applicant-specific solution* so that the *applicant-specific solution* would not impede Western Power's ability to provide *covered services* to an existing *user* or the *covered services* that are sought in that other *application* with an earlier *priority date*. If Western Power elects to modify the *applicant-specific solution* then it must provide a further opportunity to object under clause 20.3(c) to existing *users* and *competing applicants* with an earlier *priority date* that Western Power considers may be impeded by the *applicant-specific solution*.
- (e) If:
 - (i) no objections are made to an applicant-specific solution; or
 - (ii) Western Power evaluates under clause 20.3(d) that an applicant-specific solution (whether the original applicant-specific solution or a further applicant-specific solution developed following modification under clause 20.3(d)) would not impede Western Power's ability to provide covered services to an existing user or to provide the covered services that are sought in a competing connection application with an earlier priority date,

then Western Power within 30 business days must make an *access offer* to the *applicant* based on the *applicant-specific solution* identified in this clause 20.3(e).

20.3A Interaction Between Applicant-Specific Solutions and Competing Applications Groups

For the avoidance of doubt, an *applicant* may seek an *applicant-specific solution* at any time while its application is under consideration. Where an *applicant* seeks an *applicant-specific solution* under clause 20.3 above, its *application* will, subject to clauses 16.5 and 24.1(b2), continue to be considered as part of any relevant *competing applications group*.



20.4 Disputes May be Referred to Arbitrator

A dispute between an *applicant* and Western Power regarding a cost under clause 20 may be referred by either party to the *Arbitrator* under section 10.13 of the Code (expedited hearings) for determination, in which case the *Arbitrator* may either affirm the amount or reduce it. Nothing in this clause limits the matters that may be the subject of an *access dispute*.

20.5 Use of Engineering Firms to Provide Studies

- (a) An *applicant* may ask Western Power to permit an engineering firm to conduct a system or other study under this clause 20.
- (b) Western Power will not unreasonably disagree to a request from an *applicant* to use an engineering firm to conduct a system or other study, and where Western Power does disagree, Western Power will provide written reasons explaining why it has disagreed.
- (c) Where Western Power agrees under clause 20.5(a) to a request from an *applicant*, then where this applications and queuing policy refers to a study done or to be done by Western Power, the reference to Western Power will be taken as a reference to the engineering firm.
- (d) Prior to permitting the engineering firm to conduct a system or other study, Western Power may require the engineering firm to enter into a confidentiality agreement.
- (e) Where Western Power agrees under clause 20.5(a) to a request from an *applicant*, Western Power will provide the engineering firm with all reasonable information and cooperation to enable the engineering firm to conduct the system or other study.
- (f) Western Power reserves the right to require amendments to a system or other study completed by an engineering firm where the system or other study does not provide the information that Western Power considers that Western Power requires from the system or other study.
- (g) Nothing in this clause 20.5 removes Western Power's right to charge *applicants* under clause 20 for Western Power's costs of processing applications, including but not limited to Western Power's costs under clause 20.5(e) and clause 20.5(f).

20A. Unpaid Fees or Charges

Where any fees or charges under this applications and queuing policy remain unpaid by an *applicant* more than 60 business days after they are levied or charged, then Western Power will send a final notice to the *applicant* demanding payment of the fees or charges ("final notice"). Where the *applicant* has not paid the fees or charges within 7 business days of the date of Western Power's final notice, the *applicant's* application and any associated electricity transfer application are deemed to be withdrawn.

21 Contributions Policy Applies

If, during the processing of the *connection application*, Western Power determines that *works* are required to provide the *covered services* sought in the *connection application*, then the *contributions policy* applies to the *connection application*.

22 Dormant applications

(a) Subject to clause 22(b), Western Power will give the *applicant* in respect of a *dormant application* a written notice requesting the *applicant* to show cause in writing why Western Power should



Page 42

- continue to process the *dormant application*, and stating the work required to be completed to process the *dormant application*.
- (b) In exercising its rights under this clause 22, Western Power must act as a *reasonable and prudent* person.
- (c) If an *applicant* does not respond to Western Power in writing within 20 business days of receipt of a notice under clause 22(a), the *dormant application*, and any associated *electricity transfer application*, shall be deemed to have been withdrawn and Western Power shall notify the *applicant* in writing accordingly.
- (d) If an *applicant* responds to Western Power within 20 business days of receipt of a notice under clause 22(a) that it no longer wishes to progress the *dormant application* to an *access offer*, the *dormant application*, and any associated *electricity transfer application*, shall be deemed to have been withdrawn upon Western Power's receipt of that response.
- (e) If the *applicant* responds to Western Power within 20 business days of receipt of a notice under clause 22(a) contending that Western Power should continue to process the *dormant application*:
 - (i) Western Power must issue the *applicant* with a processing proposal under clauses 20.2, 20.3 or 24 as soon as practicable; and
 - (ii) if an access contract has not been entered into in respect of the application within 12 months of the date on which the notice under clause 22(a) was issued, Western Power may provide written notice to the applicant under this clause 22(e)(ii) of that fact upon which the application, and any associated electricity transfer application, shall be deemed to have been withdrawn under this applications and queuing policy.
- (f) In issuing a notice under clause 22(e)(ii), Western Power must have regard to the objectives of this applications and queuing policy, the likelihood of the *application* progressing to an *access offer* and the existence of any *competing applications*.

23 Release of Contracted Capacity

Without limiting the circumstances by which *spare capacity* becomes available on the *network*, when an existing *user* reduces *contracted capacity* at one *connection point* and that reduction increases *spare capacity*, then any *application* for that *spare capacity* must be processed by Western Power in accordance with clause 24 and clause 24A, regardless of whether the *user* makes a concurrent *connection application* at that or another *connection point*.

24 Where There Are Competing Applications

24.1 Formation of Competing Applications Groups

(a) Where Western Power assesses that an application is competing with other applications then Western Power will, subject to clauses 16.5 and 24.8(b), manage competing applications by forming them into one or more competing applications groups and assessing a single set of works for shared assets required to meet some or all of the requirements of each competing applications group. To avoid doubt, where there are more than two competing applications Western Power may form all the competing applications into one competing applications group or it may form them into two or more competing applications groups as Western Power considers appropriate given the nature of the applications, including how the competing applications impede each other in respect of network constraints, the size of the capacity sought in each of the competing applications, and the current level of spare capacity.



- (b) An application may be sorted into more than one competing applications group where Western Power considers this appropriate given the nature of the application (for example where the application competes with certain other applications in respect of one network constraint and with certain other applications in respect of another network constraint).
- (b1) Western Power will notify an *applicant* within 30 business days of the *application* if it has sorted the *application* into one or more *competing applications groups*.
- (b2) Where Western Power notifies an *applicant* under clause 24.1(b1) that the *application* has been sorted into one or more *competing applications groups*, then the *applicant* may choose by notice to Western Power at any time that it does not wish to be considered in one or more of the *competing applications groups*. Western Power will accept the choice of the *applicant*.
- (c) To the extent necessary to allow:
 - (i) a supplier of last resort (as defined in section 67 of the *Act*) to comply with its obligations under Part 5 of the *Act*; or
 - (ii) a default supplier (as defined in section 59 of the *Act*) to comply with its obligations under section 59 of the *Act*,
 - an *applicant* may advise Western Power at any time that it does not wish to be considered to be included within a *competing applications group*, in which case it will be treated as having made an *application* for an *applicant-specific solution* and the *applicant's connection application* will be processed as an *applicant-specific solution* in accordance with clauses 19 and 20 (and the other relevant provisions) of this applications and queuing policy and the *applicant* will be deemed to have made a request for a study under clause 20.3(a).
- (d) To avoid doubt, where Western Power considers that to issue a notice of intention to prepare a *preliminary access offer* it must perform any system or other studies, Western Power may provide a processing proposal to the *applicants* within the *competing applications group* in accordance with clause 20.2.

24.2 Notice of Intention to Prepare a Preliminary Access Offer

Where Western Power considers that a single set of *works* for *shared assets* may meet some or all of the requirements of a *competing applications group*, it will issue a notice of intention to prepare a *preliminary access offer* to all *applicants* within that *competing applications group*, and charge a preliminary offer processing fee. To avoid doubt, the preliminary offer processing fee is not payable by an *applicant* who under clauses 24.3(b) or 24.3(c) elects to opt out of the *competing applications group* or who under clause 24.3(d) withdraws their application.

24.3 Response to Notice of Intention to Prepare a Preliminary Access Offer

Applicants must respond to the notice issued under clause 24.2 within 30 business days by:

- (a) agreeing to have their application considered within a competing applications group and paying the preliminary offer processing fee as specified in the price list. By paying the preliminary offer processing fee, applicants demonstrate the good faith of their intention to proceed to an access contract, and as such the preliminary offer processing fee is non-refundable. Where the applicant subsequently enters an access contract, the preliminary offer processing fee will be counted towards any contribution payable, where permissible under the contributions policy; or
- (b) advising that they wish to opt out of the *competing applications group* and make an *application* for an *applicant-specific solution*, in which case the *applicant's connection application* will be



- processed as an *applicant-specific solution* in accordance with clauses 19 and 20 (and the other relevant provisions) of this applications and queuing policy and the *applicant* will be deemed to have made a request for a study under clause 20.3(a); or
- (c) advising that they wish to opt out of the *competing applications group* but that they do not want to make an *application* for an *applicant-specific solution* and wish to retain their *priority date* and be considered for inclusion in another *competing applications group*, in which case the *application* shall retain its *priority date* and will be considered for inclusion in another *competing applications group* in accordance with clause 24.1(a); or
- (d) withdrawing their application.

Where *applicants* fail to respond to the notice issued under clause 24.2 within 30 business days, their *application* and any associated *electricity transfer application* will be deemed to have been withdrawn.

24.4 Western Power's Actions Following Response to the Notice of Intention to Prepare a Preliminary Access Offer

Following the response of *applicants* under clause 24.3 (if any), Western Power may, if it continues to consider that a single set of *works* for *shared assets* may meet some or all of the requirements of a *competing applications group*, make *preliminary access offers* to each *applicant* within the relevant *competing applications group* at the same time. Western Power will endeavour to make such *preliminary access offers* to each *applicant* within the relevant *competing applications group* within 60 business days after issuing the notice under clause 24.2.

24.5 Response to Preliminary Access Offer

- (a) Applicants must respond to the preliminary access offers within 30 business days after receipt of the preliminary access offers, by indicating in good faith in writing either:
 - (i) that it would accept such a preliminary access offer if it were an access offer; or
 - (ii) that it would reject such a *preliminary access offer* if it were an *access offer* and would request an amendment to the *preliminary access offer*. In this case Western Power and the *applicant* must negotiate in good faith regarding the form of the *preliminary access offer*, but if Western Power and the *applicant* have not agreed on the form of the *preliminary access offer* within 30 business days from the date on which the *applicant* received the *preliminary access offer*, then the *application* and any associated *electricity transfer application* will be deemed to have been withdrawn unless:
 - (A) the *applicant* has notified Western Power in writing that it wishes to be treated as having made an *application* for an *applicant-specific solution* and the *applicant's connection* application will be processed as an *applicant-specific solution* in accordance with clauses 19 and 20 (and the other relevant provisions) of this applications and queuing policy and the *applicant* will be deemed to have made a request for a study under clause 20.3(a); or
 - (B) the applicant has notified Western Power in writing that it wishes to opt out of the competing applications group but it does not want to make an application for an applicant-specific solution and wishes to retain its priority date and be considered for inclusion in another competing applications group, in which case the application shall retain its priority date and will be considered for inclusion in another competing applications group in accordance with clause 24.1(a); or
 - (C) the failure to agree on the form of the *preliminary access offer* within 30 business days is due to Western Power acting in bad faith, in which case Western Power and the *applicant*



must negotiate in good faith for a further period of 30 business days regarding the form of the *preliminary access offer* and clauses 24.5(a)(ii)(A) and 24.5(a)(ii)(B) shall apply. If no agreement is reached between Western Power and the *applicant* during this further period, and the *applicant* has not notified Western Power in accordance with clauses 24.5(a)(ii)(A) and 24.5(a)(ii)(B), the *application* and any associated *electricity transfer application* will be deemed to have been withdrawn; or

- (iii) that it would not accept such a *preliminary access offer* if it were an *access offer*, in which case the *connection application* and any associated *electricity transfer application* are deemed to have been withdrawn.
- (b) Where applicants respond under either clause 24.5(a)(i) or an agreement is reached regarding the form of the preliminary access offer under clause 24.5(a)(ii) ("preliminary acceptance"), the applicants must pay within 30 business days a preliminary acceptance fee as specified in the price list to Western Power to demonstrate the good faith of their intention to proceed to an access contract. The preliminary acceptance fee is non-refundable but, where the applicant subsequently enters an access contract, the preliminary acceptance fee will be counted towards any contribution payable, where permissible under the contributions policy.
- (c) If an *applicant* does not respond to Western Power within 30 business days of receipt of the *preliminary access offer* by one of the methods in clause 24.5(a), the *application* and any associated *electricity transfer application* shall be deemed to have been withdrawn.
- (d) To avoid doubt, *preliminary acceptance* does not give rise to a *contract*.

24.6 Subsequent Access Offers

After reviewing the responses by *applicants* to *preliminary access offers* under clause 24.5, Western Power will endeavour within 30 business days from the last date on which responses are required to be provided to Western Power under clause 24.5, to complete the following:

- (a) if Western Power considers it can make access offers to applicants within the competing applications group collectively for the costs nominated in the access offers, it will make access offers to applicants within the competing applications group conditional on sufficient acceptance of the access offers by applicants to ensure that access can be provided to the applicants collectively for the costs nominated in the access offers; or
- (b) if Western Power does not consider it can make *access offers* to *applicants* within the *competing applications group* collectively for the costs nominated in the *access offers*, it will revise its preliminary *access offer* and submit those revised *preliminary access offers* to *applicants*; or
- (c) where the sum of the *preliminary acceptance* by *applicants* within a *competing applications group* exceeds the *capacity* of the proposed *works*, Western Power may make *access offers* to *applicants* in the order of the *priority date* of *applications* until there is no more *spare capacity*. If Western Power fails to make an *access offer* to an *applicant* within a *competing applications group*, then notwithstanding any other provision in this applications and queuing policy, the *application* will remain valid and retain its *priority date* and Western Power will refund any preliminary offer processing fee or preliminary acceptance fee paid by the *applicant*.

{Note: An access offer might not be made to an applicant under 24.6(c) because there is no more spare capacity after making access offers to applicants with earlier priority dates.}

24.6A Minimum and Maximum Levels of Acceptance

An access offer to applicants within a competing applications group will specify:



- (a) if applicable, the minimum number of *applicants* that must accept the *access offers* made to that *competing applications group* (whether expressed by reference to the number of accepting *applicants*, the amount of *capacity* they accept or both) for Western Power to proceed to undertake the *works* specified in the *access offers* at the cost and on the other terms set out in those *access offers*;
- (b) if applicable, the maximum number of *applicants* that may accept the *access offers* made to that *competing applications group* (whether expressed by reference to the number of accepting *applicants*, the amount of *capacity* they accept or both) for Western Power to proceed to undertake the *works* specified in the *access offers* at the cost and on the other terms set out in those *access offers*.

24.6B Failure to Achieve Minimum Levels

Where the minimum levels of acceptance set out in clause 24.6A are not met then any acceptance of an access offer will be of no effect but Western Power will seek to revise the access offers so as to meet the requirements of those applicants who did accept access offers and issue new access offers, provided that there is no obligation on Western Power to revise access offers where no applicants accepted access offers (without prejudice to the entitlement of such applicants to opt for an applicant-specific solution or make new applications).

24.6C Exceeding Maximum Levels

- (a) Where the maximum levels of acceptance set out in clause 24.6A are exceeded then priority will, subject to clause 24A.5, be given to *applicants* with an earlier *priority date* in determining which access offers will be of effect and which of no effect. Subject to paragraph (b) below, where an applicant's acceptance is not effective that applicant ("reallocated applicant") will be allocated to a new competing applications group.
- (b) In respect of the reallocated applicant with the highest queue priority of the reallocated applicants, Western Power will, where it is possible to meet the requirements of that applicant in part (for example supply part of the capacity requested by them), make a further access offer to them to supply those partial requirements which that reallocated applicant may accept or reject. Where the reallocated applicant rejects the access offer then they will be allocated to a new competing applications group. If the reallocated applicant rejects the access offer then Western Power will, if practicable to do having regard to the timeframes for undertaking of works set out in those access offers which have been effectively accepted, make a further access offer to the next reallocated applicant with the highest queue priority and the process in this paragraph (b) will continue until Western Power determines it is not practicable to make any further access offers.

24.7 Changing Composition of Competing Applications Group

- (a) Western Power may change the composition of a competing applications group:
 - (i) to remove, at any time, applicants within the competing applications group whose applications have been withdrawn or been deemed to be withdrawn or applicants whose applications are to be treated, under a clause of this applications and queuing policy, as having been made for an applicant-specific solution (for example under clause 24.3(b), 24.5(a)(ii)(A) or clause 24.1(c));
 - (ii) to add additional *applications* to a *competing applications group*, but where Western Power has already issued a notice of intention to prepare a *preliminary access offer* under clause 24.2 to *applicants* within a *competing applications group*, then Western Power will only add additional



- applications to that competing applications group where the additional applications can be added without delaying preparation of the preliminary access offer to the existing applicants.
- (b) Despite clause 24.7(a), Western Power may change the composition of a *competing applications* group at any time following changes regarding the nature or location of constraints following other network developments, changes in generation or changes in loads in which case Western Power may recommence the processes under this clause 24.

24.7A Termination of a Competing Applications Group

- (a) Western Power may terminate a *competing applications group* by written notice to the *applicants* within that *competing applications group* where:
 - (i) Western Power considers, in accordance with this applications and queuing policy, that it will not issue notices of intention to prepare preliminary access offers or preliminary access offers or access offers, as applicable, in respect of a single set of works for shared assets to any of the applicants within the competing applications group; or
 - (ii) Western Power considers that a single set of works for shared assets is no longer viable.
- (b) To avoid doubt, where Western Power terminates a *competing applications group* under clause 24.7A, the *applications* previously within that *competing applications group* and their *priority date* shall not be affected and may be considered for inclusion in other *competing applications groups*.

24.8 Spare Capacity

- (a) In determining whether there is spare capacity to provide covered services requested in a connection application or group of applications, Western Power, acting as a reasonable and prudent person, may have regard to matters including forecast natural load growth and must assume that any existing access contract will be renewed in accordance with the terms of that access contract.
- (b) If, at any time, spare capacity to provide covered services becomes available without the need for any works for shared assets and there are applicants who are competing for such spare capacity, Western Power may allocate that spare capacity to applicants on the basis of priority date until no spare capacity remains without forming a competing applications group. To avoid doubt, the spare capacity may be offered to an applicant who is part of a competing applications group and an applicant who is not part of a competing applications group.

24.9 Types of Information

Western Power must make known to any *applicant* that has lodged an *application* with Western Power, or to any existing *user* with an *access contract* with conditions precedent which have not yet been satisfied or waived:

- (a) whether there are competing connection applications; and
- (b) a description of the circumstances which caused the *connection applications* to be *competing connection applications* (including information in reasonable detail regarding the aggregated *capacity* requirements of those *competing connection applications*); and
- (c) an estimate of the likely time until the making of an access offer; and
- (d) where the application is a competing connection application, in respect of each connection application which is competing with that connection application:



- (i) the capacity requirements of the competing connection application; and
- (ii) the geographic location at which the competing connection application seeks the capacity; and
- (iii) reasonable details regarding any *augmentation* required by the *competing connection application*;
- (iv) any zone substation relevant to providing the covered service sought in the application;
- (v) where the applicant is a generator, the fuel type involved; and
- (vi) the priority date,

in an anonymised format without details of the *applicant's* name or physical address of any *connection point* relevant to the *application*.

24.10 When Western Power Must Update Information

Western Power must provide the information in clause 24.9:

- (a) when issuing notices of intention to prepare *preliminary access offers* under clause 24.2, *preliminary access offers* under clause 24.4 and *access offers* under clause 24.6;
- (b) at any time after a reasonable request by the *applicant*, or by any existing *user* with an *access* contract with conditions precedent which have not yet been satisfied or waived, for updated information; and
- (c) as soon as practicable after a material change in the information previously notified under this clause 24.10, including when information of the kind referred to in clause 24.9(d) is no longer required to be provided in an anonymised format.

24.11 Concurrent Consideration

Nothing in clause 24 prevents Western Power from processing more than one *connection application* concurrently.

24.12 When Clause 24 Does Not Apply

The provisions in clause 24 do not apply to a transition application.

24A. Priority Dates of Applications in Particular Circumstances

24A.1 Withdrawn Connection Applications

An *application* which is withdrawn, or deemed by this applications and queuing policy to have been withdrawn, loses its *priority date*, even if it is subsequently amended or resubmitted.

24A.2 Unused

24A.3 Amended Connection Applications

- (a) Subject to clause 24A.3(b), an amended *connection application* has the same *priority date* as the original *connection application*.
- (b) Subject to clause 24A.3(c), if an amended *connection application* is materially different from the original *connection application*, and if the difference is such that an *applicant* whose *competing application* has a *priority date* subsequent to the original *connection application* is materially



prejudiced in terms of the likelihood, timing, cost and terms of it obtaining access (compared with that later applicant's position with respect to the original connection application), then:

- (i) if it is possible to construe the amended *connection application* as a combination of the original *connection application* and a notional supplementary *connection application* (whether for further *capacity* or otherwise), the original *connection application* retains its *priority date* and the notional supplementary *connection application* has a *priority date* according to the time of amendment and will be treated for the purposes of this applications and queuing policy as a separate *application* with that *priority date*; but
- (ii) otherwise the amended *connection application* has a *priority date* according to the time of amendment.
- (c) For the purposes of clause 24A.3(b), without limiting the ways in which an amended *connection* application may be materially different from the original *connection* application, an amended *connection* application is not materially different from the original *connection* application if the *capacity* sought in the amended *connection* application is less, or less than 5% more than, the *capacity* sought in the original *connection* application.
- (d) Where an *applicant* has provided a response under clause 24.3 agreeing to have its *application* considered within a *competing applications group* following receipt of a notice of intention to prepare a *preliminary access offer* under clause 24.2 and where that *applicant* subsequently amends its *connection application* then Western Power may if it considers it appropriate (having regard to all relevant factors including the impact of the amendment on other members of the *competing applications group* and on Western Power) make or amend a *preliminary access offer* based on the amended *application*.
- (e) Where Western Power does not agree to make or amend the *preliminary access offer* based on the amended *application* then in making *preliminary access offers* Western Power will treat the relevant *application* on the basis that it has not been amended.

24A.4 Network Control Services

Western Power may make an *access offer* as a result of a procurement process for *Network Control Services* without regard to whether there are any *competing connection applications*.

24A.5 Supplier of Last Resort and Default Supplier Arrangements

Notwithstanding anything in clause 24A or in this applications and queuing policy, priority must be given to applications:

- (a) to the extent necessary to allow a supplier of last resort (as defined in section 67 of the *Act*) to comply with its obligations under Part 5 of the *Act*; or
- (b) to the extent necessary to allow a default supplier (as defined in section 59 of the *Act*) to comply with its obligations under section 59 of the *Act*.

25 Additional Terms of the Preliminary Access Offer or Access Offer

25.1 Terms Under Contributions Policy

Western Power must include as terms of the *preliminary access offer* or *access offer*:

(a) the amount of any *contribution* and other payments, such as rebates, determined under the *contributions policy*; and



(b) any terms related to the provision of the *contribution* that the *applicant* has selected under the *contributions policy*.

25.2 Exemptions from Technical Rules

The terms related to any exemption to the *technical rules* determined under Chapter 1 of the *technical rules* must be included in the preliminary *access offer* or *access offer*.

26 Making the Access Offer

Western Power must, acting as a reasonable and prudent person, give an *access offer* to the *applicant* as soon as practicable after the *complete connection application* is lodged, having regard to the nature of the *connection application*, consideration of *competing applications* and the need (where applicable) for *works* involving *shared assets* in order for Western Power to be able to provide access in accordance with the *technical rules*.



SCHEDULE 1 FORM OF GUARANTEE

DATE []

PARTIES

- 1. [### ACN ### a company registered in ### of ###] ("Guarantor"); and
- 2. **Electricity Networks Corporation ABN 18 540 492 861**, a statutory body corporate established by paragraph 4(1)(b) of the *Electricity Corporations Act 2005 (WA)* of 363 Wellington Street, Perth, Western Australia ("Western Power").

RECITALS

- A. Western Power may in its discretion provide Services to [###] ("the User") under an Access Contract at the request of each of the User and the Guarantor.
- B. The Guarantor wishes to execute this Guarantee to secure payment of all amounts payable under the Access Contract to Western Power.

OPERATIVE PROVISIONS

(i) Guarantee

The Guarantor unconditionally and irrevocably Guarantees as a continuing security to Western Power payment by the User of all moneys and liabilities due and/or payable from or by the User to Western Power under or in connection with the contract dated [###] ("Access Contract") created between the User and Western Power ("Secured Moneys"), including moneys and liabilities incurred or arising:

- (i) (liability): at any present or future time, whether actually or contingently;
- (ii) (default): as a result of any breach of or default under the Access Contract; and/or
- (iii) (account): by way of principal, interest, cost, charge, expense, disbursement, fee, tax, stamp or other duty, indemnity, damages or monetary judicial order.
- (ii) Secured Moneys
 - (i) Demand payment

The Guarantor must pay to Western Power, upon demand by Western Power at any present or future time, the amount of the Secured Moneys due from and payable by the User to Western Power at that time under, and in the manner and currency specified in, the Access Contract.



(ii) Costs

The Guarantor must at any present or future time indemnify Western Power upon demand for any cost, charge, expense, disbursement, fee, tax or stamp or other duty incurred by Western Power at any time in connection with the Access Contract, this Guarantee or the Secured Moneys relating to:

- (A) (security agreements): preparation, negotiation, execution or performance, or any termination, amendment, consent, claim, demand or waiver;
- (B) (security rights): any exercise or enforcement of any right or power conferred on Western Power;
- (C) (credit increases): any extension of further, additional or increased credit or financial accommodation by Western Power, or agreement by Western Power to increase the amount secured; and/or
- (D) (payments): the receipt or payment of any moneys, including moneys paid by Western Power by way of reimbursement to any third party.

(iii) Set-Off exclusion

The Guarantor must make any payment required under this Guarantee without set-off or other deduction, except for the deduction or withholding of any tax compelled by law.

(iii) Indemnity

The Guarantor must as a separate and additional liability of the Guarantor as a principal debtor, and not as a surety, indemnify Western Power against, and pay to Western Power upon demand by Western Power an amount equal to, all Secured Moneys that are or may become invalid, unenforceable, illegal or irrecoverable for any reason or under any circumstances as a liability to Western Power by the Guarantor as a surety, despite any other provision of this Guarantee.

(iv) Guarantee protection

This Guarantee, and the liability of the Guarantor under this Guarantee, is not affected at any time by:

- (i) (waiver): the granting to any person by Western Power of any waiver;
 - (agreements): any agreement, deed or document created with, or action or omission performed, representation made or non-disclosure of any fact or information by, Western Power or any person;
- (ii) (Secured Moneys): any increase or variation in the amount of the Secured Moneys occurring for any reason;



- (iii) (document amendment): any amendment to or transfer, release or termination of any agreement, deed or document or any right, power or liability of any person under any agreement, whether for or without consideration;
- (iv) (enforcement decisions): any exercise or enforcement, or any failure or invalidity in, the
 exercise or enforcement by Western Power of any right or power conferred on Western Power
 under any agreement, deed or document or by law;
- (v) (invalidity): any actual or potential invalidity, unenforceability, illegality or irrecoverableness
 of any agreement, deed or document or consent or any payment made or due to Western
 Power under any agreement for any reason;
- (vi) (incapacity): any incapacity or absence of power or authorisation of, or other fact relating to, any person in connection with the execution of any agreement, deed or document or otherwise, including any change in the constitution or membership of any person; or
- (vii) (residual): any other breach, default, waiver or fact which, except for this provision, might legally operate:
 - (A) to release or discharge or have any prejudicial effect on; or
 - (B) in any manner to release or discharge the Guarantor from performance of, or limit or provide a defence to any legal action to enforce,

this Guarantee, or any liability of the Guarantor under or in connection with this Guarantee.

(v) Termination

The Guarantor is not entitled to terminate or limit this Guarantee, or any liability of the Guarantor under this Guarantee, until the Secured Moneys have been paid in full.

(vi) Governing Law

This Guarantee is governed by and construed under the law of the State of Western Australia.

- (vii) General
 - (i) Continuing Security

This Guarantee is a continuing security and is not wholly or partially discharged by the payment at any time of any Secured Moneys, settlement of account or other fact and applies to the balance of the Secured Moneys at any time until a final termination of this Guarantee by Western Power.

(ii) Further Assurance



The Guarantor must upon request by Western Power at any time execute any document and perform any action necessary to give full effect to this Guarantee, whether prior or subsequent to performance of this Guarantee.

(iii) Waivers

Any failure or delay by Western Power to exercise any right or power under this Guarantee does not operate as a waiver and the single or partial exercise of any right or power by Western Power does not preclude any other or further exercise of that or any other right or power by Western Power.



Appendix A - Timelines for Applicant-specific Solutions and for Competing Applications Group

Table 1: Timelines for the Applications and Queuing Policy (AQP) - Early common stages, Applicant-specific solution stages and Competing Applications Group (CAG) stages

| | | | Maximum elapsed time (Business days) | | |
|--|--|---|--------------------------------------|-----------------------------|-----|
| AQP clause | Action | Time requirement | Common components | Applicant-specific solution | CAG |
| Early processes | | | | | |
| 3.12 | Western Power processing of applications | Must be expeditious and diligent | | | |
| 17A | Pre-enquiry | Unspecified | | | |
| 18.2 | Enquiry stage | Reasonable time to perform system studies | | | |
| 18.2A(b) | Enquiry response letter | 20 business days/ 40 business days | 40 | | |
| 19.1(a) | Response to application | 20 business days | 60 | | |
| 20.2(a)(ii) | Negotiation over amendments to scope of work in proposal | 60 business days of negotiation from date of receipt of the proposal | 120 | | |
| Applicant-speci | fic solution | | | | |
| 20.3(a), 16.5(b), 24.3(b), 24.5(a)(ii)(A) | Studies for Applicant-specific solution | Endeavour to do study within 60 business days | | 60+ | |
| 20.3(c) | Objection to Applicant-specific solution | 30 business days to object | | 90+ | |
| 20.3(d) | Decision on objection to Applicant- specific solution | 40 business days | | 130+ | |
| 20.3(e) | Offer in relation to Applicant-specific solution | 30 business days after timeframe for objections closes or objections resolved | | 160+ | |



| | | | Maximum elapsed time (Business days) | | |
|-------------|--|---|--------------------------------------|-----------------------------|-------------------------------|
| AQP clause | Action | Time requirement | Common components | Applicant-specific solution | CAG |
| CAG process | | | | | |
| 24.1(b1) | Western Power to notify applicant if it is in a CAG | 30 business days after application | | | 30 |
| 24.2 | Western Power to issue a notice of intention to prepare a preliminary access offer | Variable dependent on natures of constraints to be resolved. Determined by WP network planning process | | | Δ = variable timeframe |
| 24.3 | Response to notice of intention to prepare a preliminary access offer | Applicants have 30 business days to respond to intention to prepare a preliminary access offer | | | Δ+ 60 |
| 24.4 | Western Power to issue a preliminary access offer | Variable dependent on nature of constraints to be resolved. Determined by WP network planning process | | | Δ = variable timeframe |
| 24.5(a) | Response to preliminary access offer | Applicants have 30 business days to respond to a preliminary access offer | | | Δ+ 90 |
| 24.5(a)(ii) | Negotiate changes to preliminary access offer | Applicants and Western Power have 30 business days to negotiate changes to preliminary access offers from receipt of the preliminary access offer | | | Δ+ 90 |
| 24.6 | Make access offer to CAG | Endeavour to make access offers within 30 business days | | | Δ+ 150 |

Δ = Variable timeframe



Competing applications groups are likely to be prevented from connecting by major constraints on the core shared network. The timeframes for the development of solutions for these types of constraints are variable due to the broad range of potential situations and the complexity of the components that form the solution and cost estimates. The variable components that have implications for the timeframes required to develop solutions for CAGs include, but are not limited to:

- Studies, design and cost estimates for the solution, including for the purpose of identifying the solution
- Public consultations
- Land and easements acquisition
- Regulatory approvals
- Changes to actual and forecast levels and location of demand and generation
- Changes to the requirements of applicants within CAGs



Appendix C.1

Contributions Policy

Revised proposed access arrangement

14 June 2018



Contributions Policy

14 June 2018



Contents

| 1 | Defined Terms and Interpretation | | | | | |
|---|----------------------------------|--|--|--|--|--|
| | 1.1 | Defined Terms | | | | |
| | 1.2 | Interpretation6 | | | | |
| 2 | Appl | ications of this Contributions Policy | | | | |
| 3 | Lowest Sustainable Cost | | | | | |
| 4 | Appl | icant Must Make Contribution9 | | | | |
| | 4.1 | Applicant Must Make Contribution9 | | | | |
| | 4.2 | Payment of GST9 | | | | |
| | 4.3 | Applicant Must Provide Security for New Revenue9 | | | | |
| | 4.4 | Payment of Tax10 | | | | |
| 5 | Amo | unt of Contribution11 | | | | |
| | 5.1 | Interpretation | | | | |
| | 5.2 | Calculation of Contribution | | | | |
| | 5.3 | Reasonable Time | | | | |
| | 5.4 | Amount of Forecast Costs | | | | |
| | 5.5 | Forecasting Tax Liability | | | | |
| 6 | Distr | ibution Low Voltage Connection Headworks Scheme | | | | |
| | 6.1 | Application | | | | |
| | 6.2 | Distribution Low Voltage Connection Headworks Scheme Contribution | | | | |
| | 6.3 | Determination of the Distribution Low Voltage Connection Headworks Scheme Base Charge 13 | | | | |
| | 6.4 | Distribution Low Voltage Connection Headworks Scheme Prices | | | | |
| | 6.5 | Exclusion from Distribution Low Voltage Connection Headworks Scheme 14 | | | | |
| 7 | Gene | eral Provisions15 | | | | |
| | 7.1 | Connection Assets | | | | |
| | 7.2 | Non-capital Costs | | | | |
| | 7.3 | Works Over and Above Standard Works15 | | | | |
| | 7.4 | Costs Related to Technical Rules Compliance | | | | |
| | 7.5 | Temporary Supplies | | | | |
| 8 | Man | ner of Contribution16 | | | | |
| | 8.1 | Options for Payment | | | | |
| | 8.2 | When Applicant May Choose Periodic Payment 16 | | | | |



| | 8.3 | Terms and Amount of Periodic Payment | 16 |
|----|-------|--|----|
| | | Augmentations Undertaken by Applicants | |
| 9 | Reba | tes and Recoupment | 17 |
| | 9.1 | Applicability | 17 |
| | 9.2 | Parties May Negotiate a Rebate | 17 |
| | 9.3 | New Applicants Must Pay Rebate | 18 |
| | 9.4 | Scheme Rebates Determined Under Appendix 8 of the Code | 18 |
| 10 | Oblig | Obligation to provide information | |



1 Defined Terms and Interpretation

1.1 Defined Terms

In this *contributions policy*, unless the contrary intention is apparent:

"access arrangement" means the current access arrangement approved in respect of the network under the Code.

"access contract" has the same meaning given to "access agreement" in the Code.

{Note: Under the Code "access agreement" has the meaning given to it in part 8 of the Act, and under section 13.4 (d) of the Code includes a "deemed access contract". The definition of "access agreement" under the Act is "an agreement under the Code between a network service provider and another person (a "network user") for that person to have access to services".}

"Act" means the Electricity Industry Act 2004.

"additional revenue" has the same meaning as given to it in the Code.

{Note: Under the Code "additional revenue" has the meaning given to it in section 6.42 of the *Code* when used in section 6.41 of the *Code*.}

"alternative options" means alternatives to part or all of a *network* enhancement, including demandside management and generation solutions (such as distributed generation) either instead of or in combination with a *network* enhancement.

"alternative option contribution" means a contribution made, or to be made, by an applicant in respect of an alternative option.

"alternative option test", in respect of the *network*, means the test set out in section 6.41 of the *Code*.

"anticipated incremental revenue" has the same meaning given to it in the Code.

{Note: Under the *Code* "anticipated incremental revenue" for a new facility means "the present value (calculated at the *rate* of return over a reasonable period) of the increased tariff income reasonably anticipated to arise from the increased sale of covered services on the network to one or more users (where "increased sale of covered services" means sale of covered services which would not have occurred had the new facility not been commissioned),

minus

the present value (calculated at the *rate of return* over the same period) of the best reasonable forecast of the increase in *non*-capital costs directly attributable to the increased sale of the covered services (being the covered services referred to in the expression "increased sale of *covered services*" in paragraph (a) of this definition)".}



"Appendix 8 work" has the same meaning given to it in the Code.

{Note: Under the *Code* "appendix 8 work" means "work in connection with the *Western Power Network* of a type specified in clause 8.2 of appendix 8".}

"applicant" means a person (who may be a *user*, a *customer* or a *developer*) who has lodged, or intends to lodge, a *connection application*, and includes a person who does so on behalf of another person.

"applications and queuing policy" means the applications and queuing policy (as defined in the *Code*) in the *access arrangement*.

"augmentation" has the same meaning as given to it in the Code.

{Note: Under the Code "augmentation" in relation to a covered network, means "an increase in the capability of the covered network to provide covered services".}

"Authority" has the same meaning as given to it in the Code.

{Note: Under the Code "Authority" means the Economic Regulation Authority established by the Economic Regulation Authority Act 2003.}

"bidirectional point" has the same meaning given to it in the applications and queuing policy.

{Note: Under the applications and queuing policy "bidirectional point" means "a single, indivisible (except as allowed under this applications and queuing policy) point, that for purposes under the access arrangement involving the transfer of electricity, is deemed to consist of a single attachment point, connected or to be connected to a user's connection point, with a single meter (regardless of the actual configuration of network assets making up the bidirectional point), at which electricity is to be transferred into and out of the network".}

"bidirectional service" means a covered service provided by Western Power at a connection point under which the user may transfer electricity into and out of the network at the connection point.

"capital contribution" has the same meaning given to it in the Code.

{Note: Under the *Code* "capital contribution" means "a payment or provision in kind made, or to be made, by a *user* in respect of any *new facilities investment* (or *forecast new facilities investment*) in *required work*".}

"Code" means the Electricity Networks Access Code 2004 (as amended).

"connect" has the same meaning given to it in the Code.

{Note: Under the Code "connect" means "to form a physical link to or through a network".}

"connection application" means an application lodged with Western Power under the applications and queuing policy that has the potential to require a modification to the network, including an application to:

- (a) connect facilities and equipment at a new connection point; or
- (b) increase consumption or generation at an existing connection point; or
- (c) materially modify facilities and equipment connected at an existing connection point; or
- (d) augment the *network* for any other reason,

{Note: this might be, for example, to service a subdivision.}

and includes any additional information provided by the applicant in regard to the application.

"connection assets" has the same meaning given to it in the Code.

{Note: Under the *Code* "connection assets" for a *connection point*, means "all of the *network assets* that are used only in order to provide *covered services* at the *connection point*".}

"connection point" means an exit point or an entry point or a bidirectional point identified or to be identified as such in an access contract.



"consume" has the same meaning given to it in the Code.

{Note: Under the Code "consume" means "to consume electricity".}

"consumption", for a connection point, means the amount of electricity consumed at the connection point, and is measured in Watt-hours.

"contracted capacity" means the maximum rate at which a *user* is permitted to transfer electricity at a *connection point* under the *user's access contract*.

"contribution" has the same meaning given to it in the Code, but also includes an alternative option contribution.

{Note: Under the Code "contribution" in relation to a covered network, means "a capital contribution, a non-capital contribution or a headworks charge".}

"contributions policy" has the same meaning given to it in the Code.

{Note: Under the *Code* "contributions policy" means "a policy in an *access arrangement* under section 5.1(h) dealing with *contributions* by users".}

"contributions rate of return" means the rate of return most recently approved by the *Authority* for use in *price control* for the *network*.

"covered service" has the same meaning given to it in the *Code* but also includes a bidirectional service.

{Note: Under the Code "covered service" means "a service provided by means of a covered network, including:

- (a) a connection service; or
- (b) an entry service or exit service; or
- (c) a network use of system service; or
- (d) a common service; or
- (e) a service ancillary to a service listed in paragraph (a) to (d) above,

but does not include an excluded service".}

"cpi" means the "all capitals consumer price index" as defined by the Australian Bureau of Statistics.

"customer" has the meaning given to it in the Act.

"distribution low voltage connection headworks scheme" means the scheme described in clause 6 of this contributions policy.

"distribution low voltage connection headworks scheme application" means a connection application where the proposed or existing connection point for a new or upgraded connection is to the distribution system low voltage network and is within 25 kms of the relevant zone substation.

"distribution low voltage connection headworks scheme base charge" means the value determined in accordance with section 6.3 of this *contributions policy*.

"distribution low voltage connection headworks scheme contribution" means a contribution in respect of the distribution low voltage connection headworks scheme.

"distribution low voltage connection headworks scheme works" with respect to a distribution low voltage connection headworks scheme application, means works on the distribution system reasonably adjacent to the connection point (to which the distribution low voltage connection headworks scheme application relates) that directly provides for delivery of electricity capacity to that connection point and that may include switchgear, HV cable, transformers, low voltage cable and ancillary equipment.

"distribution system" has the same meaning given to it in the Code, but excludes equipment within zone substations used for the transportation of electricity at nominal voltage of less than 66 kV.



{Note: Under the Code "distribution system" means "any apparatus, equipment, plant or buildings used, or to be used, for, or in connection with, the transportation of electricity at nominal voltages of less than 66 kV."}

"entry point" has the same meaning given to it in the applications and queuing policy.

{Note: Under the applications and queuing policy "entry point" means "a single, indivisible (except as allowed under this applications and queuing policy) point, that for purposes under the access arrangement involving the transfer of electricity, is deemed to consist of a single attachment point, connected to or to be connected to a user's connection point, with a single meter (regardless of the actual configuration of network assets making up the entry point), at which electricity is more likely to be transferred into the network than out of the network".}

"entry service" has the same meaning given to it in the applications and queuing policy.

{Note: Under the applications and queuing policy "entry service" means "a covered service provided by Western Power at a connection point under which the user may transfer electricity into the network at the connection point".}

"exit point" has the same meaning given to it in the applications and queuing policy.

{Note: Under the applications and queuing policy "exit point" means "a single, indivisible (except as allowed under this applications and queuing policy) point, that for purposes under the access arrangement involving the transfer of electricity, is deemed to consist of a single attachment point, connected to or to be connected to a user's connection point, with a single meter (regardless of the actual configuration of network assets making up the entry point), at which electricity is more likely to be transferred out of the network than into the network".}

"exit service" has the same meaning given to it in the applications and queuing policy.

{Note: Under the applications and queuing policy "exit service" means "a covered service provided by Western Power at a connection point under which the user may transfer electricity out of the network at the connection point".}

"facilities and equipment" has the same meaning given to it in the Code.

{Note: Under the Code, "facilities and equipment" in relation to a connection point, means "the apparatus, equipment, plant and buildings used for or in connection with generating, consuming and transporting electricity at the connection point".}

"feeder diversity factor" means the factor applied to the *capacity requirement* that reflects the effective contribution of the *connection* capacity to the feeder peak load.

"forecast costs" means any or all of the forecast new facilities investment or the forecast alternative option costs, as applicable, to be incurred by Western Power with regards to works.

"forecast new facilities investment" has the same meaning given to it in the Code.

{Note: Under the Code "forecast new facilities investment" for a covered network means "the capital costs forecast to be incurred in developing, constructing and acquiring new network assets for the covered network".}

"generation", for a *connection point*, means the amount of electricity *generated* at the *connection point*, and is measured in kilowatts.

"good electricity industry practice" has the same meaning given to it in the Code.

{Note: Under the Code "good electricity industry practice" means "the exercise of that degree of skill, diligence, prudence and foresight that a skilled and experienced person would reasonably and ordinarily exercise under comparable conditions and circumstances consistent with applicable written laws and statutory instruments and applicable recognised codes, standards and guidelines".}

"GST" means Goods and Services Tax.

"HV" means the high voltage level of the distribution network where the voltage is greater than 6 kV and less than 66 kV.

"low voltage" means the low voltage level of the *distribution system network* where the voltage is less than 1 kV.



"minimum practical works" with regard to covered services sought by an applicant, means the minimum works Western Power must undertake, acting efficiently in accordance with good electricity industry practice, to provide only those covered services required by that applicant.

"network" has the meaning given to "Western Power Network" in the Code.

{Note: Under the Code "Western Power Network" means "the covered network that is covered under section 3.1". The "Western Power Network" is the portion of the SWIN that is owned by the Electricity Networks Corporation.}

"network assets" has the same meaning given to it in the Code.

{Note: Under the *Code* "network assets", in relation to a *network* means "the apparatus, equipment, plant and buildings used to provide or in connection with providing *covered services* on the *network*, which assets are either *connection assets* or *shared assets*".}

"new facilities investment" has the same meaning as given to it in the Code.

{Note: Under the Code "new facilities investment" means "for a new facility, means the capital costs incurred in developing, constructing and acquiring the new facility".}

"new facilities investment test" has the same meaning as given to it in the Code.

{Note: Under the *Code* "new facilities investment test" means "in respect of a covered network, means the test set out in section 6.52".}

"new revenue" means the *anticipated incremental revenue* or *additional revenue* or both, as applicable, with respect to *works*.

"non-capital contribution" means a payment or provision in kind made, or to be made, by a user in respect of any non-capital costs (or forecast non-capital costs) of required work.

"non-capital costs" means the *non-capital costs* (as defined in the *Code*), but excluding *alternative* option costs, to be incurred by Western Power with regards to works.

"price control" has the same meaning as given to it in the Code.

{Note: Under the Code "price control" means the provisions in an access arrangement under section 5.1(d) and Chapter 6 of the Code which determine target revenue.}

"reasonable and prudent person" means a person acting in good faith and in accordance with good electricity industry practice.

"reasonable time" means the time determined in accordance with clause 5.3.

"relevant distribution transformer" with respect to the distribution low voltage connection headworks scheme and a connection application means the transformer from which the new or upgraded connection (to which that connection application relates) will be supplied under normal system operating conditions.

"relevant zone substation" means the zone substation to which the new or upgraded *connection* will be connected under normal system operating conditions.

"required work" means work which is necessary in order to provide a covered service sought in a connection application.

"retailer" has the meaning given to it in the Act.

"scheme" has the same meaning as given to it in Appendix 8 of the Code.

"service provider" has the same meaning given to it in the Code.

{Note: Under the Code "service provider" in relation to a network means "a person who owns or operates the network".}



"shared assets" has the same meaning given to it in the Code.

{Note: Under the Code "shared assets" means "those network assets which are not connection assets".}

"SWIS" is the South West Interconnected System and it has the meaning given to it in the Code.

{Note: Under the *Code* "SWIS" has the meaning as given to it in the Act, being "the interconnected transmission and distribution systems, generating works and associated works -

- (a) located in the South West of the State and extending generally between Kalbarri, Albany and Kalgoorlie; and
- (b) into which electricity is supplied by -
 - (i) one or more of the electricity generation plants at Kwinana, Muja, Collie and Pinjar; or
 - (ii) any prescribed electricity generation plant".}

"technical rules" means the technical rules (as defined in the Code) applying from time to time to the network under Chapter 12 of the Code, as modified in accordance with the Code.

"transmission system" has the same meaning given to it in the Code, but also includes equipment within zone substations used for the transportation of electricity at nominal voltage of less than 66 kV.

"user" has the same meaning given to it in the Code.

{Note: Under the *Code* "user" means "a person, including a *generator* or a *consumer*, who is a party to an [sic.] contract for services with a *service provider*, and under section 13.4(e) includes another *business* as a party to a *deemed access contract*".}

"works" includes distribution low voltage connection headworks scheme works and all works required to be undertaken to provide an applicant with the covered services sought by the applicant in a connection application, including works associated with:

- (a) augmentation of connection assets;
- (b) augmentation of shared assets;
- (c) alternative options; and
- (d) other non-capital works.

1.2 Interpretation

- (a) Unless the contrary intention is apparent:
 - (i) a rule of interpretation in the *Code*; and
 - (ii) the Interpretation Act 1984,

apply to the interpretation of this contributions policy.

- (b) Unless:
 - (i) the contrary intention is apparent; or
 - (ii) the term has been redefined in clause Error! Reference source not found.,

a term with a defined meaning in the Code has the same meaning in this contributions policy.



2 Applications of this Contributions Policy

- (a) Subject to (b), and (c) below, this *contributions policy* applies if it is necessary for Western Power to perform *works* to provide *covered services*.
- (b) If the works required for Western Power to provide the covered services sought by an applicant are Appendix 8 works, then the contribution for those works is the amount determined under and in accordance with Appendix 8 of the Code. For the avoidance of doubt, any such contribution is to be paid in addition to any contribution payable under this contributions policy.
- (c) An *applicant* is required to pay a *contribution* for *works* in any (including any combination of) the following circumstances:
 - (i) in the case of *new facilities investment,* where the capital costs incurred in relation to the relevant *works* do not satisfy the *new facilities investment test*;
 - (ii) in the case of *works* related to *alternative options*, where the *non-capital costs* associated with such *works* do not satisfy the requirements of clause 6.41(b) of the Code;
 - (iii) in the case of non-capital *works* including *alternative options*, where the costs of the *works* were not included, and could not reasonably have been included, in forecasts of *non-capital costs* taken into account in setting the *price control*; or
 - (iv) where the works meet the requirements of clause 6 of this contributions policy (distribution low voltage connection headworks scheme).



3 Lowest Sustainable Cost

A contribution with respect to covered services sought by an applicant must not exceed the amount that would be required by a prudent service provider acting efficiently, in accordance with good electricity industry practice seeking to achieve the lowest sustainable cost of providing the covered services.



4 Applicant Must Make Contribution

4.1 Applicant Must Make Contribution

- (a) Subject to paragraph (b) of this clause 4.1, if the application of this contributions policy in relation to the works produces a contribution amount that is greater than zero, Western Power is not required to undertake the works in respect of a connection application for a covered service until the applicant enters into a contract with Western Power under which the applicant agrees to provide the contribution, including any GST liability, to Western Power in accordance with this contributions policy:
- (b) If the work falls within the class of distribution low voltage connection headworks scheme works Western Power must undertake and fund the work whether or not the work is a required work. This does not excuse the applicant from any obligations to make a contribution under this contributions policy.

4.2 Payment of GST

The payment of a *contribution* may be subject to *GST* and, if so, Western Power will request an *applicant* to pay an additional amount equal to Western Power's *GST* liability. Western Power may request payment of this additional amount at the time Western Power's *GST* liability arises.

4.3 Applicant Must Provide Security for New Revenue

- (a) Western Power may require an *applicant* to provide a security under this clause if Western Power determines there to be a risk of not receiving the *estimated new revenue*.
- (b) Western Power may require the *applicant* to provide security in the form of an unconditional, irrevocable bank guarantee, or equivalent financial instrument in terms acceptable to Western Power guaranteeing *new revenue* in the amount of:
 - (i) the *estimated new revenue* (where the *estimated new revenue* is less than the *allocated forecast costs*); or
 - (ii) the *allocated forecast costs* (where the *estimated new revenue* is more than the *allocated forecast costs*).
- (c) Where Western Power requires a security under clause 4.3(b), the *applicant* must provide it before the commencement of the *works* the subject of the *connection application*.
- (d) Where an *applicant* has provided security under clause 4.3(c), then 24 months after the commencement of the associated *exit service*, *entry service*, or *bidirectional service* Western Power will reconsider the risk of not receiving the *estimated new revenue* (based on the then expected use of those *services*) and if that risk:
 - (i) no longer remains, Western Power will return the security;
 - (ii) remains, but has abated, Western Power may reduce the amount of the security by requiring a new security for the reduced amount; or
 - (iii) has crystallised (such that some or all of the *estimated new revenue* will not be recovered by Western Power), Western Power will re-determine the *contribution* under this *contributions policy* and recover from the *applicant* any difference from the amount of any original *contribution* and, after that recovery, return the security.



- (e) In applying this clause Western Power will act as a reasonable and prudent person.
- (f) For the purposes of this clause 4.3:

"estimated new revenue" means the amount calculated under clause 5.2(d).

"allocated forecast costs" means the amount of the *forecast costs* allocated to the *applicant* under clause 5.4.

4.4 Payment of Tax

The receipt by Western Power of a *contribution* may result in Western Power incurring a tax liability (whether under Commonwealth or State income tax and other legislation or under a tax equivalent regime applicable to Western Power as a government owned enterprise) and Western Power may recover from the *applicant*, as part of the *contribution* payable by the *applicant*, Western Power's forecast of the net tax liability it will incur as a result of the receipt of such *contribution*. For the avoidance of doubt, this clause 4.4 and clause 5.5 do not deal with liability for *GST*, which is dealt with in clause 4.2.



5 Amount of Contribution

5.1 Interpretation

- (a) For the avoidance of doubt, this clause 5 is to be read subject to the provisions of clauses 2 and 6 of this *contributions policy*.
- (b) For the purposes of this clause 5:
 - (i) the definition of 'new facilities investment test' is that set out in section 6.52 of the Code, but without having regard to subsection 6.52(b)(i) thereof; and
 - (ii) the definition of 'alternative option test' is that set out in section 6.41 of the Code, but without having regard to subsection 6.41(b)(i) thereof.

5.2 Calculation of Contribution

The *contribution* payable in respect of any *works* to which this *policy* applies is calculated by:

- (a) determining the appropriate portion of any of the forecast costs of the works (excluding distribution low voltage connection headworks scheme works, but including any works relating to a distribution low voltage connection headworks scheme application excluded from clause 6 by clause 6.5), which do not meet the new facilities investment test or the alternative option test (as applicable) to allocate to the applicant under clause 5.4; and
- (b) adding any applicable amount calculated under clause 6.3 (distribution low voltage connection headworks scheme base charge); and
- (c) adding any applicable amount calculated under clause 7.4 (a); and
- (d) deducting the amount likely to be recovered in the form of *new revenue* gained from providing *covered services* to the *applicant*, or, if the *applicant* is a *customer* (including residential customers), to the *customer's retailer*, as calculated over the *reasonable time*, at the *contributions rate of return*; and
- (e) adding any applicable amount calculated under clauses 7.1, 7.3 and 7.5; and
- (f) adding any tax liability (of the nature referred to in clause 4.4) which Western Power forecasts it will incur due to the receipt of the amount payable under paragraphs (a) to (e) of this clause 5.2, as calculated in accordance with clause 5.5; and
- (g) adding any applicable amount calculated under clause 7.2.

5.3 Reasonable Time

For the purposes of this *contributions policy*, the *reasonable time* is to be determined by Western Power, as a *reasonable and prudent person*, having regard to:

- (a) the anticipated commercial life of the works, up to a maximum of 15 years; and
- (b) the purpose for which the *applicant* requires the *covered services*.
 - {Note: For example, if the *applicant* is proposing to build a plant with an expected 5 year operating life, then the *reasonable time* might be 5 years or less.}



5.4 Amount of Forecast Costs

- (a) Western Power may, acting as a *reasonable and prudent person*, determine that the amount of the *forecast costs* to be allocated to the *applicant* for the purposes of clause 5.2 (a) is:
 - (i) the full amount of the forecast costs; or
 - (ii) an amount determined under clauses 5.4(b) to 5.4(e).
- (b) If Western Power chooses to undertake *works* in excess of the *minimum practical works* to provide *covered services* sought by an *applicant*, then Western Power will determine that the amount of costs allocated to the *applicant* are the *forecast costs* of the *minimum practical works*.
- (c) If:
 - (i) Western Power reasonably expects to receive *tariff* income from future *applicants*, because of *works* to provide *covered services* sought by an *applicant*, within a period of 10 years, (or such longer period as reasonably determined by Western Power acting as a *reasonable and prudent person*), of the original *applicant's connection application*; or
 - (ii) an applicant seeks a covered service that will make use of works undertaken to provide covered services to a previous applicant, within a period of 10 years, (or such longer period as reasonably determined by Western Power acting as a reasonable and prudent person), of the original applicant's connection application, and for which the original applicant paid a contribution calculated under clause 5.2;

then Western Power will apportion the costs based on the relative use of the *works* by the *applicant* compared to the relative use of the *works* expected to be sought by those future *applicants*, or the relative use of the *works* sought by previous *applicants*, or both, as applicable.

- (d) If Western Power has received more than one connection application requiring the same works, then Western Power may negotiate with the applicants under the applications and queuing policy to apportion the forecast costs of the works between the applicants, based on the relative use of the works sought by each applicant.
- (e) If works to provide covered services to an applicant provide specific savings to Western Power in performing its legal obligations, then Western Power will determine that the costs to be allocated to the applicant are the forecast costs less the amount saved.

5.5 Forecasting Tax Liability

For the purposes of determining the costs representing Western Power's tax liability arising due to receipt of an amount calculated under paragraphs (a) to (e) of clause 5.2, Western Power must estimate the net tax liability, with respect to the *contribution*, it will incur over the life of the assets to which the *contribution* relates. The calculation of the grossed up tax expense takes into account the circularity arising from the payment of tax costs by the customer, the dividend imputation franking credit passed through to Western Power's shareholder and the statutory tax depreciation benefit which offsets the tax costs incurred by Western Power.



6 Distribution Low Voltage Connection Headworks Scheme

6.1 Application

Subject to clause 6.5 this distribution low voltage connection headworks scheme applies to an applicant that falls within the class of applicant that may make a distribution low voltage connection headworks scheme application and where the works required to meet the requirements of the connection application of that applicant are distribution low voltage connection headworks scheme works.

6.2 Distribution Low Voltage Connection Headworks Scheme Contribution

- (a) If, in accordance with good electricity industry practice, Western Power reasonably considers that the forecast costs of distribution low voltage connection headworks scheme works (required to meet the requirements of the connection application of an applicant) over a 15 year period exceed the amount of new revenue likely to be gained from providing covered services using those distribution low voltage connection headworks scheme works to distribution low voltage connection headworks scheme applicants over that period, then, upon receiving the distribution low voltage connection headworks scheme application of that applicant, Western Power will, in accordance with this clause 6, require a distribution low voltage connection headworks scheme contribution from the applicant.
- (b) Where a distribution low voltage connection headworks scheme contribution is made by an applicant no further contribution shall be required from the applicant for the distribution low voltage connection headworks scheme works for which that distribution low voltage connection headworks scheme contribution was made.
- (c) For the purpose of this contributions policy a distribution low voltage connection headworks scheme contribution is a capital contribution.

6.3 Determination of the Distribution Low Voltage Connection Headworks Scheme Base Charge

The distribution low voltage connection headworks scheme base charge is determined by:

- (a) identifying the *applicant's* incremental electrical capacity requirement:
 - (i) by deducting from the *applicant*'s required electrical capacity the original design capacity for a greenfield development on an existing serviced lot as determined by Western Power's policies and procedures from time to time; or
 - (ii) as the *applicant*'s required electrical capacity sought in the *distribution low voltage* connection headworks scheme application for an un-serviced lot.
- (b) determining whether the location of the *connection point* (to which the *connection application* relates) is on a land lot separate from the *relevant distribution transformer*; and
- (c) applying the parameters determined under 6.3(a) and 6.3(b) to the prices determined in clause 6.4.



6.4 Distribution Low Voltage Connection Headworks Scheme Prices

The methodology used to develop the *distribution low voltage connection headworks scheme* prices is described in Appendix C (Distribution Low Voltage Connection Headworks Scheme Methodology) of this *Access Arrangement*.

- (a) The distribution low voltage connection headworks scheme price is expressed as \$ per kVA.
- (b) The distribution low voltage connection headworks scheme prices will vary depending on:
 - (i) whether the incremental capacity requirement at the *connection point* determined under clause 6.3 (a) is:
 - (A) less than 216 kVA; or
 - (B) between 216 kVA and 630 kVA; or
 - (C) greater than 630 kVA, and
 - (ii) whether the location of the *connection point* is on a land lot separate from the *relevant distribution transformer*.

6.5 Exclusion from Distribution Low Voltage Connection Headworks Scheme

The methodology used to develop the distribution low voltage connection headworks scheme exclusion threshold is described in Appendix C (Distribution Low Voltage Connection Headworks Scheme Methodology) of this *Access Arrangement*.

A distribution low voltage connection headworks scheme application is excluded from the provisions of this clause 6 where the forecast costs of works (as determined assuming clause 5.4 applies to those works) is in excess of the distribution low voltage connection headworks scheme base charge plus the exclusion threshold. For the purposes of applying this clause 6.5, only the cost of those works which would otherwise fall within the distribution low voltage connection headworks scheme apply.

Where a distribution low voltage connection headworks scheme application is excluded, the contribution is determined under this contributions policy excluding the provisions of this clause 6.



7 General Provisions

For the avoidance of doubt, this clause 7 is to be read subject to the provisions of clause 2 of this *contributions policy*.

7.1 Connection Assets

The applicant must pay the full forecast costs of any works to provide connection assets.

7.2 Non-capital Costs

The *applicant* must pay to Western Power the full amount of any *non-capital costs* that Western Power incurs in performing *works*, which in any case must not exceed such costs that would be incurred by a prudent *service provider* acting efficiently in accordance with *good electricity industry practice*.

{Note: these costs might include, for example, adjusting protection settings, reprogramming computer equipment and so on.}

7.3 Works Over and Above Standard Works

If an *applicant* seeks a *covered service* that is better or different in some respect than an equivalent *service* in the *technical rules* or an equivalent *reference service* in the *access arrangement*, then the *applicant* must pay to Western Power:

- (a) a contribution calculated under this contributions policy for the equivalent service; and
- the difference between the *forecast costs* of the *works* required to provide the equivalent *service* and the *forecast costs* of the *works* required to provide the better or different *service*, to the extent that the better or different *service* does not otherwise meet those parts of the *new facilities investment test* dealing with *net benefit*, safety or reliability.

 {Note: this could be, for example, a design philosophy delivering increased security of supply}

7.4 Costs Related to Technical Rules Compliance

- (a) The applicant must pay a contribution calculated under this contributions policy in respect of any works required to upgrade the fault level ratings of network assets, or any other works required to ensure that Western Power complies with the technical rules with respect to the network assets.
- (b) The *applicant* must pay all of its own costs in relation to ensuring that its *facilities and* equipment comply with the *technical rules*.

7.5 Temporary Supplies

The *contribution* to be paid by an *applicant* who seeks a temporary supply is, if no applicable amount is published on Western Power's website, an amount equal to the full *forecast costs* of the *required works*.



8 Manner of Contribution

8.1 Options for Payment

A contribution may be made:

- (a) by the *applicant* by way of a financial payment comprising either:
 - (i) periodic financial payments, subject to clause 8.2; or
 - (ii) an upfront financial payment;
- (b) by the Western Australian Government under any appropriate government policy; or
- (c) by the *applicant* undertaking the *augmentation* and transferring ownership of the *augmentation*, subject to clause 8.4.

Where the *contribution* is greater than \$1,000,000, the *applicant* and Western Power may negotiate to adjust the *contribution* to reflect actual costs of the *required works* determined after the completion of the *works*. This does not exclude the *applicant* from any obligations to pay a *contribution* under this *contributions policy*.

8.2 When Applicant May Choose Periodic Payment

The *applicant* may not elect under clause 8.1(a)(i) to make the *contribution* by way of a periodic financial payment unless the total amount of the *contribution* exceeds \$50,000.

8.3 Terms and Amount of Periodic Payment

- (a) If the *applicant* elects to make a *contribution* by way of periodic financial payment under clause 8.2, then:
 - (i) the maximum term over which the periodic payments may be made is 5 years;
 - (ii) interest will be payable on each periodic payment, at a reasonable commercial rate to be negotiated between Western Power and the *applicant*; and
 - (iii) Western Power (acting as a *reasonable and prudent person*) may require the *applicant* to procure an unconditional, irrevocable bank guarantee, or equivalent financial instrument, in terms acceptable to Western Power, guaranteeing the *contribution*.

8.4 Augmentations Undertaken by Applicants

- (a) An applicant may, with Western Power's approval, construct an augmentation of the network.
- (b) Where an *applicant*, in accordance with (a) above, constructs an *augmentation* of the *network*, the *applicant* shall agree to transfer the ownership of the *augmentation* to Western Power on such reasonable terms and conditions as may be stipulated by Western Power (after Western Power has tested the *augmentation* and certified that it meets the applicable technical standards) but in no circumstance will Western Power become obliged to make any payment to the *applicant* or any other person with respect to the *augmentation*.

{Note: An *applicant* is required to pay to Western Power the fees set by Western Power from time to time associated with Western Power testing the *augmentation* to establish that it meets the applicable technical standards for the *augmentation* to *connect* to the *network*.}



9 Rebates and Recoupment

9.1 Applicability

This clause 9 does not apply to *contributions* made under clause 6 (*distribution low voltage connection headworks scheme*) of this *contributions policy*.

9.2 Parties May Negotiate a Rebate

- (a) Where:
 - (i) an *applicant* has paid a contribution, or is paying a *contribution* in the form of periodic payments, for *works* with respect to a *connection point*; and
 - (ii) the value of the *contribution* is in excess of \$1,000,000,

then Western Power and the *applicant* may negotiate to require Western Power to provide a rebate in circumstances where a subsequent *applicant* associated with a different *connection point* benefits from the *works* or a part of the *works* in respect of the original *connection point*. The rebate can only be in relation to assets, the costs of which were included in the calculation of the original *contribution* under this *contributions policy*.

(b) Where:

- (i) an *applicant* has paid a *contribution*, or is paying a *contribution* in the form of periodic payments, for *works* with respect to a *connection point* for which the full *forecast costs* of the *works* were allocated to the *applicant* under clause 5.4;
- (ii) at the time that the *works* are carried out, it is only the *applicant* who will benefit from the *works* in relation to that *connection point*; and
- (iii) the value of the contribution is in excess of \$200,000 but less than \$1,000,000,

then Western Power and the *applicant* may negotiate to require Western Power to provide a rebate in circumstances where a subsequent *applicant* associated with a different *connection point* benefits from the *works* or a part of the *works* in respect of the original *connection point*.

(c) Where:

- (i) an *applicant* has paid a *contribution*, or is paying a *contribution* in the form of periodic payments, for *works* with respect to a *connection point* for which the full *forecast costs* of the *works* were allocated to the *applicant* under clause 5.4;
- (ii) at the time that the *works* are carried out, it is only the *applicant* who will benefit from the *works* in relation to that *connection point*;, and
- (iii) the value of the *contribution* is less than or equal to \$200,000,

then Western Power and the *applicant* may negotiate to require Western Power to provide a rebate in circumstances where a subsequent *applicant* associated with a different *connection point* benefits from the *works* or a part of the *works* within 10 years of the date that the *contribution* was paid, or periodic payments of the *contribution* began, in respect of the original *connection point*.

(d) Any negotiated rebate will be payable to the *customer* or the *user* associated with that *connection point* at the time of the *rebate* being payable.



- (e) The amount of a rebate given to a *user* or *customer* under clause 9.1(c) is determined by apportioning the amortised *contribution* paid in respect of the original *connection point* between the *user* or *customer* associated with the original *connection point* and each subsequent *applicant* based on the relative *contracted capacity* of each party, where the *contribution* is amortised completely in a straight line over 10 years.
- (f) Western Power is not under any obligation to pay any rebate for a *contribution* to any *user* or *customer* under any circumstance other than that expressly provided for under clause 9.2 (a), (b) and (c).

9.3 New Applicants Must Pay Rebate

Where Western Power must pay a rebate to a *user* or a *customer* in respect of a *connection point* under clause 9.2, each subsequent *applicant* that triggers such a rebate must pay to Western Power an upfront amount equivalent to the rebate.

9.4 Scheme Rebates Determined Under Appendix 8 of the Code

Nothing in this clause 9 affects the obligations of Western Power to pay a member of a *scheme* a rebate in accordance with the provisions of Appendix 8 of the *Code*.



10 Obligation to provide information

Upon request from an *applicant*, and in respect of a *contribution* for *works*, Western Power will provide the *applicant* with the following information:

- (a) where the *contribution* is in respect of *new facilities investment*, details of assessment of the *new facilities investment* against the requirements of the *new facilities investment test* and details of the calculation of the amount that does not meet the *new facilities investment test*;
- (b) where the *contribution* is made in respect of *non-capital costs* related to *alternative options*, details of assessment of the *non-capital costs* against the *alternative options test* and details of the calculation of the amount that does not satisfy the *alternative options test*;
- (c) details of assumptions and calculations applied in the apportionment of any forecast cost of works between the user or applicant and other users or applicants or Western Power under clause 5.4 of this contributions policy; and
- (d) details of the calculation of a distribution low voltage connection headworks scheme contribution under clause 6 of this contributions policy.



Appendix C.2

Distribution Low Voltage Connection Scheme Unit Rate Methodology

Revised proposed access arrangement



Distribution Low Voltage Connection Scheme Methodology

14 June 2018



Contents

| 1 Defined Terms and Interpretation | | | . 1 | |
|------------------------------------|---|---|-----|--|
| | 1.1 | Defined Terms | . 1 | |
| | 1.2 | Interpretation | . 3 | |
| 2 | Introduction | | | |
| | 2.1 | Code Requirements | . 4 | |
| | 2.2 | Code Compliance of the Methodology with Section 5.17D (d) | . 5 | |
| | 2.3 | Overview of the Distribution Low Voltage Connection Scheme | . 5 | |
| 3 | Obje | ctives of the Distribution Low Voltage Connection Scheme | .6 | |
| 4 | Metl | hodology Overview | | |
| 5 | nodology Detail | .9 | | |
| | 5.1 | Price Tranche Thresholds | . 9 | |
| | 5.2 | Price Setting | . 9 | |
| | 5.3 | Separate Prices for Transformer Direct Connection and Low Voltage Street Connection | . 9 | |
| | 5.4 | Price Structure | 10 | |
| 6 | Exclu | ision | 11 | |
| 7 | Publishing and Review of Prices and Exclusion Threshold | | | |



1 Defined Terms and Interpretation

1.1 Defined Terms

In this methodology document the following terms are used and have the same meaning given to them or as given in the *contributions policy* or the *Code* (reproduced below for convenience).

"applicant" has the same meaning given to it in the contributions policy.

{Note: Under the contributions policy "applicant" means "a person (who may be a user, a customer or a developer) who has lodged, or intends to lodge, a connection application, and includes a person who does so on behalf of another person".}

"Code" means the Electricity Networks Access Code 2004 (as amended).

"connection application" has the same meaning given to it in the contributions policy.

{Note: Under the contributions policy "connection application" means "an application lodged with Western Power under the applications and queuing policy that has the potential to require a modification to the network".}

"connection point" has the same meaning given to it in the contributions policy.

{Note: Under the contributions policy "connection point" means "an exit point or an entry point or a bi-directional point identified or to be identified as such in an access contract".}

"contribution" has the same meaning given to it in the *Code*, but also includes an *alternative option* contribution.

{Note: Under the Code "contribution" in relation to a covered network, means "a capital contribution, a non-capital contribution or a headworks charge".}

"contributions policy" has the same meaning given to it in the Code.

{Note: Under the Code "contributions policy" means "a policy in an access arrangement under section 5.1(h) dealing with contributions by users".}

"distribution low voltage connection scheme" means the scheme described in clause 6 of the *contributions* policy.

"distribution low voltage connection scheme application" has the same meaning given to "distribution low voltage connection headworks scheme application" in the *contributions policy*.

{Note: Under the *contributions policy* "distribution low voltage connection headworks scheme application" means a *connection application* where the proposed or existing *connection point* for a new or upgraded connection is to the *distribution system low voltage network* and is within 25 kms of the *relevant zone substation*.}

"distribution low voltage connection scheme base charge" has the same meaning given to "distribution low voltage connection headworks scheme base charge" in the *contributions policy*.

{Note: Under the *contributions policy* "distribution low voltage connection headworks scheme base charge" means the dollar value defined in section 6.3 of this *contributions policy*.}

"distribution low voltage connection scheme works" has the same meaning given to "distribution low voltage connection headworks scheme works" in the *contributions policy*.



{Note: Under the contributions policy "distribution low voltage connection headworks scheme works" with respect to a distribution low voltage connection scheme application, means works on the distribution system reasonably adjacent the connection point (to which the distribution low voltage connection headworks scheme application relates) that directly provides for delivery of electricity capacity to that connection point and that may include switchgear, HV cable, transformers, low voltage cable and equipment.}

"distribution system" has the same meaning given to it in the contributions policy.

{Note: Under the *contributions policy* "distribution system" has the same meaning given to it in the *Code*, but excludes equipment within zone substations used for the transportation of electricity at nominal voltage of less than 66 kV.}

"forecast costs" has the same meaning given to it in the contributions policy.

{Note: Under the contributions policy "forecast costs" means "any or all of the forecast new facilities investment or the forecast alternative option costs, as applicable, to be incurred by Western Power with regards to works".}

{Note: Under the Code "headworks scheme" means "a scheme under section 5.17C".}

"load" has the same meaning given to it in the Code.

{Note: Under the *Code* "load" means "the amount of electrical power transferred out of a *network* at a *connection point* at a specified time".}

"low voltage" has the same meaning given to it in the contributions policy

{Note: Under the *Contributions Policy "low voltage"* means "the low voltage level of the distribution network where the voltage is less than 1 kV.}

"network" has the same meaning given to "Western Power Network" in the Code.

{Note: Under the Code "Western Power Network" means "the covered network that is covered under section 3.1". The "Western Power Network" is the portion of the SWIN that is owned by the Electricity Networks Corporation.}

"relevant distribution transformer" has the same meaning given to it in the contributions policy.

{Note: Under the *contributions policy* "relevant distribution transformer" with respect to the *distribution low voltage connection scheme* means the transformer from which the new or upgraded *connection* will be supplied under normal system operating conditions.}

"relevant zone substation" has the same meaning given to it in the contributions policy.

{Note: Under the *contributions policy* "relevant zone substation" means the zone substation to which the new or upgraded *connection* will be connected under normal system operating conditions.}

"SWIS" has the meaning given to it in the Code.

{Note: Under the Code "SWIS" has the same meaning as given to it in the Electricity Industry Act 2004, being "the interconnected transmission and distribution systems, generating works and associated works -

- (a) located in the South West of the State and extending generally between Kalbarri, Albany and Kalgoorlie; and
- (b) into which electricity is supplied by -
 - (i) one or more of the electricity generation plants at Kwinana, Muja, Collie and Pinjar; or
 - (ii) any prescribed electricity generation plant".}

"user" has the same meaning given to it in the Code.

{Note: Under the Code "user" means "a person, including a generator or a consumer, who is a party to a contract for services with a service provider, and under section 13.4(e) includes another business as a party to a deemed access contract".}



"works" has the same meaning given to it in the contributions policy.

{Note: Under the contributions policy "works" includes "headworks and all works required to be undertaken to provide an applicant with the covered services sought by the applicant in a connection application".}

1.2 Interpretation

- (a) Unless the contrary intention is apparent:
 - (i) a rule of interpretation in the Code; and
 - (ii) the Interpretation Act 1984,

apply to the interpretation of this methodology document.

- (b) Unless:
 - (i) the contrary intention is apparent; or
 - (ii) the term has been redefined in clause 1.1 or in the contributions policy,

a term with a defined meaning in the *Code* has the same meaning in this methodology document.



2 Introduction

This document explains Western Power's *distribution low voltage connection scheme* methodology used to determine the prices that may be applied under the *contributions policy*, as provided for under sections 5.17C and 5.17D of the *Code*. This *distribution low voltage connection scheme* complies with those *Code* provisions which apply to all *headworks schemes*.

2.1 Code Requirements

The following *Code* provisions apply to a *headworks scheme*.

5.17C Despite section 5.14, the *Authority* may approve a *contributions policy* that includes a "headworks scheme" which requires a *user* to make a payment to the *service provider* in respect of the *user's* capacity at a *connection point* on a *distribution system* because the *user* is a member of a class, whether or not there is any *required work* in respect of the *user*.

5.17D A headworks scheme must:

- (a) identify the class of *works* in respect of which the scheme applies, which must not include any works on a *transmission system* or any *works* which effect a geographic extension of a *network*; and
- (b) not seek to recover *headworks charges* in an *access arrangement period* which in aggregate exceed 5% of the *distribution system target revenue* for the *access arrangement* period; and
- (c) identify the class of users who must make a payment under the scheme; and
- (d) set out the method for calculating the *headworks charge*, which method:
 - (i) must have the objective that *headworks charges* under the *headworks scheme* will, in the long term, and when applied across all *users* in the class referred to in section 5.17D (c), recover no more than the *service provider's* costs (such as would be incurred by a *service provider efficiently minimising costs*) of any *headworks*; and
 - (ii) must have the objective that the *headworks charge* payable by one *user* will differ from that payable by another *user* as a result of material differences in the *users'* capacities and the locations of their *connection points*, unless the *Authority* considers that a different approach would better achieve the *Code objective*; and
 - (iii) may use estimates and forecasts (including long term estimates and forecasts) of loads and costs; and
 - (iv) must contain a mechanism designed to ensure that there is no double recovery of costs in all the circumstances, including the manner of calculation of other *contributions* and *tariffs*; and
 - (v) may exclude a rebate mechanism (of the type contemplated by clauses A4.13(d) or A4.14(c)(ii) of Appendix 4) and may exclude a mechanism for retrospective adjustments to account for the difference between forecast and actual values.

This methodology document explains how the requirements of sections 5.17D (d) (i), (ii) and (iii) have been met in the *contributions policy*.



2.2 Code Compliance of the Methodology with Section 5.17D (d)

With respect to section 5.17D (d) (i), the distribution low voltage connection scheme is designed to recover the forecast costs of distribution low voltage connection scheme works. The prices of the distribution low voltage connection scheme are to be reviewed not less than once every 18 months to reflect the actual costs of the provision of distribution low voltage connection scheme works.

With respect to section 5.17D (d) (ii), the distribution low voltage connection scheme is designed such that the contribution for an applicant depends on their individual required electricity demand, and the point of the network to which they are connected. Consequently, headworks charges for each applicant will differ as a result of differences in the users' capacity requirements and the locations of their connection points.

With respect to section 5.17D (d) (iii), the distribution low voltage connection scheme prices are based on estimates and forecasts (including long term estimates and forecasts) of loads and costs.

2.3 Overview of the Distribution Low Voltage Connection Scheme

- (a) The distribution low voltage connection scheme and associated prices apply to the provision of distribution low voltage connection scheme works only. The class of applicants must have a proposed or existing connection point for a new or upgraded connection to the distribution system low voltage network which is within 25 kms of the relevant zone substation.
- (b) The prices are in terms of \$/kVA.
- (c) The *distribution low voltage connection scheme* price that an *applicant* pays depends on their incremental capacity requirement and whether the location of the *connection point* is on the same, adjoining or nearby land lot separate from the *relevant distribution transformer*.



Page 5

3 Objectives of the Distribution Low Voltage Connection Scheme

This section sets out the objectives used in determining the *Distribution Low Voltage Connection Scheme*.

- (a) The *distribution low voltage connection scheme* has been designed to meet the high-level objectives described below.
 - (i) Comply and be consistent with the regulatory framework;
 - (ii) Provide a method for allocating the costs of the provision of *distribution low voltage* connection scheme works in a fair and equitable manner;
 - (iii) Be as cost reflective as is reasonable to reflect the network *user's* utilisation of the network capacity;
 - (iv) Be as simple and straight forward as is reasonable taking into account other objectives; and
 - (v) Provide price stability and certainty to enable network users to make informed investment decisions.
- (b) The methodology must ensure *contributions* from the *scheme* will, in the long term, recover no more than Western Power's costs of *distribution low voltage connection scheme works*.



4 Methodology Overview

This section provides an overview of the methodology used in determining the *distribution low voltage* connection scheme prices. It is noted that the cost of the provision of electricity capacity at a particular location is a function of:

- (a) the incremental capacity requirement sought by an applicant; and
- (b) whether:
 - (i) the location of the *connection point* is on the same, adjoining or nearby land lot as the *relevant distribution transformer* (transformer direct connection); or
 - (ii) the connection point is supplied from the low voltage street network (street feed connection),

as determined by Western Power having regard to what is the most prudent and efficient network connection design.

On this basis, the approach taken to develop the *distribution low voltage connection scheme* prices is as follows.

- (a) Western Power determines the costs of *distribution low voltage connection scheme works* for *connection* of *applicants* that meet the eligibility criterion for the *distribution low voltage connection scheme* over a period of 12 months.
- (b) The costs of *distribution low voltage connection scheme works* determined under (a) have been allocated to categories as follows:
 - (i) whether the incremental capacity requirement at the *connection point* determined under clause 6.3 (a) of the *contributions policy* is:
 - less than 216 kVA; or
 - between 216 kVA and 630 kVA; or
 - greater than 630 kVA, and
 - (ii) whether:
 - (A) the location of the *connection point* is on the same, adjoining or nearby land lot as the *relevant distribution transformer* (transformer direct connection); or
 - (B) the *connection point* is supplied from the low voltage street network (street feed connection),

as determined by Western Power having regard to what is the most prudent and efficient network connection design.

(c) From the costs of *distribution low voltage connection scheme work* and the incremental capacity requirement associated with the categories defined in (b) above, the total costs of supply for each tranche can be determined in terms of \$ per kVA.



(d) The price structure and prices are then derived to reflect the average costs derived under (a) and (b) above. Prices are expressed in a block structure that provides for a continuous price path. Note that there is a separate price path for a *connection point* on the same, adjoining or nearby land lot as the *relevant distribution transformer* to those with a *connection point* supplied from the low voltage street network.

5 Methodology Detail

This section provides additional detail with respect to the price determination process.

5.1 Price Tranche Thresholds

Western Power develops standard *distribution low voltage connection scheme* prices based on modelling of *connections* over at least the past 12 month period. Costs per unit of capacity (kVA) reduce as the demand increases due to economies of scale. Those economies reflect the following factors:

- fixed costs including cable trenching, reinstatement, traffic management, mobilisation costs and installation costs are incurred regardless of capacity supplied;
- increased utilisation of installed assets: and
- reduction in the per unit cost of transformers in terms of dollars per kVA of capacity.
 (transformers are purchased in standard sizes, typically 315 kVA, 630 kVA and 1000 kVA and on a per kVA basis the costs of these transformers reduce significantly as the size increases).

In order for these economies of scale to be recognised in the pricing structure thresholds are set that reflect both the cost of plant and the nature of the network required to provide the requested capacities. For example, in general customers seeking less than 216 kVA are supplied from the low voltage street network, customers seeking demand between 216 kVA and 630 kVA require installation of a new transformer and may require that transformer to be installed on their lot, and in almost all circumstances customers seeking loads in excess of 630 kVA will require direct connection to a new transformer on their lot. Consequently the thresholds identified are:

- (a) Tranche 1 less than 216 kVA of incremental capacity requirement;
- (b) Tranche 2 between 216 kVA and 630 kVA of incremental capacity requirement; and
- (c) Tranche 3 greater than 630 kVA of incremental capacity requirement.

5.2 Price Setting

Prices are set within each tranche to only recover Western Power's costs over the long term, when applied across all *distribution low voltage connection scheme* applicants.

5.3 Separate Prices for Transformer Direct Connection and Low Voltage Street Connection

Direct connection to transformers avoids the cost of the low voltage street network and as such, the prices for these connections reflect this lower cost. Connection to the low voltage street network involves increased cost and consequently separate prices are put in place.

The difference between the two sets of prices is based on the average cost of the low voltage street network. The price tranches applied to both *relevant distribution transformer* direct connections and low voltage street network connections.



5.4 Price Structure

Two sets of prices are provided in block structure that reflects the separate price tranches for direct transformer connections and low voltage street network connections. Prices are illustrative only. Actual prices will be published on Western Power's website as detailed in this document.

| | Load tranche for incremental capacity | <u>Fixed price</u> | Variable price for incremental kVA in excess of tranche lower threshold |
|-------------------------------|---------------------------------------|--------------------|---|
| Direct transformer connection | 0 to 216 kVA | \$0 | \$500/kVA |
| Direct transformer connection | 216 to 630 kVA | \$108,000 | \$250/kVA |
| Direct transformer connection | Greater than 630 kVA | \$211,500 | \$125/kVA |
| | | | |
| Low voltage street connection | 0 to 216 kVA | \$0 | \$600/kVA |
| Low voltage street connection | 216 to 630 kVA | \$129,600 | \$350/kVA |



6 Exclusion

A distribution low voltage connection scheme application is excluded from the provisions of the distribution low voltage connection scheme where the distribution low voltage connection scheme base charge plus the exclusion threshold is less than the forecast costs of works as determined under clause 5.4 of the contributions policy.

The methodology for determining the exclusion threshold is as follows:

- (a) For all *works* over the same period over which connections are modelled under clause 5.1 Western Power will:
 - (i) determine the amount of the *forecast costs* of the *works* applied to the *applicants* as per section 5.4 of the *contributions policy*; and
 - (ii) subtract from the amount in section (a) the *distribution low voltage connection scheme* base charge.
- (b) The exclusion threshold is equal to two standard deviations of all instances where the value in section (ii) is positive.

Western Power will publish the amount of the exclusion threshold as detailed in this document.



7 Publishing and Review of Prices and Exclusion Threshold

Western Power publishes the *distribution low voltage connection scheme* prices as a price list and the exclusion threshold on its website. The price list is as illustrated in section 5.4.

Prices and the exclusion threshold will be reviewed periodically to reflect changes in the cost of provision of network assets. Any adjustments will apply for a minimum of six months.



Appendix D

Transfer and Relocation Policy

Revised proposed access arrangement

14 June 2018



Transfer and Relocation Policy

14 June 2018



An appropriate citation for this paper is:

Transfer and Relocation Policy

Western Power

363 Wellington Street Perth WA 6000 GPO Box L921 Perth WA 6842

T: 13 10 87 | Fax: 08 9225 2660 TTY 1800 13 13 51 | TIS 13 14 50

Electricity Networks Corporation ABN 18 540 492 861

enquiry@westernpower.com.au westernpower.com.au

Enquiries about this report should be directed to:

AA4 Project Team

Email: AA4@westernpower.com.au

Contents

| 1. | Defin | Defined terms and interpretation1 | | |
|----|-------|--|---|--|
| | 1.1 | Defined terms | 1 | |
| | 1.2 | Interpretation | 2 | |
| 2. | Appli | cation of this transfer and relocation policy | 3 | |
| | 2.1 | Application in respect of an access contract | 3 | |
| | 2.2 | Application in respect of a customer transfer request | 3 | |
| | 2.3 | Access Code | 3 | |
| 3. | Assig | nment only under this transfer and relocation policy | 3 | |
| 4. | Bare | transfers | 3 | |
| | 4.1 | User may make bare transfer | 3 | |
| | 4.2 | User must notify Western Power of the details of the bare transfer | 3 | |
| | 4.3 | Bare transfer does not release the user | 4 | |
| 5. | Assig | nments other than bare transfers | 4 | |
| | 5.1 | Western Power's consent required | 4 | |
| | 5.2 | Deed of novation | 4 | |
| | 5.3 | Assignment to financially and technically competent persons | 5 | |
| 6. | Reloc | ration | 5 | |
| | 6.1 | Occurrence of relocation | 5 | |
| | 6.2 | Access contract provisions in respect of a destination point | 5 | |
| | 6.3 | Access contract provisions in respect to a retiring point | | |
| | 6.4 | Consent | | |
| | 6.5 | Process for Relocation | 6 | |
| | 6.6 | Western Power's costs | 6 | |



1. Defined terms and interpretation

1.1 Defined terms

"access arrangement" means the current access arrangement approved in respect of the network under the Code.

"access contract" has the meaning given to it in the Code.

"access rights" means all or part of a user's rights under an access contract to obtain a covered service.

"applications and queuing policy" means the applications and queuing policy under the access arrangement.

"assign" means to assign or novate a *user*'s *access rights* under an *access contract* to another person, and may take the form of a *bare transfer* or a *novation*.

"assigned access right" means any access right that is or is proposed to be the subject of an assignment.

"assignee" means a person who takes an assignment.

"assignment" means an assignment of a user's access rights under an access contract to another person, and may take the form of a bare transfer or a novation.

"assignor" is a person who makes an assignment.

"bare transfer" means an assignment under which the assignor assigns the whole or a part of its access rights under an access contract to an assignee, but under which there is no novation, with the result that the assignor's obligations under the access contract for services, and all other terms of the access contract for services, remain in full force and effect after the assignment, whether or not the assignee becomes bound to the assignor or any other party to fulfil those obligations.

"bare transferee" means a person who takes a bare transfer.

"bidirectional point" has the meaning given to it in the applications and queuing policy.

"capacity" for a connection point, refers to the capacity of the network to transfer electricity at the connection point.

"Code" means the Electricity Networks Access Code 2004.

"connection point" means, in respect of a user, an exit point or an entry point or bidirectional point under the user's access contract.

"contracted capacity" for a *connection point*, means the maximum rate at which a *user* is permitted to transfer electricity to or from the *network* at the *connection point*, being either:

- a. the rate specified in the user's access contract from time to time; or
- b. if no rate is specified in the *user's access contract*, the maximum rate of electricity permitted to be transferred under the *reference service* eligibility criteria for the *reference service* for that *connection point* in the *user's access contract*; or



c. if no rate is specified in the *user's access contract* or in the *reference service* eligibility criteria, the maximum rate of electricity permitted to be transferred through the *connection assets* under the *technical rules*,

as applicable, and is measured in Watts or Volt-Amps.

"customer transfer request" has the meaning given in the customer transfer code.

"destination point" has the meaning given in clause 6.1(b).

"encumbrance" includes any lease, licence, native title right, easement, mortgage, charge, lien, pledge, deposit, hypothecation, restrictive covenant, building condition, retention of title or other interest of any third party affecting any property.

"entry point" has the meaning given to it in the applications and queuing policy.

"exit point" has the meaning given to it in the applications and queuing policy.

"law" means "written laws" and "statutory instruments" as defined in the *Code*, orders given or made under a written law or statutory instrument as so defined or by a government agency or authority, Codes of Practice and Australian Standards deemed applicable under a written law and rules of the general law including the common law and equity.

"network" has the meaning given to "Western Power Network" in the Code.

"novate" and "novation" mean to substitute, with the consent of all parties to the access contract and with effect on and from a date nominated as the effective date of the novation, an assignee for an assignor as a party to an access contract, with the result that:

- a. all rights and obligations of the *assignor* under the *access contract* become rights and obligations of the *assignee* as if the *assignee* had been named in the *access contract* in place of the *assignor*; and
- b. the *assignor* is released from any obligations under the *access contract* arising on or after the effective date of the novation, but remains liable for any default by it in the performance of those obligations prior to the effective date of the novation.

"relocation" has the meaning given in clause 6.1.

"retiring point" has the meaning given in clause 6.1(a).

"service", in respect of a connection point, means a covered service to be provided under an access contract in respect of the connection point.

1.2 Interpretation

- a. Unless:
 - i. the contrary intention is apparent: or
 - ii. the term has been redefined in clause 1.1,

a term with a defined meaning in the *Code* has the same meaning in this *transfer and relocation policy*.

b. Unless the contrary intention is apparent:



- iii. a rule of interpretation in the Code; and
- iv. the *Interpretation Act 1984*, apply to the interpretation of this *transfer and relocation* policy.

2. Application of this transfer and relocation policy

2.1 Application in respect of an access contract

Unless otherwise expressly stated in an *access contract*, this *transfer and relocation policy* applies in its entirety to each *access contract*.

2.2 Application in respect of a customer transfer request

This transfer and relocation policy does not in any way apply to a customer transfer request.

2.3 Access Code

This transfer and relocation policy is based on the Code as in force as at the date this transfer and relocation policy is approved by the Authority. If there is an amendment to the Code after this date then the application of this transfer and relocation policy is subject to any varied or additional requirements imposed or required by those amendments.

3. Assignment only under this transfer and relocation policy

A user must not, except as expressly permitted by this transfer and relocation policy:

- a. assign, novate, declare itself a trustee of, or otherwise dispose of, any of its rights under an access contract; or
- b. subcontract the performance of its obligations under an access contract; or
- c. create an encumbrance over any of its rights or obligations under an access contract.

4. Bare transfers

The provisions in this clause 4 apply to a bare transfer.

4.1 *User* may make *bare transfer*

- a. Subject to clause 4.2, a *user* may make a *bare transfer* without Western Power's prior consent.
- b. For the avoidance of doubt, a *bare transferee* does not become a *user* by virtue of any *bare transfer*.

4.2 *User* must notify Western Power of the details of the *bare transfer*

If the user makes a bare transfer, the user must notify Western Power of:

- a. the identity of the assignee; and
- b. the nature of the assigned access rights,



before the assignee may commence using the assigned access rights.

4.3 Bare transfer does not release the user

- a. A bare transfer does not constitute a novation, and does not result in:
 - i. the release of the *user* in any way from any of its obligations to Western Power under the *access contract*; or
 - ii. the release of any provider of any bank guarantee under the *access contract* from any liability to Western Power under that bank guarantee.
- b. The *user* remains wholly liable to Western Power for any default under the *access contract* in accordance with its terms, whether caused by the *user*, the *assignee* or any other person.
- c. The provider of any bank guarantee under the *access contract* remains wholly liable to Western Power in accordance with the terms of that bank guarantee.

5. Assignments other than bare transfers

The provisions in this clause 5 apply to an assignment other than a bare transfer.

5.1 Western Power's consent required

For an assignment other than a bare transfer, the following provisions apply.

- a. A user may not assign all or any access rights without Western Power's prior written consent which consent may be withheld on reasonable commercial and technical grounds and which consent may be subject to conditions which are reasonable on commercial and technical grounds.
- b. Western Power is not required to give its consent to the *assignment* unless, under the proposed *assignment*, the *assignee* is bound to Western Power under terms that are identical to the terms of the *access contract* between Western Power and the *user*.
- c. Western Power's consent shall not be unreasonably withheld or delayed where the *user* can satisfy Western Power (acting on reasonable commercial and technical grounds) that the proposed *assignee* is financially and technically capable of performing the *user's* obligations in respect of the *assigned access rights*.

5.2 Deed of novation

- a. The *assignor* and the *assignee* must enter into a deed of *novation* with Western Power in such reasonable form as Western Power requires, pursuant to which, on and from the effective date of the *novation*:
 - i. the assignee acknowledges Western Power's rights under the relevant access contract in respect of the assigned access rights, and undertakes to observe, perform and be bound by the user's obligations and to meet the user's liabilities in respect of the assigned access rights under the relevant access contract; and
 - ii. subject to any limitations and exclusions of liability in the relevant *access contract*, the *assignor* indemnifies the *assignee* and Western Power against, and agrees to defend and hold them harmless from, all liabilities and costs either of them may suffer as a



result of any default by the *assignor* under the relevant *access contract* in respect of the *assigned access rights* occurring prior to the effective date of the *novation*, including any default whose effects do not crystallise until after the effective date of the *novation*; and

iii. Western Power releases the *assignor* from that part of the *user*'s obligations and liabilities under the relevant *access contract* as they relate to the *assigned access rights*.

5.3 Assignment to financially and technically competent persons

Western Power is not required to give its consent to an assignment under clause 5.1 if, in Western Power's reasonable opinion, such an assignment would have the effect of materially increasing Western Power's financial or technical risk under the relevant access contract. Western Power's reasonable opinion may be based on, without limitation, credit reference information available to Western Power and in forming its opinion Western Power will take into account any relevant information provided by the proposed assignee.

6. Relocation

6.1 Occurrence of *relocation*

A "relocation" occurs when a user:

- a. decreases its contracted capacity at a connection point (a "retiring point"); and
- b. makes a corresponding increase in its *contracted capacity* at another *connection point* under the *user's access contract* (a "destination point").

6.2 Access contract provisions in respect of a destination point

Western Power and the *user* must comply with any provisions in the *access contract* with respect to an increase of *contracted capacity* at a *connection point* relating to a *destination point*.

6.3 Access contract provisions in respect to a retiring point

Western Power and the *user* must comply with any provisions in the *access contract* with respect to a decrease of *contracted capacity* at, or a deletion of, a *connection point*, relating to a *retiring point*.

6.4 Consent

- a. A *relocation* is conditional upon the *user* obtaining the consent of Western Power. Western Power:
 - must withhold its consent to a relocation where it would impede the ability of Western Power to provide a covered service sought in an access application or continue to provide an existing covered service to an existing user;
 - ii. may withhold its consent to a *relocation* on reasonable commercial or technical grounds; and
 - iii. may consent to a *relocation* subject to conditions provided that the conditions are required on reasonable commercial and technical grounds.



- b. Without limitation, a condition of consent under clause 6.4(a)(iii) may include that Western Power must receive at least the same amount of revenue as it would have received before the *relocation* or more revenue if the tariffs at the destination point are higher.
- c. If Western Power withholds its consent to a *relocation*, or imposes a condition in respect of a *relocation*, Western Power must provide the *user*, on the *user*'s written request, with an explanation of the grounds relied upon by Western Power to withhold its consent or impose conditions.

6.5 Process for Relocation

- a. Nothing in this clause 6 limits the requirements of the applications and queuing policy.
- b. Without limiting clauses 6.2 and 6.3, the *user* must also, as part of requesting a *relocation*, if required by the *applications and queuing policy*, apply for approval of the *relocation*. Any such application will be processed in accordance with the *applications and queuing policy* and the *user's access contract*.

6.6 Western Power's costs

A *user* who requests any *assignment* or *relocation* under this *transfer* and *relocation* policy shall reimburse Western Power for any cost incurred by Western Power, acting as a *reasonable* and *prudent* person, in processing such request.



Appendix E

Reference Services

Revised proposed access arrangement

14 June 2018



Appendix E - Reference Services

14 June 2018



An appropriate citation for this paper is:

Appendix E - Reference Services

Western Power

363 Wellington Street Perth WA 6000 GPO Box L921 Perth WA 6842

T: 13 10 87 | Fax: 08 9225 2660 TTY 1800 13 13 51 | TIS 13 14 50

Electricity Networks Corporation ABN 18 540 492 861

enquiry@westernpower.com.au westernpower.com.au

Enquiries about this report should be directed to:

AA4 Project Team

Email: aa4@westernpower.com.au

Contents

| 1. | Introd | Introduction | | | |
|-----|--|---|----|--|--|
| | | Definitions | | | |
| | 1.2 | Interpretation | | | |
| | 1.3 | Relationship to the <i>metering instruments</i> | | | |
| | 1.4 | Eligibility criteria | 2 | | |
| | 1.5 | Transitional | 2 | | |
| 2. | Refere | ence Services (Exit Services) | 5 | | |
| 3. | Reference Services (Entry Services) | | 16 | | |
| 4. | Reference Services (Bi-directional Services) | | 18 | | |
| 5. | Reference Services (3 Part TOU Energy) | | 26 | | |
| Δnn | nnendix F Anneyure | | | | |

1. Introduction

This document describes Western Power's reference services.

1.1 Definitions

In this Appendix (including the Annexure), where a word or phrase is *italicised* it has the definition given to the word or phrase below, in the *access arrangement* or in section 1.3 of the *Code*, unless the context otherwise requires.

"AA4 effective date" means the date in section 1.3.1 of the access arrangement.

"accumulated energy data" has the meaning given to it in the Metering Code.

"accumulation meter" has the meaning given to it in the Metering Code.

"AMI Meter (connected)" means a meter, connected to a telecommunications network, with capability activated for two-way communication between the meter and Western Power, configured for the upload and download of data and commands, and provision of advanced metering services, from a remote locality.

"AMI Meter (not connected)" means a meter, not yet connected to a telecommunications network, with capability for two-way communication between the meter and Western Power, configured for the upload and download of data and commands, and provision of advanced metering services, from a remote locality.

"bi-directional point" has the meaning given to 'bidirectional point' in the applications and queuing policy.

"bi-directional service" means a covered service provided by Western Power at a bi-directional point under which the user may transfer electricity into and out of the Western Power Network at the bi-directional point.

"connection service" has the meaning given to it in the Code and also includes a right to connect facilities and equipment at a bi-directional point.

"energy data" has the meaning given to it in the Metering Code.

"interval energy data" has the meaning given to it in the Metering Code.

"interval meter" has the meaning given to it in the *Metering Code* (but does not include an *AMI Meter* (connected) or an *AMI Meter* (not connected)).

"interval meter (bi-directional)" means an *interval meter* capable of measuring the transfer of electricity into and out of the *Western Power Network*.

"interval meter (uni-directional)" means an interval meter capable of measuring the transfer of electricity into, or out of, the Western Power Network but not both.

"minimum meter" means:

- a. if throughput at the connection point is less than 50MWh/a, an accumulation meter or an AMI Meter (connected) or an AMI Meter (not connected); or
- b. if throughput at the connection point is equal to or greater than 50MWh/a —



- (i) where the *metering installation* does not require a *transformer*, an *AMI Meter (connected)* or an *AMI Meter (not connected)*; and
- (ii) where the *metering installation* requires a transformer, an *interval meter*.

"meter" has the meaning given to it in the Metering Code.

"Metering Code" means the Electricity Industry (Metering) Code 2012.

"metering installation" has the meaning given to it in the Metering Code.

"metering instruments" means the *Metering Code* and the documents made under Part 6 of the *Metering Code*.

"metering point" means for a connection point without a meter, the connection point and, for a connection point with a meter, the point at which that meter measures electricity production or consumption for the connection point.

"metering service" has the meaning given to it in the Metering Code.

"MSLA" means the model service level agreement approved by the *Authority* under the *Metering Code* (which as at the *AA4 effective date* is the version dated March 2006).

"non-residential premises" means premises that are not residential premises.

"residential premises" means:

- a. premises where the electricity supply is solely for residential purposes;
- b. where the electricity supply is to premises used for both residential and other purposes, that part of the premises used solely for residential purposes if that part is independently supplied and separately metered; or
- c. premises used for both residential and other purposes where the circuit wiring is not separate provided that Western Power determines, as a *reasonable and prudent person*, that the consumption at the premises is, or will be, less than 20,000 kWh per annum.

"service level agreement" has the meaning given to it in the Metering Code.

"small use customer" has the meaning given to 'customer' in the Code of Conduct For The Supply Of Electricity To Small Use Customers 2018.

"standard metering service" has the meaning given to it in the MSLA and is the metering service relevant to the reference service.

"transformer" has the meaning given to it in the Metering Code.

"voluntary/charitable organisation" means a consumer who is, or is to be, a *small use customer* and:

- a. who meets all of the following conditions:
 - (i) is a direct *small use customer* of the *user*;
 - (ii) is a voluntary, non-profit making organisation;
 - (iii) is endorsed as exempt from income tax under the Income *Tax Assessment Act 1997* (Commonwealth) Subdivision 50-B;
 - (iv) provides a public service, which is available to any member of the public without discrimination;



- (v) is not a Commonwealth, State or local government department, instrumentality or agency; and
- (vi) does not receive the major part of its funding from any organisation mentioned in subparagraph (v); or
- b. is a charitable or benevolent organisation providing residential accommodation other than for commercial gain.

"WA Electrical Requirements" has the meaning given to 'WA Electrical Requirements' in the *Electricity* (*Licensing*) *Regulations 1991*.

1.2 Interpretation

Unless the contrary intention is apparent:

- 1.1 a rule of interpretation in the Code; and
- 1.2 the Interpretation Act 1984,

apply to the interpretation of this Appendix (including the Annexure).

For the avoidance of doubt, a reference to each of the instruments referred to in the definitions and to an applicable price list includes any amendment or replacement of it that is for the time being in force, and includes all instruments made under it from time to time.

1.3 Relationship to the *metering instruments*

The written laws that regulate the measurement of electricity and the provision of metering services are the metering instruments, including the MSLA.

Many reference services in this Appendix are described as including a standard metering service. The MSLA is the written law which regulates standard metering services.

However, to assist understanding this Appendix an Annexure has been included as a guide to the *standard metering services* relevant to a *reference service*. The guide is not a complete handbook to *standard metering services*; relevant information for a *standard metering service* in addition to the guide (for example the service standard) is in the *MSLA*.

It is anticipated that the 2006 version of the *MSLA* will be replaced. If a new model service level agreement is approved, the standard metering services relevant to the reference service will be as set out in that model service level agreement (to the exclusion of the Annexure). After that time, no reliance should be placed on the Annexure.

To the extent of any inconsistency between the Annexure and the *metering instruments*, the *metering instruments* will prevail.

There is no charge to *users* for *standard metering services* in addition to the applicable *reference tariff* for the relevant *reference service*. For any other *metering service* an additional charge is payable in accordance with the *metering instruments*.

The terms and conditions under which *standard metering services* are provided are set out in a service level agreement (as defined in the *Metering Code*) between the *user* and Western Power.



1.4 Eligibility criteria

In each table in this Appendix, for each *reference service*, eligibility criteria are stated. These are the conditions which must be satisfied in order to receive the *reference service*. They are not, and should not be read as, conditions a *user* is entitled to from Western Power.

For reference services A1 - A4 and C1 - C4, the eligibility criteria include that a minimum meter is installed at the metering point. There are a number of different meters that fall within the description of minimum meter, and so a number of different meters that, when installed, can meet the eligibility criteria.

The eligibility criteria do not determine which *meter* is installed at a *metering point* or provide a choice to a *user* as to which *meter* will be installed. The *meter* that is installed at a *metering point* will be the *meter* comprised in the *standard metering service*. In the Annexure, for a *reference service* set out in column one of the table in that Annexure, the *standard metering service* is the provision of the *meter* described in the column marked 'Meter'.

1.5 Transitional

The reference number for a *reference service* is the number and letter used to describe that *reference service* (being A1 to A11, B1, B2, C1, C2, C3 and C4).

Each reference service described in parts 2, 3 and 4 of this appendix E – Reference Services is materially the same (as that term is used in clause 7.1(c) of Standard Access Contract (termed the Electricity Transfer Access Contract)) as the reference service described in parts 2, 3 and 4 of Appendix E of the previous access arrangement which has the same reference number as that AA4 reference service.



2. Reference Services (Exit Services)

Western Power offers 11 exit services as reference services.

| Reference Service Name: | Reference Service A1 – Anytime Energy (Residential) Exit Service |
|---|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The <i>exit point</i> is located at <i>residential premises</i> or premises occupied by a <i>voluntary/charitable organisation</i> ; and |
| | 2. A minimum meter is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 4. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 5. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT1" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A2 – Anytime Energy (Business) Exit Service |
|--|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: The exit point is located at non-residential premises; and The maximum demand at the exit point is: |
| | a. less than 1,500 kVA based on historic metering data; or b. Western Power determines, as a reasonable and prudent person, that the user's forecast maximum demand will be less than 1,500 kVA; and |
| | 3. A minimum meter is installed at the metering point; and 4. The meter is configured to measure the transfer of electricity out of the Western Power Network; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | Each of the following does not apply under an agreement with Western Power: a. The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT2" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the access arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A3 – Time of Use Energy (Residential) Exit Service |
|---|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The exit point is located at residential premises or premises occupied by a voluntary/charitable organisation; and |
| | 2. A minimum meter is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 4. This A3 – Time of Use Energy (Residential) Exit Service: |
| | a. was provided at the connection point as at the AA4 effective date; and |
| | b. has continued to be provided at the <i>connection point</i> from the <i>AA4 effective</i> date; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT3" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A4 – Time of Use Energy (Business) Exit Service |
|---|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The exit point is located at non-residential premises; and |
| | 2. The maximum demand at the <i>exit point</i> is: |
| | a. less than 1,500 kVA based on historic metering data; or |
| | b. Western Power determines, as a reasonable and prudent person, that the <i>user</i> 's forecast maximum demand will be less than 1,500 kVA; and |
| | 3. A minimum meter is installed at the metering point; and |
| | 4. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 5. This A4 – Time of Use Energy (Business) Exit Service: |
| | a. was provided at the connection point as at the AA4 effective date; and |
| | b. has continued to be provided at the <i>connection point</i> from the <i>AA4 effective</i> date; and |
| | 6. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 7. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT4" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access arrangement</i> . |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A5 – High Voltage Metered Demand Exit Service |
|---|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the high voltage (6.6 kV or higher) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: 1. The exit point is located at non-residential premises; and |
| | The exit point is located at non-residential premises, and The maximum demand at the exit point is: |
| | a. less than 1,500 kVA based on historic metering data; or |
| | b. Western Power determines, as a reasonable and prudent person, that the user's forecast maximum demand will be less than 1,500 kVA; and |
| | 3. An interval meter (uni-directional) is installed at the metering point; and |
| | 4. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT5" in the <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the access arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A6 – Low Voltage Metered Demand Exit Service |
|--|---|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: The exit point is located at non-residential premises; and The maximum demand at the exit point is: |
| Applicable Reference Tariff: | the Applicable Service Standard Benchmarks for this <i>service</i> . "RT6" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the access arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A7 – High Voltage Contract Maximum Demand Exit Service |
|---|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the high voltage (6.6 kV or higher) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The exit point is located at non-residential premises; and |
| | 2. The contracted maximum demand at the <i>exit point</i> is greater than 1,000 kVA; and |
| | 3. An interval meter (uni-directional) is installed at the metering point; and |
| | 4. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT7" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A8 – Low Voltage Contract Maximum Demand Exit Service |
|--|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The exit point is located at non-residential premises; and |
| | 2. The contracted maximum demand at the <i>exit point</i> is greater than 1,000 kVA; and |
| | 3. An interval meter (uni-directional) is installed at the metering point; and |
| | 4. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT8" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A9 – Streetlighting Exit Service |
|---|---|
| Reference Service Description: | An <i>exit service</i> combined with a <i>connection service</i> at an <i>exit point</i> on the low voltage (415 volts or less) <i>distribution system</i> for the purpose of public street lighting, plus the service of the provision and maintenance of the streetlight. |
| Eligibility Criteria: | Users are eligible to use this service if the streetlight is a Western Power streetlight; and |
| | 2. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this s <i>ervice</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT9" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in sections 4.2 and 4.4 of the access arrangement. |



| Reference Service Name: | Reference Service A10 –Unmetered Supplies Exit Service |
|--|---|
| Reference Service Description: | An exit service combined with a connection service at an exit point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The <i>exit point</i> is located on public land; and |
| | 2. The maximum <i>load</i> at the <i>exit point</i> is not subject to <i>user</i> or <i>consumer</i> controlled variations in duration of usage; and |
| | 3. Western Power, as a reasonable and prudent person, forecasts the maximum load at the exit point to be less than 1 kW single-phase except for streetlights, traffic lights, rail crossings, and pedestrian lighting where the consumer is a road or local government authority, then the maximum load at the exit point is less than 4.8 kW single phase; and |
| | 4. Metering is not practicable due to the nature or location of the <i>exit point</i> and/or <i>consumer's facilities and equipment;</i> and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT10" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the access arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service A11 – Transmission Exit Service |
|---|--|
| Reference Service Description: | An exit service combined with a connection service and a standard metering service at an exit point on the transmission system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. An interval meter (uni-directional) is installed at the metering point; and |
| | 2. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 3. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 4. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The tariff that determines the <i>charge</i> is different to the Applicable Reference Tariff for this s <i>ervice</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "TRT1" in the applicable <i>Price List</i> published in Appendix F of the <i>access</i> arrangement. |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.3 of the access arrangement. |



3. Reference Services (Entry Services)

Western Power offer 2 *entry services* as *reference services*.

| Reference Service Name: | Reference Service B1 – Distribution Entry Service |
|---|--|
| Reference Service Description: | An entry service combined with a connection service and a standard metering service at an entry point on the distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. An interval meter (uni-directional) is installed at the metering point; and |
| | 2. The <i>meter</i> is configured to measure the transfer of electricity into the <i>Western Power Network</i> ; and |
| | 3. The generator's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 4. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT11" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service B2 – Transmission Entry Service |
|---|--|
| Reference Service Description: | An entry service combined with a connection service and a standard metering service at an entry point on the transmission system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. An interval meter (uni-directional) is installed at the metering point; and |
| | 2. The <i>meter</i> is configured to measure the transfer of electricity into the <i>Western Power Network</i> ; and |
| | 3. The generator's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 4. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "TRT2" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in Section 4.3 of the access arrangement. |



4. Reference Services (Bi-directional Services)

Western Power offers 8 bi-directional services as reference services.

| Reference Service Name: | Reference Service C1 – Anytime Energy (Residential) Bi-directional Service |
|---|---|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard metering service at a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The <i>bi-directional point</i> is located at a <i>residential premises</i> or premises occupied by a <i>voluntary/charitable organisation</i> with an inverter system rated up to 10 kVA for single phase connections and 30 kVA for three phase connections; and |
| | 2. A minimum meter is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity into and out of the <i>Western Power Network</i> ; and |
| | 4. The <i>consumer's</i> inverter system complies with the requirements of AS 4777 and the <i>technical rules</i> ; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT13" in the applicable <i>Price List</i> published in Appendix F of the <i>access</i> arrangement. |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in Section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service C2 – Anytime Energy (Business) Bi-directional Service |
|--|--|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard meter service at a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: The bi-directional point is located at non-residential premises with an inverter system rated up to a total of 1 MVA for single or three-phase connections; and A minimum meter is installed at the metering point; and The meter is configured to measure the transfer of electricity into and out of the Western Power Network; and The consumer's inverter system complies with the requirements of AS 4777 and the technical rules, and satisfies a technical assessment by Western Power for installations larger than 30kVA; and The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and Each of the following does not apply under an agreement with Western Power: The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; The tariff that determines the charge is different to the Applicable Reference Tariff for this service; or The user is to receive delivered electricity at a service standard different to the Applicable Service Standard Benchmarks for this service. |
| Applicable Reference Tariff: | "RT14" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service C3 – Time of Use Energy (Residential) Bi-directional Service |
|---|---|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard meter service at a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The <i>bi-directional point</i> is located at a <i>residential premises</i> or premises occupied by a <i>voluntary/charitable organisation</i> with an inverter system rated up to 10 kVA for single phase connections and 30 kVA for three phase connections; and |
| | 2. A minimum meter is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity into and out of the <i>Western Power Network</i> ; and |
| | 4. This C3 – Time of Use Energy (Residential) – Bi-Directional Service: |
| | a. was provided at the connection point as at the AA4 effective date; and |
| | b. has continued to be provided at the <i>connection point</i> from the <i>AA4 effective</i> date; and |
| | 5. The <i>consumer's</i> inverter system complies with the requirements of AS 4777 and the <i>technical rules</i> ; and |
| | 6. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 7. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT15" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service C4 – Time of Use Energy (Business) Bi-directional Service |
|---|--|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard meter service at a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The <i>bi-directional point</i> is located at <i>non-residential premises</i> with an inverter system rated up to a total of 1 MVA for single or three-phase connections; and |
| | 2. A minimum meter is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity into and out of the <i>Western Power Network</i> ; and |
| | 4. This C4 – Time of Use Energy (Business) – Bi-directional Service: |
| | a. was provided at the connection point as at the AA4 effective date; and |
| | b. has continued to be provided at the <i>connection point</i> from the <i>AA4 effective</i> date; and |
| | 5. The <i>consumer's</i> inverter system complies with the requirements of AS 4777 and the <i>technical rules</i> , and satisfies a technical assessment by Western Power for installations larger than 30kVA; and |
| | 6. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 7. Each of the following does not apply under an agreement with Western Power: |
| | a. The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT16" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service C5 – High Voltage Metered Demand Bi-directional Service |
|---|--|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard metering service at a bi-directional point on the high voltage (6.6 kV or higher) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: The exit point is located at non-residential premises; and The maximum demand at the bi-directional point is: |
| Applicable Reference Tariff: | b. The tariff that determines the charge is different to the Applicable Reference Tariff for this service; or c. The user is to receive delivered electricity at a service standard different to the Applicable Service Standard Benchmarks for this service. "RT5" in the Price List published in Appendix F of the access arrangement. |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the access arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service C6 – Low Voltage Metered Demand Bi-directional Service |
|---|---|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard metering service at a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: The exit point is located at non-residential premises; and The maximum demand at the bi-directional point is: |
| Applicable Reference Tariff: | "RT6" in the applicable Price List published in Appendix F of the access arrangement. |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service C7 – High Voltage Contract Maximum Demand Bi-directional Service |
|---|---|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard metering service at a bi-directional point on the high voltage (6.6 kV or higher) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: The exit point is located at non-residential premises; and The contracted maximum demand at the bi-directional point is greater than 1,000 kVA; and An interval meter (bi-directional) is installed at the metering point; and The meter is configured to measure the transfer of electricity into and out of the Western Power Network; and The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and The premises have an inverter system rated up to a total of 1 MVA for single or three-phase connections; and The consumer's inverter system complies with the requirements of AS 4777 and the technical rules, and satisfies a technical assessment by Western Power for installations larger than 30kVA; and Each of the following does not apply under an agreement with Western Power: The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; The tariff that determines the charge is different to the Applicable Reference Tariff for this service; or The user is to receive delivered electricity at a service standard different to |
| Applicable Reference Tariff: | the Applicable Service Standard Benchmarks for this service. "RT7" in the applicable <i>Price List</i> published in Appendix F of the access arrangement. |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service C8 – Low Voltage Contract Maximum Demand Bi-directional Service |
|--|--|
| Reference Service Description: | A bi-directional service combined with a connection service and a standard metering service at a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | 1. The exit point is located at non-residential premises; and |
| | 2. The contracted maximum demand at the <i>bi-directional point</i> is greater than 1,000 kVA; and |
| | 3. An interval meter (bi-directional) is installed at the metering point; and |
| | 4. The <i>meter</i> is configured to measure the transfer of electricity into and out of the <i>Western Power Network</i> ; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. The premises have an inverter system rated up to a total of 1 MVA for single or three-phase connections; and |
| | 7. The consumer's inverter system complies with the requirements of AS 4777 and the technical rules, and satisfies a technical assessment by Western Power for installations larger than 30kVA; and |
| | 8. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| Applicable Reference Tariff: | "RT8" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



5. Reference Services (3 Part TOU Energy)

Western Power offers 2 services at an exit point or a bi-directional point with an AMI Meter (connected) or an interval meter as reference services.

| Reference Service Name: | Reference Service D1 – 3 Part Time of Use Energy (Residential) Service |
|-----------------------------------|---|
| Reference Service Description: | An exit service or a bi-directional service combined with a connection service and a standard metering service at an exit point or a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are eligible to use this service if: |
| | For an exit service — |
| | 1. The <i>exit point</i> is located at the <i>residential premises</i> or premises occupied by a <i>voluntary/charitable organisation</i> ; and |
| | 2. An AMI Meter (connected) or an interval meter (bi-directional) (if a transformer is required) is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 4. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 5. Each of the following does not apply under an agreement with Western Power: |
| | a. The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| | For a bi-directional service — |
| | 1. The <i>bi-directional point</i> is located at a <i>residential premises</i> or premises occupied by a <i>voluntary/charitable organisation</i> with an inverter system rated up to 10 kVA for single phase connections and 30 kVA for three phase connections; and |
| | 2. An AMI Meter (connected) or an interval meter (bi-directional) (if a transformer is required) is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity into and out of the <i>Western Power Network</i> ; and |
| | 4. The <i>consumer's</i> inverter system complies with the requirements of AS 4777 and the <i>technical rules</i> ; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | a. The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |



| Reference Service Name: | Reference Service D1 – 3 Part Time of Use Energy (Residential) Service |
|---|---|
| Applicable Reference Tariff: | "RT17" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



| Reference Service Name: | Reference Service D2 – 3 Part Time of Use Energy (Business) Service |
|-----------------------------------|---|
| Reference Service Description: | An exit service or a bi-directional service combined with a connection service and a standard metering service at an exit point or a bi-directional point on the low voltage (415 volts or less) distribution system. |
| Eligibility Criteria: | Users are e |
| | For an exit service — |
| | 1. The exit point is located at non-residential premises; and |
| | 2. The maximum demand at the <i>exit point</i> is: |
| | a. less than 1,500 kVA based on historic metering data; or |
| | b. Western Power determines, as a <i>reasonable and prudent person</i> , that the <i>user's</i> forecast maximum demand will be less than 1,500 kVA. |
| | 3. An AMI Meter (connected) or an interval meter (bi-directional) (if a transformer is required) is installed at the metering point; and |
| | 4. The <i>meter</i> is configured to measure the transfer of electricity out of the <i>Western Power Network</i> ; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this service; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |
| | For a bi-directional service — |
| | 1. The <i>bi-directional point</i> is located at <i>non-residential premises</i> with an inverter system rated up to a total of 1 MVA for single or three-phase connections; and |
| | 2. An AMI Meter (connected) or an interval meter (bi-directional) (if a transformer is required) is installed at the metering point; and |
| | 3. The <i>meter</i> is configured to measure the transfer of electricity into and out of the <i>Western Power Network</i> ; and |
| | 4. The <i>consumer's</i> inverter system complies with the requirements of AS 4777 and the <i>technical rules</i> , and satisfies a technical assessment by Western Power for installations larger than 30kVA; and |
| | 5. The consumer's facilities and equipment comply with the technical rules, the WA Electrical Requirements and AS 3000; and |
| | 6. Each of the following does not apply under an agreement with Western Power: |
| | The terms and conditions of the access contract under which the service will be provided are materially different to the Applicable Standard Access Contract for this service; |
| | b. The <i>tariff</i> that determines the <i>charge</i> is different to the Applicable Reference Tariff for this <i>service</i> ; or |
| | c. The <i>user</i> is to receive delivered electricity at a <i>service standard</i> different to the Applicable Service Standard Benchmarks for this <i>service</i> . |



| Reference Service Name: | Reference Service D2 – 3 Part Time of Use Energy (Business) Service |
|---|---|
| Applicable Reference Tariff: | "RT18" in the applicable <i>Price List</i> published in Appendix F of the <i>access arrangement</i> . |
| Applicable Standard Access Contract: | "Electricity Transfer Access Contract" published in Appendix A of the <i>access</i> arrangement. |
| Applicable Service Standard Benchmarks: | As set out in section 4.2 of the access arrangement. |



Appendix E

Annexure

Guide to *standard metering services* included in *reference services*



E.1 Guide to standard metering services included in reference services

Words or phrases italicised in this Annexure have the definitions given in clause 1.1 of Appendix E, in the access arrangement or in section 1.3 of the Code.

E.1.1 Nature and currency of this Annexure

The written laws that regulate the measurement of electricity and the provision of metering services are the metering instruments. These include the MSLA, which regulates standard metering services.

This Annexure is a guide to standard metering services relevant to a *reference service*. This guide is not a complete handbook to *standard metering services*; relevant information for a *standard metering service* in addition to this guide (for example the service standard) is in the *MSLA*.

It is anticipated that the 2006 version of the *MSLA* will be replaced. If a new model service level agreement is approved, the *standard metering services* relevant to the *reference serv*ice will be as set out in that model service level agreement (to the exclusion of this guide). After that time, no reliance should be placed on this guide.

To the extent of any inconsistency between this Annexure and the *metering instruments*, the *metering instruments* will prevail.

E.1.2 Status and configuration of *metering installation* in Table 1

In Table 1 below:

- an existing *metering installation* is one at an existing *metering point* immediately before the *AA4* effective date and continues as an existing *metering installation* until such time as the *meter* forming part of the *metering installation* is upgraded, replaced, changed or reconfigured;
- a new metering installation is one established at a new metering point after the AA4 effective date;
- an upgraded or replaced *metering installation* is one where the *meter* forming part of the *metering installation* is upgraded or replaced after the *AA4 effective date* but does not include a *metering installation* where the *meter* is changed or reconfigured at the request of the *user*.

For:

- an exit service or entry service the meter will be configured to measure the transfer of electricity out of or into (respectively) the Western Power Network, but not both; and
- a *bi-directional service* the *meter* will be configured to measure the transfer of electricity into and out of the *Western Power Network*.

An accumulation meter includes a meter with interval energy data storage capability which is declared to be an accumulation meter under clause 3.2(2) of the Metering Code.



E.1.3 Availability of *Reference Services*

Reference Services A3, A4, C3 and C4 are not available for new metering installations.

There are no existing metering installations for Reference Services D1 and D2.

E.1.4 Standard metering services

For the *reference services* set out in column one of Table E.1 and for the *metering installations* set out in column two, the *standard metering services* are the provision of the *meter* described in the column marked 'Meter' and the provision of the energy data described in the column marked 'Data Service'.

Table E.1: Standard Metering Services

| Reference Service | Status of metering installation | Meter | Data Service |
|--------------------------------|--|--|--|
| A1, A2, A3, A4, C1, C2, C3, | Existing | If throughput at the connection point is less than 50MWh/a, an accumulation meter | Bi-monthly provision of accumulated energy data |
| C4 | | If throughput at the connection point is equal to or greater than 50MWh/a, an interval meter | Monthly provision of <i>interval energy</i> data. |
| | New, upgraded or replaced* (for A1, A2, C1, C2) Upgraded or replaced (for A3, A4, C3, C4) | If throughput at the connection point is less than 50MWh/a, an AMI Meter (connected) or an AMI Meter (not connected) | For an AMI Meter (connected) — daily provision of interval energy data (unless the user requests not to receive the daily interval energy data in which case bimonthly provision of accumulated energy data) |
| | | | For an AMI Meter (not connected) — where throughput at the connection point is less than 50MWh/a, bimonthly provision of accumulated energy data; and where throughput at the connection point is equal to or greater than |
| | | | 50MWh/a, monthly provision of interval energy data |
| | | If throughput at the connection point is equal to or greater than 50MWh/a — | |



| Reference Service | Status of metering installation | Meter | Data Service |
|--|---|---|---|
| | | where the metering installation does not require a transformer, an AMI Meter (connected) or an AMI Meter (not connected). | For an AMI Meter (connected) — daily provision of interval energy data (unless the user requests not to receive the daily interval energy data in which case bimonthly provision of accumulated energy data). For an AMI Meter (not connected) — • where throughput at the connection point is less than 50MWh/a, bimonthly provision of accumulated energy data; and • where throughput at the connection point is equal to or greater than 50MWh/a, monthly provision of interval energy data. |
| | | where the metering installation requires a transformer, an interval meter | Monthly provision of interval energy data |
| A5, A6, A7, A8, B1, B2, C5, C6, C7, C8 | Existing, new, upgraded and replaced* | Interval meter | Monthly provision of interval energy data |
| D1, D2 | New, upgraded and replaced* | If throughput at the <i>metering</i> point is less than 50MWh/a, an AMI Meter (connected) | Daily provision of interval energy data |
| | | If throughput at the <i>metering</i> point is equal to or greater than 50MWh/a — | |
| | | where the metering installation does not require a transformer, an AMI Meter (connected) | Daily provision of interval energy data |
| | | where the metering installation requires a transformer, an interval meter | Monthly provision of interval energy data |

^{*} Where a *user* requests a *meter* change or *meter* reconfiguration, the *meter* provision service is an extended metering service (within the meaning of the *MSLA*) and, as Table 1 only describes *standard metering services*, it is not included. However, the *meter* provided will be the same as a new, upgraded or replaced *meter* set out in Table E.1 for the relevant *reference service*. The provision of the *energy data* described in the column marked 'Data Service' alongside the *meter* provided is then part of the *standard metering services* for that *reference service*.



E.1.5 *Metering Services* other than *standard metering services*

Table E.1 details standard metering services. There is no charge to users for standard metering services additional to the applicable reference tariff for the relevant reference service. For any other metering service an additional charge is payable.

Standard metering services do not include the provision of services classified as extended metering services (within the meaning of the MSLA). Those extended metering services are provided and paid for under a service level agreement.

The user may request the provision of metering services that are additional to standard metering services and extended metering services ("additional metering services"). For example, the user may request:

- 1. more (or less) frequent *energy data* provision; or
- 2. the provision of an alternative *energy data* type (for example, *interval energy data* as an alternative to *accumulated energy data*).

In these examples, the *metering service* will be provided as an *additional metering service*.

Additional metering services are provided and paid for under a service level agreement between the user and Western Power, subject to the additional metering services meeting the minimum requirements of the Metering Code. Fees payable for the additional metering service will recover the costs that are incremental to the related standard metering service.



Appendix F.1

2017/18 Price List

Revised proposed access arrangement

14 June 2018



An appropriate citation for this paper is:

Appendix F.1

Western Power

363 Wellington Street Perth WA 6000 GPO Box L921 Perth WA 6842

T: 13 10 87 | Fax: 08 9225 2660 TTY 1800 13 13 51 | TIS 13 14 50

Electricity Networks Corporation ABN 18 540 492 861

enquiry@westernpower.com.au westernpower.com.au

Enquiries about this report should be directed to:

AA4 Project Team

Email: AA4@westernpower.com.au

Contents

| 1. | Intro | duction | | 1 |
|--|--------|---------------------------------------|---------------------------------------|----|
| 2. | Refer | ence Serv | vices | 2 |
| 3. | Non-r | eference | services | 3 |
| 4. | Distri | Distribution Tariff Application Guide | | |
| | 4.1 | Referen | nce Tariffs 1 and 2 (RT1 and RT2) | 4 |
| | 4.2 | Referen | nce Tariffs 3 and 4 (RT3 and RT4) | 4 |
| | 4.3 | Referen | nce Tariff 5 (RT5) | 5 |
| | | 4.3.1 | Tariff Calculation | 5 |
| | | 4.3.2 | Discount | 5 |
| | 4.4 | Referen | nce Tariff 6 (RT6) | 6 |
| | | 4.4.1 | Tariff Calculation | 6 |
| | | 4.4.2 | Discount | 6 |
| | 4.5 | Referen | nce Tariff 7 (RT7) | 7 |
| | | 4.5.1 | Tariff Calculation | 7 |
| | | 4.5.2 | Excess Network Usage Charges | 7 |
| | 4.6 | Referen | nce Tariff 8 (RT8) | 8 |
| | | 4.6.1 | Tariff Calculation | 8 |
| | | 4.6.2 | Excess Network Usage Charges | 9 |
| | 4.7 | Referen | nce Tariff 9 (RT9) | 9 |
| | 4.8 | Referen | nce Tariff 10 (RT10) | 10 |
| | 4.9 | Referen | nce Tariff 11 (RT11) | 10 |
| | | 4.9.1 | Tariff Calculation | 10 |
| | | 4.9.2 | Excess Network Usage Charges | 11 |
| | 4.10 | Referen | nce Tariffs 13 and 14 (RT13 and RT14) | 12 |
| | 4.11 | Referen | nce Tariffs 15 and 16 (RT15 and RT16) | 12 |
| 5. | Trans | mission 1 | Tariff Application Guide | 13 |
| | 5.1 | Transm | ission Reference Tariff 1 (TRT1) | 13 |
| | | 5.1.1 | Tariff Calculation | 13 |
| | | 5.1.2 | Excess Network Usage Charges | 13 |
| 5.2 Transmission Reference Tariff 2 (TRT2) | | ission Reference Tariff 2 (TRT2) | 14 | |
| | | 5.2.1 | Tariff Calculation | 14 |



| | | 5.2.2 | Excess Network Usage Charges | 14 |
|----|-------|-----------|--|----|
| 6. | Price | Tables | | 15 |
| | 6.1 | Prices fo | r energy-based tariffs on the distribution network | 15 |
| | | 6.1.1 | Use of system and metering prices | 15 |
| | | 6.1.2 | Streetlight asset prices | 17 |
| | 6.2 | Prices fo | r demand-based tariffs on the distribution network (RT5 to RT8 and RT11) | 18 |
| | | 6.2.1 | Demand charges | 18 |
| | | 6.2.2 | Demand length charges | 25 |
| | | 6.2.3 | Metering prices | 25 |
| | | 6.2.4 | Administration charges | 26 |
| | | 6.2.5 | LV Prices | 26 |
| | | 6.2.6 | Connection Price | 27 |
| | 6.3 | Transmis | ssion prices | 27 |
| | | 6.3.1 | Use of system prices | 27 |
| | | 6.3.2 | Common Service Prices | 34 |
| | | 6.3.3 | Control System Service Prices | 34 |
| | | 634 | Metering prices | 35 |



1. Introduction

This document details Western Power's price list. For the purpose of section 5.1(f) of the *Electricity Networks Access Code 2004* this document forms part of Western Power's Access Arrangement.

For the avoidance of doubt, the prices within this price list have applied since 1 July 2016 and will apply to all consumption from 1 July 2017 until a replacement price list is approved by the Economic Regulatory Authority to form part of this Access Arrangement. Where consumption is metered with an accumulation meter and the meter reading interval causes some of the metered consumption to lie within the period covered by this price list and the remainder within a previous or subsequent period not covered by this price list, the consumption covered by this price list will be determined by prorating the metered consumption uniformly on a daily basis.

Section 2 lists the reference tariffs for the reference services in that section provided by Western Power as stated in the company's access arrangement.

Sections 4 and 5 detail the reference tariffs, which are based on a number of components. The total charge payable by users under each reference tariff represents the sum of the amounts payable for each component within the relevant reference tariff.

Section 6 details all of the prices that are required to calculate the charges.



2. Reference Services

The following table details which reference tariff is applicable to each of the reference services here listed.

| Reference Service | Reference Tariff |
|--|------------------|
| A1 – Anytime Energy (Residential) Exit Service | RT1 |
| A2 – Anytime Energy (Business) Exit Service | RT2 |
| A3 – Time of Use Energy (Residential) Exit Service | RT3 |
| A4 – Time of Use Energy (Business) Exit Service | RT4 |
| A5 – High Voltage Metered Demand Exit Service | RT5 |
| A6 – Low Voltage Metered Demand Exit Service | RT6 |
| A7 – High Voltage Contract Maximum Demand Exit Service | RT7 |
| A8 – Low Voltage Contract Maximum Demand Exit Service | RT8 |
| A9 – Streetlighting Exit Service | RT9 |
| A10 – Un-Metered Supplies Exit Service | RT10 |
| A11 – Transmission Exit Service | TRT1 |
| B1 – Distribution Entry Service | RT11 |
| B2 – Transmission Entry Service | TRT2 |
| C1 – Anytime Energy (Residential) Bi-directional Service | RT13 |
| C2 – Anytime Energy (Business) Bi-directional Service | RT14 |
| C3 – Time of Use (Residential) Bi-directional Service | RT15 |
| C4 – Time of Use (Business) Bi-directional Service | RT16 |



3. Non-reference services

Where Western Power is providing a User a non-reference service at a connection point, the tariff applicable to that non-reference service is the tariff agreed between the User and Western Power.



4. Distribution Tariff Application Guide

Within this price list the transmission and distribution components of the bundled charges are published, where applicable. The bundled charge is applicable when calculating the charge for the reference tariff, unless otherwise indicated. For the avoidance of doubt, the bundled charge is the sum of the distribution and transmission components of the charge.

At Western Power's discretion, the charges detailed below may be discounted where there are multiple exit points on the same premises that are configured in a non-standard way. These discounts include, but are not limited to, only charging one administration charge per site.

4.1 Reference Tariffs 1 and 2 (RT1 and RT2)

Reference Tariffs RT1 and RT2 consist of:

- a. a fixed use of system charge (detailed in Table 1) which is payable each day;
- b. a variable use of system charge calculated by multiplying the energy price (detailed in Table
 1) by the quantity of electricity consumed at an exit point (expressed in kWh);
- c. a fixed metering charge per revenue meter (detailed in Table 1) which is payable each day;
- d. a variable metering charge calculated by multiplying the variable price (detailed in Table 1) by the quantity of electricity consumed at an exit point (expressed in kWh).

4.2 Reference Tariffs 3 and 4 (RT3 and RT4)

Reference Tariffs RT3 and RT4 consist of:

- a. a fixed use of system charge (detailed in Table 1) which is payable each day;
- an on-peak use of system variable charge calculated by multiplying the on-peak energy price (detailed in Table 1) by the quantity of on-peak electricity consumed at an exit point (expressed in kWh);
- c. an off-peak use of system variable charge calculated by multiplying the off-peak energy price (detailed in Table 1) by the quantity of off-peak electricity consumed at an exit point (expressed in kWh);
- d. a fixed metering charge per revenue meter (detailed in Table 1) which is payable each day;
- e. an on-peak variable metering charge calculated by multiplying the on-peak variable price (detailed in Table 1) by the quantity of on-peak electricity consumed at an exit point (expressed in kWh); and
- f. an off-peak variable metering charge calculated by multiplying the off-peak variable price (detailed in Table 1) by the quantity of off-peak electricity consumed at an exit point (expressed in kWh).

Notes:

1. The on and off peak periods for these tariffs are defined in the following table (all times are Western Standard Time (WST)):



| | Monday | Saturday - Sunday | | | |
|-----|-----------------------------------|-------------------|-------------------|-----------|--|
| | Off-peak On-Peak | | Off-Peak | Off-Peak | |
| RT3 | 12:00am – 7:00am | | 9:00pm – 12:00am | All times | |
| RT4 | 12:00am – 8:00am 8:00am – 10:00pm | | 10:00pm – 12:00am | All times | |

4.3 Reference Tariff 5 (RT5)

4.3.1 Tariff Calculation

Reference Tariff RT5 consists of:

- a fixed metered demand charge (detailed in Table 4) which is payable each day based on the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) multiplied by (1-Discount);
- a variable metered demand charge calculated by multiplying the demand price (in excess of the lower threshold and detailed in Table 4) by the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) minus the lower threshold with the result multiplied by (1-Discount);
- c. if the metered demand is greater than 1,000 kVA a variable demand length charge calculated by multiplying the demand length price (detailed in Table 7) by the electrical distance to the zone substation by the rolling 12-month maximum half-hourly demand (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km); and
- d. a fixed metering charge per revenue meter (detailed in Table 9) which is payable each day.

Notes:

1. The on and off peak periods for this tariff are defined in the following table (all times are Western Standard Time (WST)):

| Monday | Saturday - Sunday | | |
|------------------|-------------------|-------------------|-----------|
| Off-peak | Off-Peak | Off-Peak | |
| 12:00am – 8:00am | 8:00am – 10:00pm | 10:00pm – 12:00am | All times |

4.3.2 Discount

A discount, based on the percentage of off peak energy consumption (as a proportion of the total energy consumption), applies to this tariff.

The Discount is defined as:

For MD < 1,000 kVA $(E_{Off Peak}/E_{Total}) * DF$ For 1,000 <= MD <1,500 kVA $((1500 - MD)/500) * (E_{Off Peak}/E_{Total}) * DF$

For MD => 1,500 kVA 0



Where:

MD is the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA);

DF is the discount factor, which is set at 50%

E_{Off Peak} is the total off peak energy for the billing period (expressed in kWh); and

E_{Total} is the total energy (both on and off peak) for the billing period (expressed in kWh).

Notes:

1. This discount does not apply to the demand-length portion of the charge.

4.4 Reference Tariff 6 (RT6)

4.4.1 Tariff Calculation

Reference Tariff RT6 consists of:

- a fixed metered demand charge (detailed in Table 5) which is payable each day based on the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) multiplied by (1-Discount);
- a variable metered demand charge (detailed in Table 5) calculated by multiplying the demand price (in excess of lower threshold) by the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) minus the lower threshold with the result multiplied by (1-Discount);
- c. if the metered demand is equal to or greater than 1,000 kVA a variable demand length charge calculated by multiplying the demand length price (detailed in Table 7) by the electrical distance to the zone substation by the rolling 12-month maximum half-hourly demand (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km); and
- d. a fixed metering charge per revenue meter (detailed in Table 9) which is payable each day

Notes:

- 1. This tariff is similar to RT5 in section 4.3 but for customers connected at low voltage. The higher tariff rates reflect the additional cost of using the low voltage network.
- 2. The on and off peak periods for this tariff are defined in the following table (all times are Western Standard Time (WST)):

| Monday | Saturday - Sunday | | |
|------------------|-------------------|-------------------|-----------|
| Off-peak | On-Peak | Off-Peak | Off-Peak |
| 12:00am – 8:00am | 8:00am – 10:00pm | 10:00pm – 12:00am | All times |

4.4.2 Discount

Identical to RT5 detailed in section 4.3.2.



4.5 Reference Tariff 7 (RT7)

4.5.1 Tariff Calculation

Reference Tariff RT7 consists of:

- a. If the contracted maximum demand (CMD) is less than 7,000 kVA:
 - i. a fixed demand charge for the first 1,000 kVA (detailed in Table 6) which is payable each day; plus
 - ii. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6) by the CMD at an exit point (expressed in kVA) minus 1,000 kVA; plus
 - iii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 7) by the electrical distance to the zone substation by the CMD (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km);
- b. If the CMD is equal to or greater than 7,000 kVA:
 - i. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6) by the CMD at an exit point (expressed in kVA); plus
 - ii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 8) by the electrical distance to the zone substation by the CMD (expressed in kVA) (Note: a different rate applies after 10 km);
- c. a fixed metering charge per revenue meter (detailed in Table 9) which is payable each day;
- d. a fixed administration charge (detailed in Table 10) which is payable each day; and
- e. excess network usage charges (if applicable).

Notes:

1. For exit points located at the zone substation the fixed and demand charge specified in sections 4.5.1 (a)(i), (a)(ii) & (b)(i) is to be calculated using the transmission component only. In all other instances, the fixed and demand charge specified in sections 4.5.1 (a)(i), (a)(ii) & (b)(i) is to be calculated using the bundled charge.

4.5.2 Excess Network Usage Charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated CMD during the billing period of the load.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

ENUC
$$_{Transmission}$$
 = ENUM * (PD - CMD) * DC $_{Transmission}$ / CMD

ENUM is the Excess network usage multiplier factor, which is set at 2



PD is the peak half-hourly demand during the billing period of the load (expressed in

kVA)

CMD is the nominated CMD for the billing period of the load (expressed in kVA)

DC _{Transmission} are the applicable transmission components of the fixed and variable demand

charges for the billing period for the nominated CMD

DC Distribution are the applicable distribution components of the fixed and variable demand

charges for the billing period for the nominated CMD

DLC are the applicable variable demand length charges for the billing period for the

nominated CMD

Notes:

1. The ENUC does not include the metering or administration components of the tariff.

4.6 Reference Tariff 8 (RT8)

4.6.1 Tariff Calculation

Reference Tariff RT8 consists of:

- a. If the contracted maximum demand (CMD) is less than 7,000 kVA:
 - i. a fixed demand charge for the first 1,000 kVA (detailed in Table 6) which is payable each day; plus
 - ii. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6) by the CMD at an exit point (expressed in kVA) minus 1,000 kVA;
 plus
 - iii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 7) by the electrical distance to the zone substation by the CMD (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km);
- b. If the CMD is equal to or greater than 7,000 kVA:
 - i. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6) by the CMD at an exit point (expressed in kVA); plus
 - ii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 8) by the electrical distance to the zone substation by the CMD (expressed in kVA) (Note: a different rate applies after 10 km);
- c. a fixed low voltage charge (detailed in Table 11) which is payable each day;
- d. a variable low voltage charge calculated by multiplying the low voltage demand price (detailed in Table 11) by the CMD at an exit point (expressed in kVA);
- e. a fixed metering charge per revenue meter (detailed in Table 9) which is payable each day;
- f. a fixed administration charge (detailed in Table 10) which is payable each day; and
- g. excess network usage charges (if applicable).



Notes:

1. This tariff is identical to RT7 in section 4.5, with an additional low voltage charge to cover the use of transformers and LV circuits.

4.6.2 Excess Network Usage Charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated CMD during the billing period of the load. The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

ENUC Transmission = ENUM * (PD - CMD) * DC Transmission / CMD ENUC Distribution = ENUM * (PD - CMD) * (DC Distribution + DLC + LVC) / CMD **ENUM** is the Excess network usage multiplier factor, which is set at 2 PD is the peak half-hourly demand during the billing period of the load (expressed in kVA) CMD is the nominated CMD for the billing period of the load (expressed in kVA) DC _{Transmission} are the applicable transmission components of the fixed and variable demand charges for the billing period for the nominated CMD DC Distribution are the applicable distribution components of the fixed and variable demand charges for the billing period for the nominated CMD DLC are the applicable variable demand length charges for the billing period for the nominated CMD LVC are the applicable additional fixed and additional demand (low voltage) charges for the billing period for the nominated CMD

Notes:

1. The ENUC does not include the metering or administration components of the tariff.

4.7 Reference Tariff 9 (RT9)

Reference Tariff RT9 consists of:

- a. a fixed use of system charge (detailed in Table 1) which is payable each day;
- a variable use of system charge calculated by multiplying the energy price (detailed in Table
 by the estimated quantity of electricity consumed at an exit point (expressed in kWh and is based on the lamp wattage and illumination period); and
- c. a fixed asset charge based on the type of streetlight asset supplied (detailed in Table 2 and Table 3).



4.8 Reference Tariff 10 (RT10)

Reference Tariff RT10 consists of:

- a. a fixed use of system charge (detailed in Table 1) which is payable each day; and
- a variable use of system charge calculated by multiplying the energy price (detailed in Table
 1) by the estimated quantity of electricity consumed at an exit point (expressed in kWh and based on the nameplate rating of the connected equipment and the hours of operation).

Except for where the consumer's facilities and equipment is a streetlight, then Reference Tariff RT10 consists of:

- a. the fixed use of system charge for RT9 (detailed in Table 1) which is payable each day; and
- b. the variable use of system charge for RT9 calculated by multiplying the energy price (detailed in Table 1) by the estimated quantity of electricity consumed at an exit point (expressed in kWh and based on the nameplate rating of the connected equipment and the hours of operation).

4.9 Reference Tariff 11 (RT11)

4.9.1 Tariff Calculation

Reference Tariff RT11 consists of:

- a variable connection charge calculated by multiplying the connection price (detailed in Table 12) by the loss-factor adjusted declared sent-out capacity (DSOC) at the entry point (expressed in kW);
- a variable control system service charge calculated by multiplying the control system service price (detailed in Table 16) by the nameplate output of the generator at the entry point (expressed in kW);
- a variable use of system charge calculated by multiplying the use of system price (based on the location of the electrically closest major generator and detailed in Table 14) by the lossfactor adjusted DSOC at the entry point (expressed in kW);
- d. If the DSOC is less than 7,000 kVA:
 - i. if the entry point is connected at 415 V or less and the DSOC is equal to or greater than 1,000 kVA a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 7) by the electrical distance between the relevant HV network connection point and the electrically closest zone substation by the DSOC (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km); or
 - ii. if the entry point is connected at greater than 415 V and the DSOC is equal to or greater than 1,000 kVA a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 7) by the electrical distance between the entry point and the electrically closest zone substation by the DSOC (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km);
- e. If the DSOC is equal to or greater than 7,000 kVA:



- if the entry point is connected at 415 V or less a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 8) by the electrical distance between the relevant HV network connection point and the electrically closest zone substation by the DSOC (expressed in kVA) (Note: a different rate applies after 10 km); or
- ii. if the entry point is connected at greater than 415 V a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 8) by the electrical distance between the entry point and the electrically closest zone substation by the DSOC (expressed in kVA) (Note: a different rate applies after 10 km);
- f. a fixed metering charge per revenue meter (detailed in Table 9) which is payable each day; and
- g. excess network usage charges (if applicable).

Notes:

- 1. The loss factor used to calculate the loss-factor adjusted DSOC is the relevant portion from the generator to the zone substation of the loss factor published by the IMO for that generator.
- 2. For this reference tariff a unity power factor is assumed when converting between kW and kVA.

4.9.2 Excess Network Usage Charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated DSOC during the billing period except where Western Power deems the export of power in excess of DSOC was required for power system reliability and security purposes.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

ENUC _{Transmission} = ENUM * (PD $_{kW}$ – DSOC $_{kW}$) * TEPC / DSOC $_{kW}$ ENUC _{Distribution} = ENUM * (PD $_{kVA}$ – DSOC $_{kVA}$) * (DLC) / DSOC $_{kVA}$

ENUM is the Excess network usage multiplier factor, which is set at 2

PD is the peak half-hourly demand during the billing period (expressed in kVA and kW)

DSOC is the nominated DSOC for the billing period (expressed in kVA and kW)

TEPC is the sum of the variable connection charge, variable control system service charge

and variable use of system charge for the billing period for the nominated DSOC

DLC is the applicable variable demand length charge for the billing period for the

nominated DSOC

Notes:

1. The ENUC does not include the metering components of the tariff.



4.10 Reference Tariffs 13 and 14 (RT13 and RT14)

Reference Tariffs RT13 and RT14 consist of:

- a. a fixed use of system charge (detailed in Table 1) which is payable each day;
- a variable use of system charge calculated by multiplying the energy price (detailed in Table
 by the quantity of electricity consumed at an exit point (expressed in kWh);
- c. a fixed metering charge per revenue meter (detailed in Table 1) which is payable each day; and
- d. a variable metering charge calculated by multiplying the variable price (detailed in Table 1) by the quantity of electricity consumed at an exit point (expressed in kWh).

4.11 Reference Tariffs 15 and 16 (RT15 and RT16)

Reference Tariffs RT15 and RT16 consist of:

- a. a fixed use of system charge (detailed in Table 1) which is payable each day;
- an on-peak use of system variable charge calculated by multiplying the on-peak energy price (detailed in Table 1) by the quantity of on-peak electricity consumed at an exit point (expressed in kWh);
- an off-peak use of system variable charge calculated by multiplying the off-peak energy price (detailed in Table 1) by the quantity of off-peak electricity consumed at an exit point (expressed in kWh);
- d. a fixed metering charge per revenue meter (detailed in Table 1) which is payable each day;
- e. an on-peak variable metering charge calculated by multiplying the on-peak variable price (detailed in Table 1) by the quantity of on-peak electricity consumed at an exit point (expressed in kWh); and
- f. an off-peak variable metering charge calculated by multiplying the off-peak variable price (detailed in Table 1) by the quantity of off-peak electricity consumed at an exit point (expressed in kWh).

Notes:

1. The on and off peak periods for these tariffs are defined in the following table (all times are Western Standard Time (WST)):

| | Monday | Saturday - Sunday | | | |
|------|-----------------------------------|-------------------|-------------------|-----------|--|
| | Off-peak On-Peak | | Off-Peak | Off-Peak | |
| RT15 | 12:00am – 7:00am | | 9:00pm – 12:00am | All times | |
| RT16 | 12:00am – 8:00am 8:00am – 10:00pm | | 10:00pm – 12:00am | All times | |



5. Transmission Tariff Application Guide

5.1 Transmission Reference Tariff 1 (TRT1)

5.1.1 Tariff Calculation

Reference Tariff TRT1 consists of:

- a user-specific charge that is to be an amount per day which reflects the costs to Western Power of providing the Connection Assets under an Access Contract, which may consist of capital and non-capital costs.
- a variable use of system charge calculated by multiplying the applicable use of system price (detailed in Table 13 or where there is no applicable use of system price in Table 13 for the exit point, the price calculated by Western Power in accordance with Appendix A of the Price List Information) by the contracted maximum demand (CMD) at the exit point (expressed in kW);
- c. a variable common service charge calculated by multiplying the common service price (detailed in Table 15) by the CMD at the exit point (expressed in kW);
- d. a variable control system service charge calculated by multiplying the control system service price (detailed in Table 17) by the CMD at the exit point (expressed in kW);
- e. a fixed metering charge per revenue meter (detailed in Table 18) which is payable each day; and
- f. excess network usage charges (if applicable).

5.1.2 Excess Network Usage Charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated CMD during the billing period of the load.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

| ENUM | is the Excess network usage multiplier factor, which is set at 2 |
|------|---|
| PD | is the peak half-hourly demand during the billing period of the load (expressed in kW) |
| CMD | is the nominated CMD for the billing period of the load (expressed in kW) |
| UOS | is the applicable variable use of system charge for the billing period for the nominated CMD |
| CON | is the applicable User-specific charge for the billing period |
| CS | is the applicable variable common service charge for the billing period for the nominated CMD |
| CSS | is the applicable variable control system service charge for the billing period for the nominated CMD |



Note: The ENUC does not include the metering components of the tariff.

5.2 Transmission Reference Tariff 2 (TRT2)

5.2.1 Tariff Calculation

Reference Tariff TRT2 consists of:

- a. a user-specific charge that is to be an amount per day which reflects the costs to Western Power of providing the Connection Assets under an Access Contract, which may consist of capital and non-capital costs.
- a variable use of system charge calculated by multiplying the applicable use of system price (detailed in Table 14 or where there is no applicable use of system price in Table 14 for the entry point, the price calculated by Western Power in accordance with Appendix A of the Price List Information) by the declared sent-out capacity (DSOC) at the entry point (expressed in kW);
- c. a variable control system service charge calculated by multiplying the control system service price (detailed in Table 16) by the nameplate output of the generator at the entry point (expressed in kW);
- d. a fixed metering charge per revenue meter (detailed in Table 18) which is payable each day; and
- e. excess network usage charges (if applicable).

5.2.2 Excess Network Usage Charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated DSOC during the billing period except where Western Power deems the export of power in excess of DSOC was required for power system reliability and security purposes.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

| ENUM | is the Excess network usage multiplier factor, which is set at 2 |
|------|---|
| PD | is the peak half-hourly demand during the billing period (expressed in kW) |
| DSOC | is the nominated DSOC for the billing period (expressed in kW) |
| UOS | is the applicable variable use of system charge for the billing period for the nominated DSOC |
| CON | is the applicable User-specific charge for the billing period |
| CSS | is the applicable variable control system service charge for the billing period |

Note: The ENUC does not include the metering components of the tariff.



6. Price Tables

The tables in the following sections must be used in conjunction with the details in the sections above.

Table 6, Table 13 and Table 14 include a Transmission Node Identity (TNI) to uniquely identify zone substations.

All prices quoted in this Price List are **GST exclusive**.

6.1 Prices for energy-based tariffs on the distribution network

6.1.1 Use of system and metering prices

The prices in the following tables are applicable for reference tariffs **RT1**, **RT2**, **RT3**, **RT4**, **RT9**, **RT10**, **RT13**, **RT14**, **RT15** and **RT16**.

Table 1

| | Fixed Price | Energy Rates | | |
|--------------------------|-------------|--------------|------------------|-------------------|
| | c/day | c/kWh | On Peak c/kWh | Off Peak c/kWh |
| Reference tariff 1 - RT1 | | | | |
| Transmission | 0.000 | 1.496 | - | - |
| Distribution | 82.444 | 6.448 | - | - |
| Bundled Tariff | 82.444 | 7.944 | - | - |
| Metering | 3.834 | 0.800 | 1 | - |
| Reference tariff 2 - RT2 | | | | |
| Transmission | 0.000 | 1.775 | - | - |
| Distribution | 152.112 | 8.983 | - | - |
| Bundled Tariff | 152.112 | 10.758 | - | - |
| Metering | 3.834 | 0.800 | - | - |
| Reference tariff 3 - RT3 | | | | |
| Transmission | 0.000 | - | 2.704 | 0.568 |
| Distribution | 82.444 | - | 11.017 | 2.518 |
| Bundled Tariff | 82.444 | - | 13.721 | 3.086 |
| Metering | 3.834 | - | 1.020 | 1.020 |
| Reference tariff 4 - RT4 | | | | |



| | Fixed Price | Energy Rates | | |
|----------------------------|-------------|--------------|------------------|-------------------|
| | c/day | c/kWh | On Peak c/kWh | Off Peak c/kWh |
| Transmission | 0.000 | - | 2.796 | 0.675 |
| Distribution | 293.150 | - | 12.288 | 2.746 |
| Bundled Tariff | 293.150 | - | 15.084 | 3.421 |
| Metering | 7.668 | - | 0.270 | 0.270 |
| Reference tariff 9 – RT9 | | | | |
| Transmission | 0.000 | 0.940 | 1 | - |
| Distribution | 6.979 | 3.434 | - | - |
| Bundled Tariff | 6.979 | 4.374 | 1 | - |
| Reference tariff 10 – RT10 | | | | |
| Transmission | 0.000 | 0.620 | 1 | - |
| Distribution | 54.899 | 3.706 | 1 | 1 |
| Bundled Tariff | 54.899 | 4.326 | 1 | 1 |
| Reference tariff 13 - RT13 | | | | |
| Transmission | 0.000 | 1.496 | - | - |
| Distribution | 82.444 | 6.448 | - | - |
| Bundled Tariff | 82.444 | 7.944 | 1 | 1 |
| Metering | 3.834 | 0.800 | 1 | 1 |
| Reference tariff 14 - RT14 | | | | |
| Transmission | 0.000 | 1.775 | - | - |
| Distribution | 152.112 | 8.983 | - | - |
| Bundled Tariff | 152.112 | 10.758 | - | - |
| Metering | 3.834 | 0.800 | 1 | 1 |
| Reference tariff 15 - RT15 | | | | |
| Transmission | 0.000 | - | 2.704 | 0.568 |
| Distribution | 82.444 | - | 11.017 | 2.518 |
| Bundled Tariff | 82.444 | - | 13.721 | 3.086 |



| | Fixed Price | Energy Rates | | |
|----------------------------|-------------|--------------|------------------|-------------------|
| | c/day | c/kWh | On Peak c/kWh | Off Peak c/kWh |
| Metering | 3.834 | - | 1.020 | 1.020 |
| Reference tariff 16 - RT16 | | | | |
| Transmission | 0.000 | - | 2.796 | 0.675 |
| Distribution | 293.150 | - | 12.288 | 2.746 |
| Bundled Tariff | 293.150 | - | 15.084 | 3.421 |
| Metering | 7.668 | - | 0.270 | 0.270 |

6.1.2 Streetlight asset prices

The prices in the following table are applicable for reference tariff RT9.

Table 2 – Current light types

| Light Specification | Daily Charge |
|---------------------|--------------|
| | c/day |
| 42W CFL SE | 27.830 |
| 42W CFL BH | 29.577 |
| 42W CFL KN | 33.331 |
| 70W MH | 48.648 |
| 70W HPS | 23.926 |
| 125W MV | 28.960 |
| 150W MH | 56.206 |
| 150W HPS | 31.474 |
| 250W MH | 56.206 |
| 250W HPS | 31.474 |
| 22W LED | 16.656 |

Table 3 – Obsolete light types

| Light Specification | Daily Charge c/day |
|---------------------|-----------------------|
| 50W MV | 17.306 |
| 70W MV | 23.293 |
| 80W MV | 23.293 |
| 150W MV | 28.960 |
| 250W MV | 37.778 |
| 400W MV | 39.665 |
| 40W FLU | 17.306 |
| 80W HPS | 23.926 |
| 125W HPS | 31.474 |
| 100W INC | 17.306 |
| 80W MH | 23.293 |
| 125W MH | 56.206 |

6.2 Prices for demand-based tariffs on the distribution network (RT5 to RT8 and RT11¹)

6.2.1 Demand charges

The prices in the following table are applicable for reference tariff **RT5**.

Table 4

| | Transmission | | Dist | ribution | Bundled Tariff | |
|---|----------------|---|----------------|---|----------------|---|
| Demand (kVA) (Lower to upper threshold) | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day |
| 0 to 300 | 0.000 | 17.868 | 191.351 | 60.778 | 191.351 | 78.646 |
| 300 to 1000 | 5,360.400 | 13.228 | 18,424.751 | 43.386 | 23,785.151 | 56.614 |
| 1000 to 1500 | 14,620.000 | 7.557 | 48,794.951 | 18.723 | 63,414.951 | 26.280 |

The prices in the following table are applicable for reference tariff **RT6**.

Table 5

| | Tran | smission | Dist | ribution | Bundled Tariff | | |
|---|----------------|---|----------------|---|----------------|---|--|
| Demand (kVA) (Lower to upper threshold) | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | |
| 0 to 300 | 0.000 | 17.868 | 1,098.170 | 62.808 | 1,098.170 | 80.676 | |
| 300 to 1000 | 5,360.400 | 13.228 | 19,940.570 | 47.816 | 25,300.970 | 61.044 | |
| 1000 to 1500 | 14,620.000 | 7.557 | 53,411.770 | 24.318 | 68,031.770 | 31.875 | |

 $[\]boldsymbol{1}$ Note that some components of RT11 are in section 6.3



The prices in the following table are applicable for reference tariffs **RT7** and **RT8**.

Table 6

| | | | Trans | smissio | n | Dist | ributior | 1 | Ви | ındled | |
|----------------------|------|--------------------------|---|--|------------------------------|---|---|------------------------------|---|--|------------------------------|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<> | Demand Charge for kVA > 7000 |
| Cook Street | WCKT | CBD | 13,424.658 | 14.439 | 14.294 | 32,919.726 | 11.806 | 14.822 | 46,344.384 | 26.245 | 29.116 |
| Forrest Avenue | WFRT | CBD | 13,424.658 | 14.439 | 14.294 | 32,919.726 | 11.806 | 14.822 | 46,344.384 | 26.245 | 29.116 |
| Hay Street | WHAY | CBD | 13,424.658 | 14.439 | 14.294 | 32,919.726 | 11.806 | 14.822 | 46,344.384 | 26.245 | 29.116 |
| Milligan Street | WMIL | CBD | 13,424.658 | 14.439 | 14.294 | 32,919.726 | 11.806 | 14.822 | 46,344.384 | 26.245 | 29.116 |
| Wellington Street | WWNT | CBD | 13,424.658 | 14.439 | 14.294 | 32,919.726 | 11.806 | 14.822 | 46,344.384 | 26.245 | 29.116 |
| Black Flag | WBKF | Goldfiel ds Mining | 13,424.658 | 28.526 | 26.369 | 32,919.726 | 6.340 | 10.137 | 46,344.384 | 34.866 | 36.506 |
| Boulder | WBLD | Goldfiel ds Mining | 13,424.658 | 26.344 | 24.498 | 32,919.726 | 6.340 | 10.137 | 46,344.384 | 32.684 | 34.635 |
| Bounty | WBNY | Goldfiel ds Mining | 13,424.658 | 50.000 | 44.775 | 32,919.726 | 6.340 | 10.137 | 46,344.384 | 56.340 | 54.912 |
| West Kalgoorlie | WWKT | Goldfiel ds Mining | 13,424.658 | 23.544 | 22.098 | 32,919.726 | 6.340 | 10.137 | 46,344.384 | 29.884 | 32.235 |
| Albany | WALB | Mixed | 13,424.658 | 27.272 | 25.294 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 41.187 | 41.924 |
| Boddington | WBOD | Mixed | 13,424.658 | 13.283 | 13.303 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 27.198 | 29.933 |
| Bunbury Harbour | WBUH | Mixed | 13,424.658 | 12.990 | 13.052 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 26.905 | 29.682 |
| Busselton | WBSN | Mixed | 13,424.658 | 18.865 | 18.088 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 32.780 | 34.718 |
| Byford | WBYF | Mixed | 13,424.658 | 13.964 | 13.887 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 27.879 | 30.517 |
| Capel | WCAP | Mixed | 13,424.658 | 16.761 | 16.284 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 30.676 | 32.914 |
| Chapman | WCPN | Mixed | 13,424.658 | 22.376 | 21.097 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 36.291 | 37.727 |
| Darlington | WDTN | Mixed | 13,424.658 | 15.607 | 15.295 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 29.522 | 31.925 |
| Durlacher Street | WDUR | Mixed | 13,424.658 | 20.200 | 19.232 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 34.115 | 35.862 |



| | | | Trans | smissio | n | Dist | ributior | 1 | Bu | ındled | |
|--------------------|------|-----------------|---|--|------------------------------|---|--|------------------------------|---|--|------------------------------|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<> | Demand Charge for kVA > 7000 |
| Eneabba | WENB | Mixed | 13,424.658 | 18.978 | 18.185 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 32.893 | 34.815 |
| Geraldton | WGTN | Mixed | 13,424.658 | 20.200 | 19.232 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 34.115 | 35.862 |
| Marriott Road | WMRR | Mixed | 13,424.658 | 12.543 | 12.669 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 26.458 | 29.299 |
| Muchea | WMUC | Mixed | 13,424.658 | 15.477 | 15.184 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 29.392 | 31.814 |
| Northam | WNOR | Mixed | 13,424.658 | 20.914 | 19.844 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 34.829 | 36.474 |
| Picton | WPIC | Mixed | 13,424.658 | 14.034 | 13.947 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 27.949 | 30.577 |
| Rangeway | WRAN | Mixed | 13,424.658 | 21.535 | 20.376 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 35.450 | 37.006 |
| Sawyers Valley | WSVY | Mixed | 13,424.658 | 19.145 | 18.328 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 33.060 | 34.958 |
| Yanchep | WYCP | Mixed | 13,424.658 | 15.425 | 15.139 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 29.340 | 31.769 |
| Yilgarn | WYLN | Mixed | 13,424.658 | 25.470 | 23.749 | 32,919.726 | 13.915 | 16.630 | 46,344.384 | 39.385 | 40.379 |
| Baandee | WBDE | Rural | 13,424.658 | 28.454 | 26.307 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 34.634 | 36.307 |
| Beenup | WBNP | Rural | 13,424.658 | 30.621 | 28.164 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 36.801 | 38.164 |
| Bridgetown | WBTN | Rural | 13,424.658 | 18.551 | 17.819 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 24.731 | 27.819 |
| Carrabin | WCAR | Rural | 13,424.658 | 31.287 | 28.735 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 37.467 | 38.735 |
| Collie | WCOE | Rural | 13,424.658 | 21.991 | 20.767 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 28.171 | 30.767 |
| Coolup | WCLP | Rural | 13,424.658 | 24.815 | 23.188 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 30.995 | 33.188 |
| Cunderdin | WCUN | Rural | 13,424.658 | 26.172 | 24.351 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 32.352 | 34.351 |
| Katanning | WKAT | Rural | 13,424.658 | 23.855 | 22.365 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 30.035 | 32.365 |
| Kellerberrin | WKEL | Rural | 13,424.658 | 27.702 | 25.662 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 33.882 | 35.662 |
| Kojonup | WKOJ | Rural | 13,424.658 | 16.457 | 16.024 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 22.637 | 26.024 |
| Kondinin | WKDN | Rural | 13,424.658 | 17.748 | 17.130 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 23.928 | 27.130 |
| Manjimup | WMJP | Rural | 13,424.658 | 18.401 | 17.690 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 24.581 | 27.690 |
| Margaret River | WMRV | Rural | 13,424.658 | 23.943 | 22.440 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 30.123 | 32.440 |
| Merredin | WMER | Rural | 13,424.658 | 25.096 | 23.429 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 31.276 | 33.429 |
| Moora | WMOR | Rural | 13,424.658 | 18.598 | 17.859 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 24.778 | 27.859 |
| Mount Barker | WMBR | Rural | 13,424.658 | 25.023 | 23.366 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 31.203 | 33.366 |



| | | | Trans | smissio | n | Dist | ributior | 1 | Bu | ındled | |
|---------------------------|------|-----------------|---|---|------------------------------|---|---|------------------------------|---|---|------------------------------|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<> | Demand Charge for kVA > 7000 |
| Narrogin | WNGN | Rural | 13,424.658 | 28.269 | 26.148 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 34.449 | 36.148 |
| Pinjarra | WPNJ | Rural | 13,424.658 | 13.147 | 13.187 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 19.327 | 23.187 |
| Regans | WRGN | Rural | 13,424.658 | 19.198 | 18.373 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 25.378 | 28.373 |
| Three Springs | WTSG | Rural | 13,424.658 | 18.541 | 17.810 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 24.721 | 27.810 |
| Wagerup | WWGP | Rural | 13,424.658 | 12.514 | 12.644 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 18.694 | 22.644 |
| Wagin | WWAG | Rural | 13,424.658 | 24.195 | 22.656 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 30.375 | 32.656 |
| Wundowie | WWUN | Rural | 13,424.658 | 21.095 | 19.999 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 27.275 | 29.999 |
| Yerbillon | WYER | Rural | 13,424.658 | 30.475 | 28.039 | 32,919.726 | 6.180 | 10.000 | 46,344.384 | 36.655 | 38.039 |
| Amherst | WAMT | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Arkana | WARK | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Australian Paper Mills | WAPM | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Balcatta | WBCT | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Beechboro | WBCH | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Belmont | WBEL | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Bentley | WBTY | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Bibra Lake | WBIB | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| British Petroleum | WBPM | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Canning Vale | WCVE | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Clarence Street | WCLN | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Clarkson | WCKN | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Cockburn Cement | WCCT | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Collier | WCOL | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Cottesloe | WCTE | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Edmund Street | WEDD | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |



| | | | Trans | smissio | n | Dist | ributior | 1 | Bu | ındled | |
|---------------------|------|-----------------|---|---|------------------------------|---|---|------------------------------|---|--|------------------------------|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<> | Demand Charge for kVA > 7000 |
| Forrestfield | WFFD | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Gosnells | WGNL | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Hadfields | WHFS | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Hazelmere | WHZM | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Henley Brook | WHBK | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Herdsman Parade | WHEP | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Joel Terrace | WJTE | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Joondalup | WJDP | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Kalamunda | WKDA | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Kambalda | WKBA | Urban | 13,424.658 | 26.160 | 24.341 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 28.856 | 31.355 |
| Kewdale | WKDL | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Landsdale | WLDE | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Maddington | WMDN | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Malaga | WMLG | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Mandurah | WMHA | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Manning Street | WMAG | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Mason Road | WMSR | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Meadow Springs | WMSS | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Medical Centre | WMCR | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Medina | WMED | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Midland Junction | WMJX | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Morley | WMOY | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Mullaloo | WMUL | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Mundaring Weir | WMWR | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |



| | | | Trans | smissio | n | Dist | ributior | 1 | Ви | ındled | |
|---------------------------|------|-----------------|---|---|------------------------------|---|---|------------------------------|---|---|------------------------------|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<> | Demand Charge for kVA > 7000 |
| Munday | WMDY | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Murdoch | WMUR | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Myaree | WMYR | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Nedlands | WNED | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| North Beach | WNBH | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| North Fremantle | WNFL | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| North Perth | WNPH | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| O'Connor | WOCN | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Osborne Park | WOPK | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Padbury | WPBY | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Piccadilly | WPCY | Urban | 13,424.658 | 24.631 | 23.030 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 27.327 | 30.044 |
| Riverton | WRTN | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Rivervale | WRVE | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Rockingham | WROH | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Shenton Park | WSPA | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Sth Ftle Power Station | WSFT | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Southern River | WSNR | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Tate Street | WTTS | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| University | WUNI | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Victoria Park | WVPA | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Waikiki | WWAI | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Wangara | WWGA | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Wanneroo | WWNO | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Welshpool | WWEL | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |



| | | | Tran | smissio | n | Dist | ribution | | Bundled | | |
|--------------------|------|-----------------|---|--|------------------------------|---|--|------------------------------|---|--|------------------------------|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th><th>Fixed charge for first 1000 kVA (c per day)</th><th>Demand charge for 1000<kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<></th></kva<7000<> | Demand Charge for kVA > 7000 | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000< th=""><th>Demand Charge for kVA > 7000</th></kva<7000<> | Demand Charge for kVA > 7000 |
| Wembley Downs | WWDN | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Willetton | WWLN | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |
| Yokine | WYKE | Urban | 13,424.658 | 14.817 | 14.618 | 32,919.726 | 2.696 | 7.014 | 46,344.384 | 17.513 | 21.632 |



6.2.2 Demand length charges

The prices in the following table are applicable for reference tariffs **RT5**, **RT6**, **RT7**, **RT8** and **RT11** and the CMD/DSOC is between 1,000 and 7,000 kVA.

Table 7

| | Demand-Le | ength Charge |
|--------------|---|--|
| Pricing Zone | For kVA >1000 and first 10 km length (c/kVA.km/day) | For kVA >1000 and length in excess of 10 km (c/kVA.km/day) |
| CBD | 0.000 | 0.000 |
| Urban | 1.662 | 1.163 |
| Mining | 0.352 | 0.246 |
| Mixed | 0.767 | 0.537 |
| Rural | 0.479 | 0.336 |

The prices in the following table are applicable for reference tariffs **RT7**, **RT8** and **RT11** and the CMD/DSOC is at least 7,000 kVA.

Table 8

| | Demand-Length C | harge |
|--------------|--|--|
| Pricing Zone | For first 10 km length (c/kVA.km/day) | For length in excess of 10 km (c/kVA.km/day) |
| CBD | 0.000 | 0.000 |
| Urban | 1.425 | 0.997 |
| Mining | 0.301 | 0.211 |
| Mixed | 0.658 | 0.460 |
| Rural | 0.411 | 0.288 |

6.2.3 Metering prices

The prices in the following table are applicable for reference tariffs RT5, RT6, RT7, RT8 and RT11.

Table 9

| Metering Equipment Funding | Voltage | c/revenue meter/day |
|----------------------------|------------------------------------|---------------------|
| Western Power funded | High Voltage (6.6 kV or higher) | 1127.730 |



| Metering Equipment Funding | Voltage | c/revenue meter/day | | |
|----------------------------|------------------------------------|---------------------|--|--|
| | Low voltage (415 volts or less) | 203.207 | | |
| Customer funded | High Voltage (6.6 kV or higher) | 550.278 | | |
| | Low Voltage (415 volts or less) | 99.155 | | |

6.2.4 Administration charges

The prices in the following table are applicable for reference tariffs RT7 and RT8.

Table 10

| CMD | Price (c/day) |
|-------------|------------------|
| >=7,000 kVA | 8,732.000 |
| <7,000 kVA | 5,015.000 |

6.2.5 LV Prices

The prices in the following table are applicable for reference tariff RT8.

Table 11

| Category | Price (c/day) |
|----------|------------------|
| Fixed | 1,068.986 |
| Demand | 10.111/kVA |



6.2.6 Connection Price

The prices in the following table are applicable for reference tariff **RT11**.

Table 12

| | Connection Price (c/kW/day) |
|------------------|--------------------------------|
| Connection Price | 1.290 |

6.3 Transmission prices

6.3.1 Use of system prices

The prices in the following table are applicable for reference tariff **TRT1**.

Table 13

| Substation | TNI | Use of System Price (c/kW/day) |
|------------------------------|------|-----------------------------------|
| Albany | WALB | 15.137 |
| Alcoa Pinjarra | WAPJ | 4.293 |
| Amherst | WAMT | 3.603 |
| Arkana | WARK | 4.599 |
| Australian Fused Materials | WAFM | 2.986 |
| Australian Paper Mills | WAPM | 4.656 |
| Baandee (WC) | WBDE | 16.225 |
| Balcatta | WBCT | 4.712 |
| Beckenham | WBEC | 11.887 |
| Beechboro | WBCH | 4.185 |
| Beenup | WBNP | 18.152 |
| Belmont | WBEL | 3.709 |
| Bentley | WBTY | 4.828 |
| Bibra Lake | WBIB | 3.315 |
| Binningup Desalination Plant | WBDP | 2.561 |
| Black Flag | WBKF | 16.545 |



| Substation | TNI | Use of System Price (c/kW/day) |
|----------------------|------|-----------------------------------|
| Boddington Gold Mine | WBGM | 2.777 |
| Boddington | WBOD | 2.707 |
| Boulder | WBLD | 14.586 |
| Bounty | WBNY | 35.831 |
| Bridgetown | WBTN | 7.414 |
| British Petroleum | WBPM | 6.402 |
| Broken Hill Kwinana | WBHK | 4.996 |
| Bunbury Harbour | WBUH | 2.448 |
| Busselton | WBSN | 7.668 |
| Byford | WBYF | 3.313 |
| Canning Vale | WCVE | 3.789 |
| Capel | WCAP | 5.798 |
| Carrabin | WCAR | 18.745 |
| Cataby Kerr McGee | WKMC | 6.914 |
| Chapman | WCPN | 10.787 |
| Clarence Street | WCLN | 6.226 |
| Clarkson | WCKN | 4.695 |
| Cockburn Cement | WCCT | 2.602 |
| Cockburn Cement Ltd | WCCL | 2.594 |
| Collie | WCOE | 10.474 |
| Collier | WCOL | 6.197 |
| Cook Street | WCKT | 4.459 |
| Coolup | WCLP | 12.987 |
| Cottesloe | WCTE | 4.829 |
| Cunderdin | WCUN | 14.195 |
| Darlington | WDTN | 4.773 |
| Edgewater | WEDG | 4.134 |



| Substation | TNI | Use of System Price (c/kW/day) |
|----------------------------|------|-----------------------------------|
| Edmund Street | WEDD | 4.254 |
| Eneabba | WENB | 7.768 |
| Forrest Ave | WFRT | 6.234 |
| Forrestfield | WFFD | 4.887 |
| Geraldton | WGTN | 8.853 |
| Glen Iris | WGNI | 2.889 |
| Golden Grove | WGGV | 23.204 |
| Gosnells | WGNL | 3.933 |
| Hadfields | WHFS | 4.728 |
| Hay Street | WHAY | 4.728 |
| Hazelmere | WHZM | 3.665 |
| Henley Brook | WHBK | 4.040 |
| Herdsman Parade | WHEP | 7.170 |
| Joel Terrace | WJTE | 6.507 |
| Joondalup | WJDP | 4.430 |
| Kalamunda | WKDA | 4.993 |
| Katanning | WKAT | 12.133 |
| Kellerberrin | WKEL | 15.555 |
| Kewdale | WKDL | 3.635 |
| Kojonup | WKOJ | 5.551 |
| Kondinin | WKDN | 6.699 |
| Kwinana Alcoa | WAKW | 1.149 |
| Kwinana Desalination Plant | WKDP | 3.153 |
| Kwinana PWS | WKPS | 2.303 |
| Landsdale | WLDE | 4.261 |
| Maddington | WMDN | 3.829 |
| Malaga | WMLG | 3.639 |



| Substation | TNI | Use of System Price (c/kW/day) |
|---------------------------------------|------|-----------------------------------|
| Mandurah | WMHA | 3.126 |
| Manjimup | WMJP | 7.280 |
| Manning Street | WMAG | 5.292 |
| Margaret River | WMRV | 12.211 |
| Marriott Road Barrack Silicon Smelter | WBSI | 2.342 |
| Marriott Road | WMRR | 2.050 |
| Mason Road | WMSR | 1.828 |
| Mason Road CSBP | WCBP | 2.765 |
| Mason Road Kerr McGee | WKMK | 1.675 |
| Meadow Springs | WMSS | 3.545 |
| Medical Centre | WMCR | 5.609 |
| Medina | WMED | 2.639 |
| Merredin 66kV | WMER | 13.237 |
| Midland Junction | WMJX | 4.454 |
| Milligan Street | WMIL | 5.281 |
| Moora | WMOR | 7.456 |
| Morley | WMOY | 4.856 |
| Mt Barker | WMBR | 13.172 |
| Muchea Kerr McGee | WKMM | 7.035 |
| Muchea | WMUC | 4.658 |
| Muja PWS | WMPS | 1.400 |
| Mullaloo | WMUL | 4.577 |
| Munday | WMDY | 4.933 |
| Murdoch | WMUR | 2.951 |
| Mundaring Weir | WMWR | 7.147 |
| Myaree | WMYR | 5.638 |
| Narrogin | WNGN | 16.059 |



| Substation | TNI | Use of System Price (c/kW/day) |
|----------------------|------|-----------------------------------|
| Nedlands | WNED | 5.280 |
| North Beach | WNBH | 4.712 |
| North Fremantle | WNFL | 4.740 |
| North Perth | WNPH | 4.022 |
| Northam | WNOR | 9.488 |
| Nowgerup | WNOW | 5.435 |
| O'Connor | WOCN | 4.917 |
| Osborne Park | WOPK | 5.110 |
| Padbury | WPBY | 4.774 |
| Parkeston | WPRK | 16.603 |
| Parklands | WPLD | 3.644 |
| Piccadilly | WPCY | 13.204 |
| Picton 66kv | WPIC | 3.375 |
| Pinjarra | WPNJ | 2.606 |
| Rangeway | WRAN | 10.040 |
| Regans | WRGN | 7.989 |
| Riverton | WRTN | 3.263 |
| Rivervale | WRVE | 5.072 |
| Rockingham | WROH | 2.795 |
| Sawyers Valley | WSVY | 7.917 |
| Shenton Park | WSPA | 5.492 |
| Southern River | WSNR | 3.425 |
| South Fremantle 22kV | WSFT | 3.551 |
| Summer St | WSUM | 6.716 |
| Sutherland | WSRD | 4.022 |
| Tate Street | WTTS | 5.671 |
| Three Springs | WTSG | 7.405 |



| Substation | TNI | Use of System Price (c/kW/day) |
|---------------------------------|------|-----------------------------------|
| Three Springs Terminal (Karara) | WTST | 17.883 |
| Tomlinson Street | WTLN | 5.746 |
| University | WUNI | 6.089 |
| Victoria Park | WVPA | 5.545 |
| Wagerup | WWGP | 2.042 |
| Wagin | WWAG | 12.435 |
| Waikiki | WWAI | 3.056 |
| Wangara | WWGA | 4.375 |
| Wanneroo | WWNO | 4.605 |
| Wellington Street | WWNT | 6.683 |
| Welshpool | WWEL | 3.613 |
| Wembley Downs | WWDN | 5.392 |
| West Kalgoorlie | WWKT | 12.070 |
| Western Collieries | WWCL | 2.055 |
| Western Mining | WWMG | 2.415 |
| Westralian Sands | WWSD | 5.257 |
| Willetton | WWLN | 3.472 |
| Worsley | WWOR | 1.705 |
| Wundowie | WWUN | 9.677 |
| Yanchep | WYCP | 4.611 |
| Yerbillon | WYER | 18.023 |
| Yilgarn | WYLN | 13.536 |
| Yokine | WYKE | 4.995 |



The prices in the following table are applicable for reference tariffs **RT11** and **TRT2**.

Table 14

| Substation | TNI | Use of System Price (c/kW/day) |
|------------------------|------|-----------------------------------|
| Albany | WALB | 1.942 |
| Boulder | WBLD | 1.407 |
| Bluewaters | WBWP | 1.956 |
| Cockburn PWS | WCKB | 1.186 |
| Collgar | WCGW | 2.245 |
| Collie PWS | WCPS | 2.276 |
| Emu Downs | WEMD | 1.983 |
| Geraldton | WGTN | 0.333 |
| Greenough Solar Farm | TMGS | 0.424 |
| Kemerton PWS | WKEM | 1.581 |
| Kwinana Alcoa | WAKW | 1.223 |
| Kwinana Donaldson Road | WKND | 0.928 |
| Kwinana PWS | WKPS | 1.186 |
| Landwehr (Alinta) | WLWT | 1.476 |
| Mason Road | WMSR | 0.928 |
| Merredin Power Station | TMDP | 1.635 |
| Muja PWS | WMPS | 2.388 |
| Mumbida Wind Farm | TMBW | 2.012 |
| Mungarra GTs | WMGA | 1.976 |
| Newgen Kwinana | WNGK | 1.380 |
| Newgen Neerabup | WGNN | 1.216 |
| Oakley (Alinta) | WOLY | 1.646 |
| Parkeston | WPKS | 1.697 |
| Pinjar GTs | WPJR | 0.986 |
| Alcoa Pinjarra | WAPJ | 1.728 |



| Substation | TNI | Use of System Price (c/kW/day) |
|---------------------|------|-----------------------------------|
| Tiwest GT | WKMK | 0.959 |
| Wagerup | WWGP | 1.361 |
| Walkaway Windfarm | WWWF | 2.183 |
| West Kalgoorlie GTs | WWKT | 1.380 |
| Worsley | WWOR | 1.546 |

6.3.2 Common Service Prices

The prices in the following table are applicable for reference tariff **TRT1**.

Table 15

| | Common Service Price (c/kW/day) |
|----------------------|------------------------------------|
| Common Service Price | 4.300 |

6.3.3 Control System Service Prices

The prices in the following table are applicable for reference tariffs RT11 and TRT2.

Table 16

| | Price (c/kW/day) |
|---|---------------------|
| Control System Service Price (Generators) | 0.199 |

The prices in the following table are applicable for reference tariff **TRT1**.

Table 17

| | Price (c/kW/day) |
|--------------------------------------|---------------------|
| Control System Service Price (Loads) | 1.624 |



6.3.4 Metering prices

The prices in the following table are applicable for reference tariffs **TRT1** and **TRT2**.

Table 18

| | c/metering unit/day |
|-----------------------|---------------------|
| Transmission Metering | 4,233.137 |



Appendix F.2

2017/18 Price List Information

Revised proposed access arrangement

14 June 2018



An appropriate citation for this paper is:

Appendix F.2

Western Power

363 Wellington Street Perth WA 6000 GPO Box L921 Perth WA 6842

T: 13 10 87 | Fax: 08 9225 2660 TTY 1800 13 13 51 | TIS 13 14 50

Electricity Networks Corporation ABN 18 540 492 861

enquiry@westernpower.com.au westernpower.com.au

Enquiries about this report should be directed to:

AA4 Project Team

Email: AA4@westernpower.com.au

Contents

| 1. | l. Introduction | | | | |
|----|-----------------|---------------------------------|---|-----|--|
| | 1.1 | | quirements | | |
| | 1.2 | | Foreword | | |
| | | | Price List forms part of initial proposal | | |
| | 1.3 | Revenue requirement for 2017/18 | | | |
| | | 1.3.1 | Maximum Transmission Regulated Revenue | . 1 | |
| | | 1.3.2 | Maximum Distribution Regulated Revenue | . 2 | |
| | | 1.3.3 | Derivation of Inflation Factor | . 3 | |
| | 1.4 | Forecast revenue recovery | | | |



1. Introduction

This document is Western Power's Price List Information, as defined in the Electricity Networks Access Code 2004 (the Code), to apply from 1 July.

1.1 Code Requirements

Section 8.1 of the Code requires Western Power to submit Price List Information to the Authority.

The Code defines Price List Information as:

"price list information" means a document which sets out information which would reasonably be required to enable the Authority, users and applicants to:

- (a) Understand how the service provider derived the elements of the proposed price list; and
- (b) Assess the compliance of the proposed price list with the Access Arrangement.

The Access Arrangement specifies the revenue cap form of price control and details the revenue that Western Power is able to earn in each year of the Access Arrangement period. The Access Arrangement contains the detailed price control formula that is applied each year to determine the network tariffs. Network tariffs are set each year to recover no more than the revenue cap. The revenue cap is the sum of:

- Western Power's revenue requirement contained in the Access Arrangement plus
- an adjustment for any previous year revenue over or under-recoveries (known as the k-factor adjustment) plus
- an adjustment for the Tariff Equalisation Contribution (**TEC**)

1.2 2017/18 Foreword

1.2.1 Price List forms part of initial proposal

The 2017/18 Price List forms part of Western Power's initial proposal for the fourth Access Arrangement period (AA4). It covers the 2017/18 financial year, however the prices within were determined for the 2016/17 financial year. This document's primary purpose is to demonstrate the revenue requirement for 2017/18 and the application of the revenue cap formulae detailed in the proposed access arrangement.

1.3 Revenue requirement for 2017/18

The following sections detail the calculation of the revenue requirements for Western Power's Transmission and Distribution networks.

1.3.1 Maximum Transmission Regulated Revenue

The following table demonstrates the derivation of the maximum transmission regulated revenue for 2017/18 in accordance with section 5.6.6 of the Access Arrangement.



Table 1 – Maximum Transmission Regulated Revenue for 2017/18 (\$M real as at 30 June 2017)

| | 2017/18 |
|----------------------|---------|
| TR _t | 283.0 |
| plus TK _t | 1.2 |
| MTRt | 284.3 |

The derivation of the transmission system cost of supply cost pools and tariffs require the reference service revenue as an input in nominal terms. The following table details the transmission reference service revenue in nominal terms (please see section 1.3.3 for details of the inflation factor used).

Table 2 - Transmission Revenue Cap Revenue for 2017/18 (\$M)

| | Revenue (Real) | Revenue (Nominal) |
|---|-------------------|----------------------|
| Revenue Cap Revenue (MTR _{2017/18}) | 284.3 | 289.5 |

1.3.2 Maximum Distribution Regulated Revenue

The following table demonstrates the derivation of the maximum distribution regulated revenue for 2017/18 in accordance with section 5.7.6 of the Access Arrangement.

Table 3 – Maximum Distribution Regulated Revenue for 2017/18 (\$M real as at 30 June 2017)

| | 201718 |
|--|---------|
| DR _t | 993.0 |
| plus DK _t | 36.5 |
| MDR _t (not including TEC _t) | 1,029.5 |
| TECt (\$M nominal) | 167.0 |

The derivation of the distribution system cost of supply cost pools and tariffs require the reference service revenue as an input in nominal terms. The following table details the distribution reference service revenue in nominal terms (please see section 1.3.3 for details of the inflation factor used).

Table 4 - Distribution Revenue Cap Revenue for 201718 (\$M)

| | Revenue (Real) | Revenue (Nominal) |
|--|-------------------|----------------------|
| MDR _t (not including TEC _t) | 1,029.5 | 1,048.4 |
| Revenue Cap Revenue (MDR ₂₀₁₇₁₈) | | 1,215.4 |



1.3.3 Derivation of Inflation Factor

In sections 1.3.1 and 1.4.2 Western Power has inflated the reference service revenue from real terms to nominal terms by using real and forecast inflation in accordance with sections 5.6.6 and 5.7.6 of the Access Arrangement.

Table 5 - Derivation of 201718 Inflation Factor

| December 2016 – December 2017 – Forecast | 1.84% |
|--|--------|
| Derived Inflation Factor | 1.0184 |

1.4 Forecast revenue recovery

The following table sets out the reference service revenue, which is forecast to be collected when applying the 201718 Price List.

Table 6 – Forecast revenue in 2017/18, \$M nominal

| Transmission revenue | 289.5 |
|---------------------------|---------|
| Distribution revenue | 1,215.4 |
| Total revenue cap revenue | 1,504.9 |



Appendix F.3

2018/2019 Price List

Revised proposed access arrangement

14 June 2018



An appropriate citation for this paper is:

Appendix F.3

Western Power

363 Wellington Street Perth WA 6000 GPO Box L921 Perth WA 6842

T: 13 10 87 | Fax: 08 9225 2660 TTY 1800 13 13 51 | TIS 13 14 50

Electricity Networks Corporation ABN 18 540 492 861

enquiry@westernpower.com.au westernpower.com.au

Enquiries about this report should be directed to:

AA4 Project Team

Email: AA4@westernpower.com.au

Contents

| 1. | Introduction | | | | |
|----|---------------------|---|----|--|--|
| 2. | References services | | | | |
| 3. | Non-r | eference services | 3 | | |
| 4. | Distri | bution tariff application guide | 3 | | |
| | 4.1 | Reference tariffs 1 and 2 (RT1 and RT2) | 3 | | |
| | 4.2 | Reference tariffs 3 and 4 (RT3 and RT4) | 3 | | |
| | 4.3 | Reference tariff 5 (RT5) | 4 | | |
| | 4.4 | Reference tariff 6 (RT6) | 5 | | |
| | 4.5 | Reference tariff 7 (RT7) | 5 | | |
| | 4.6 | Reference tariff 8 (RT8) | 7 | | |
| | 4.7 | Reference tariff 9 (RT9) | 8 | | |
| | 4.8 | Reference tariff 10 (RT10) | 8 | | |
| | 4.9 | Reference tariff 11 (RT11) | 9 | | |
| | 4.10 | Reference tariffs 13 and 14 (RT13 and RT14) | 10 | | |
| | 4.11 | Reference tariffs 15 and 16 (RT15 and RT16) | 10 | | |
| | 4.12 | Reference tariffs 17 and 18 (RT17 and RT18) | 11 | | |
| 5. | Trans | mission tariff application guide | 12 | | |
| | 5.1 | Transmission reference tariff (TRT1) | 12 | | |
| | 5.2 | Transmission reference tariff 2 (TRT2) | 13 | | |
| 6. | Price | tables | 14 | | |
| | 6.1 | Prices for energy-based tariffs on the distribution network | 14 | | |
| | 6.2 | Prices for demand-based tariffs on the distribution network (RT5 to RT8 and RT11) | 18 | | |
| | 6.3 | Transmission prices | 26 | | |
| | 6.4 | Excess network usage charges – substation classification | 34 | | |



1. Introduction

This document details Western Power's Price List. For the purpose of section 5.1(f) of the *Electricity Networks Access Code 2004* this document forms part of Western Power's Access Arrangement.

This Price List is for the pricing year commencing on 1 November 2018 and ending on 30 June 2019.

For the avoidance of doubt, the prices within this Price List will apply to all consumption during the pricing year. Where consumption is metered with an accumulation meter and the meter reading interval causes some of the metered consumption to lie within the period covered by this price list and the remainder within a previous or subsequent period not covered by this price list, the consumption covered by this price list will be determined by prorating the metered consumption uniformly on a daily basis.

Section 2 lists the reference tariffs for the reference services provided by Western Power as stated in the company's access arrangement.

Sections 4 and 5 detail the reference tariffs, which are based on a number of components. The total charge payable by users under each reference tariff represents the sum of the amounts payable for each component within the relevant reference tariff.

Section 6 details all of the prices that are required to calculate the charges.



2. References services

The following table details which reference tariff is applicable to each of the reference services.

Table 2.1: Reference services and applicable tariffs

| Reference service | Reference tariff |
|--|------------------|
| A1 – Anytime Energy (Residential) Exit Service | RT1 |
| A2 – Anytime Energy (Business) Exit Service | RT2 |
| A3 – Time of Use Energy (Residential) Exit Service | RT3 |
| A4 – Time of Use Energy (Business) Exit Service | RT4 |
| A5 – High Voltage Metered Demand Exit Service | RT5 |
| A6 – Low Voltage Metered Demand Exit Service | RT6 |
| A7 – High Voltage Contract Maximum Demand Exit Service | RT7 |
| A8 – Low Voltage Contract Maximum Demand Exit Service | RT8 |
| A9 – Streetlighting Exit Service | RT9 |
| A10 – Unmetered Supplies Exit Service | RT10 |
| A11 – Transmission Exit Service | TRT1 |
| B1 – Distribution Entry Service | RT11 |
| B2 – Transmission Entry Service | TRT2 |
| C1 – Anytime Energy (Residential) Bi-directional Service | RT13 |
| C2 – Anytime Energy (Business) Bi-directional Service | RT14 |
| C3 – Time of Use (Residential) Bi-directional Service | RT15 |
| C4 – Time of Use (Business) Bi-directional Service | RT16 |
| C5 – High Voltage Metered Demand Bi-directional Service | RT5 |
| C6 – Low Voltage Metered Demand Bi-directional Service | RT6 |
| C7 – High Voltage Contract Maximum Demand Bi-directional Service | RT7 |
| C8 – Low Voltage Contract Maximum Demand Bi-directional Service | RT8 |
| D1 – 3 Part Time of Use Energy (Residential) Service | RT17 |
| D2 – 3 Part Time of Use Energy (Business) Service | RT18 |

3. Non-reference services

Where Western Power is providing a User a non-reference service at a connection point, the tariff applicable to that non-reference service is the tariff agreed between the User and Western Power.

4. Distribution tariff application guide

Within this price list the transmission and distribution components of the bundled charges are published, where applicable. The bundled charge is applicable when calculating the charge for the reference tariff, unless otherwise indicated. For the avoidance of doubt, the bundled charge is the sum of the distribution and transmission components of the charge.

At Western Power's discretion, the charges detailed below may be discounted where there are multiple exit points on the same premises that are configured in a non-standard way. These discounts include, but are not limited to, only charging one administration charge per site.

4.1 Reference tariffs 1 and 2 (RT1 and RT2)

RT1 and RT2 consist of:

- a. a fixed use of system charge (detailed in Table 6.1) which is payable each day;
- b. a variable use of system charge calculated by multiplying the energy price (detailed in Table 6.1) by the quantity of electricity consumed at an exit point (expressed in kWh); and
- c. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day.

4.2 Reference tariffs 3 and 4 (RT3 and RT4)

RT3 and RT4 consist of:

- a. a fixed use of system charge (detailed in Table 6.1) which is payable each day;
- an on-peak use of system variable charge calculated by multiplying the on-peak energy price (detailed in Table 6.1) by the quantity of on-peak electricity consumed at an exit point (expressed in kWh);
- c. an off-peak use of system variable charge calculated by multiplying the off-peak energy price (detailed in Table 6.1) by the quantity of off-peak electricity consumed at an exit point (expressed in kWh); and
- d. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day.

Notes:

1. The on and off peak periods for these tariffs are defined in the following table (all times are Western Standard Time (WST)):

| | Monday – Friday (includes public holidays) | | | Saturday - Sunday |
|-----|--|------------------|-------------------|-------------------|
| | Off-peak | On-Peak | Off-Peak | Off-Peak |
| RT3 | 12:00am – 7:00am | 7:00am – 9:00pm | 9:00pm – 12:00am | All times |
| RT4 | 12:00am – 8:00am | 8:00am – 10:00pm | 10:00pm – 12:00am | All times |



4.3 Reference tariff 5 (RT5)

4.3.1 Tariff calculation

RT5 consists of:

- a fixed metered demand charge (detailed in Table 6.4) which is payable each day based on the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) multiplied by (1-Discount);
- a variable metered demand charge calculated by multiplying the demand price (in excess of the lower threshold and detailed in Table 6.4) by the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) minus the lower threshold with the result multiplied by (1-Discount);
- c. if the metered demand is greater than 1,000 kVA a variable demand length charge calculated by multiplying the demand length price (detailed in Table 6.7) by the electrical distance to the zone substation by the rolling 12-month maximum half-hourly demand (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km); and
- d. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day.

Notes:

1. The on and off peak periods for this tariff are defined in the following table (all times are Western Standard Time (WST)):

| Monday – Friday (excludes | Saturday - Sunday | | |
|---------------------------|-------------------|------------------|-----------|
| Off-peak On-Peak | | Off-Peak | Off-Peak |
| 12:00am – 3:00pm | 3:00pm – 9:00pm | 9:00pm – 12:00am | All times |

4.3.2 Discount

A discount, based on the percentage of off peak energy consumption (as a proportion of the total energy consumption), applies to this tariff.

The Discount is defined as:

For MD < 1,000 kVA
$$(E_{Off Peak}/E_{Total}) * DF$$

For 1,000 <= MD <1,500 kVA
$$((1500 - MD)/500) * (E_{Off Peak}/E_{Total}) * DF$$

Where:

MD is the rolling 12-month maximum half-hourly demand at an exit point (expressed in

kVA);

DF is the discount factor, which is set at 30%

E_{Off Peak} is the total off peak energy for the billing period (expressed in kWh); and

E_{Total} is the total energy (both on and off peak) for the billing period (expressed in kWh).



Notes:

1. This discount does not apply to the demand-length portion of the charge.

4.4 Reference tariff 6 (RT6)

4.4.1 Tariff calculation

RT6 consists of:

- a fixed metered demand charge (detailed in Table 6.5) which is payable each day based on the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) multiplied by (1-Discount);
- a variable metered demand charge (detailed in Table 6.5) calculated by multiplying the demand price (in excess of lower threshold) by the rolling 12-month maximum half-hourly demand at an exit point (expressed in kVA) minus the lower threshold with the result multiplied by (1-Discount);
- c. if the metered demand is equal to or greater than 1,000 kVA a variable demand length charge calculated by multiplying the demand length price (detailed in Table 6.7) by the electrical distance to the zone substation by the rolling 12-month maximum half-hourly demand (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km); and
- d. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day.

Notes:

- 1. This tariff is similar to RT5 in section 4.3 but for customers connected at low voltage. The higher tariff rates reflect the additional cost of using the low voltage network.
- 2. The on and off peak periods for this tariff are defined in the following table (all times are Western Standard Time (WST)):

| Monday – Friday (excludes | Saturday - Sunday | | |
|---------------------------|-------------------|------------------|-----------|
| Off-peak | On-Peak | Off-Peak | Off-Peak |
| 12:00am – 3:00pm | 3:00pm – 9:00pm | 9:00pm – 12:00am | All times |

4.4.2 Discount

Identical to RT5 detailed in section 4.3.2.

4.5 Reference tariff 7 (RT7)

4.5.1 Tariff calculation

RT7 consists of:

- a. If the contracted maximum demand (CMD) is less than 7,000 kVA:
 - i. a fixed demand charge for the first 1,000 kVA (detailed in Table 6.6) which is payable each day; plus



- ii. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6.6) by the CMD at an exit point (expressed in kVA) minus 1,000 kVA; plus
- iii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 6.7) by the electrical distance to the zone substation by the CMD (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km);
- b. If the CMD is equal to or greater than 7,000 kVA:
 - i. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6.6) by the CMD at an exit point (expressed in kVA); plus
 - ii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 6.8) by the electrical distance to the zone substation by the CMD (expressed in kVA) (Note: a different rate applies after 10 km);
- c. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day;
- d. a fixed administration charge (detailed in Table 6.10) which is payable each day; and
- e. excess network usage charges (if applicable).

Notes:

For exit points located at the zone substation the fixed and variable demand charge specified in sections 4.5.1 (a)(i), (a)(ii) & (b)(i) is to be calculated using the transmission component only. In all other instances, the fixed and variable demand charge specified in sections 4.5.1 (a)(i), (a)(ii) & (b)(i) is to be calculated using the bundled charge.

4.5.2 Excess network usage charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated CMD during the billing period of the load.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

ENUC Transmission = ENUM * (PD - CMD) * DC Transmission / CMD

ENUC Distribution = ENUM * (PD - CMD) * (DC Distribution + DLC) / CMD

ENUM is the Excess network usage multiplier factor, which is defined in Table 6.18.

PD is the peak half-hourly demand during the billing period of the load (expressed in

kVA)

CMD is the nominated CMD for the billing period of the load (expressed in kVA)

 $\ensuremath{\mathsf{DC}}\xspace_{\mathsf{Transmission}}$ are the applicable transmission components of the fixed and variable demand

charges for the billing period for the nominated CMD

DC Distribution are the applicable distribution components of the fixed and variable demand

charges for the billing period for the nominated CMD



DLC are the applicable variable demand length charges for the billing period for the nominated CMD

Notes:

The ENUC does not include the metering or administration components of the tariff.

4.6 Reference tariff 8 (RT8)

4.6.1 Tariff calculation

RT8 consists of:

- a. If the contracted maximum demand (CMD) is less than 7,000 kVA:
 - i. a fixed demand charge for the first 1,000 kVA (detailed in Table 6.6) which is payable each day; plus
 - ii. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6.6) by the CMD at an exit point (expressed in kVA) minus 1,000 kVA; plus
 - iii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 6.7) by the electrical distance to the zone substation by the CMD (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km);
- b. If the CMD is equal to or greater than 7,000 kVA:
 - i. a variable demand charge calculated by multiplying the applicable demand price (detailed in Table 6.6) by the CMD at an exit point (expressed in kVA); plus
 - ii. a variable demand length charge calculated by multiplying the demand length price (detailed in Table 6.8) by the electrical distance to the zone substation by the CMD (expressed in kVA) (Note: a different rate applies after 10 km);
- c. a fixed low voltage charge (detailed in Table 6.11) which is payable each day;
- d. a variable low voltage charge calculated by multiplying the low voltage demand price (detailed in Table 6.11) by the CMD at an exit point (expressed in kVA);
- e. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day;
- f. a fixed administration charge (detailed in Table 6.10) which is payable each day; and
- g. excess network usage charges (if applicable).

Notes:

1. This tariff is identical to RT7 in section 4.5, with an additional low voltage charge to cover the use of transformers and LV circuits.

4.6.2 Excess network usage charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated CMD during the billing period of the load. The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

ENUC = ENUC Transmission + ENUC Distribution



Where

ENUC Transmission = ENUM * (PD - CMD) * DC Transmission / CMD

ENUC Distribution = ENUM * (PD - CMD) * (DC Distribution + DLC + LVC) / CMD

ENUM is the Excess network usage multiplier factor, which is defined in Table 6.18.

PD is the peak half-hourly demand during the billing period of the load (expressed

in kVA)

CMD is the nominated CMD for the billing period of the load (expressed in kVA)

DC _{Transmission} are the applicable transmission components of the fixed and variable demand

charges for the billing period for the nominated CMD

DC Distribution are the applicable distribution components of the fixed and variable demand

charges for the billing period for the nominated CMD

DLC are the applicable variable demand length charges for the billing period for the

nominated CMD

LVC are the applicable additional fixed and additional demand (low voltage)

charges for the billing period for the nominated CMD

Notes:

1. The ENUC does not include the metering or administration components of the tariff.

4.7 Reference tariff 9 (RT9)

RT9 consists of:

- a. a fixed use of system charge (detailed in Table 6.1) which is payable each day;
- a variable use of system charge calculated by multiplying the energy price (detailed in Table 6.1) by the estimated quantity of electricity consumed at an exit point (expressed in kWh and is based on the lamp wattage and illumination period); and
- c. a fixed asset charge based on the type of streetlight asset supplied (detailed in Table 6.2 and Table 6.3).

4.8 Reference tariff 10 (RT10)

RT10 consists of:

- a. a fixed use of system charge (detailed in Table 6.1) which is payable each day; and
- a variable use of system charge calculated by multiplying the energy price (detailed in Table 6.1) by the estimated quantity of electricity consumed at an exit point (expressed in kWh and based on the nameplate rating of the connected equipment and the hours of operation).

Except for where the consumer's facilities and equipment is a streetlight, then Reference Tariff RT10 consists of:

a. the fixed use of system charge for RT9 (detailed in Table 6.1) which is payable each day; and



b. the variable use of system charge for RT9 calculated by multiplying the energy price (detailed in Table 6.1) by the estimated quantity of electricity consumed at an exit point (expressed in kWh and based on the nameplate rating of the connected equipment and the hours of operation).

4.9 Reference tariff 11 (RT11)

4.9.1 Tariff calculation

RT11 consists of:

- a variable connection charge calculated by multiplying the connection price (detailed in Table 6.12) by the loss-factor adjusted declared sent-out capacity (DSOC) at the entry point (expressed in kW);
- a variable control system service charge calculated by multiplying the control system service price (detailed in Table 6.16) by the nameplate output of the generator at the entry point (expressed in kW);
- a variable use of system charge calculated by multiplying the use of system price (based on the location of the electrically closest major generator and detailed in Table 6.14) by the loss-factor adjusted DSOC at the entry point (expressed in kW);
- d. If the DSOC is less than 7,000 kVA:
 - i. if the entry point is connected at 415 V or less and the DSOC is equal to or greater than 1,000 kVA a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 6.7 by the electrical distance between the relevant HV network connection point and the electrically closest zone substation by the DSOC (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km); or
 - ii. if the entry point is connected at greater than 415 V and the DSOC is equal to or greater than 1,000 kVA a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 6.7) by the electrical distance between the entry point and the electrically closest zone substation by the DSOC (expressed in kVA) minus 1,000 kVA (Note: a different rate applies after 10 km);
- e. If the DSOC is equal to or greater than 7,000 kVA:
 - i. if the entry point is connected at 415 V or less a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 6.8) by the electrical distance between the relevant HV network connection point and the electrically closest zone substation by the DSOC (expressed in kVA) (Note: a different rate applies after 10 km); or
 - ii. if the entry point is connected at greater than 415 V a variable demand length charge calculated by multiplying the applicable demand length price (detailed in Table 6.8) by the electrical distance between the entry point and the electrically closest zone substation by the DSOC (expressed in kVA) (Note: a different rate applies after 10 km);
- f. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day; and
- g. excess network usage charges (if applicable).

Notes:



- 1. The loss factor used to calculate the loss-factor adjusted DSOC is the relevant portion from the generator to the zone substation of the loss factor published by the AEMO for that generator.
- 2. For this reference tariff a unity power factor is assumed when converting between kW and kVA.

4.9.2 Excess network usage charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated DSOC during the billing period except where Western Power deems the export of power in excess of DSOC was required for power system reliability and security purposes.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

Notes:

1. The ENUC does not include the metering components of the tariff.

4.10 Reference tariffs 13 and 14 (RT13 and RT14)

RT13 and RT14 consist of:

- a. a fixed use of system charge (detailed in Table 6.1) which is payable each day;
- b. a variable use of system charge calculated by multiplying the energy price (detailed in Table 6.1) by the quantity of electricity consumed at an exit point (expressed in kWh); and
- c. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day;

4.11 Reference tariffs 15 and 16 (RT15 and RT16)

RT15 and RT16 consist of:

- a. a fixed use of system charge (detailed in Table 6.1) which is payable each day;
- b. an on-peak use of system variable charge calculated by multiplying the on-peak energy price (detailed in Table 6.1) by the quantity of on-peak electricity consumed at an exit point (expressed in kWh);



- c. an off-peak use of system variable charge calculated by multiplying the off-peak energy price (detailed in Table 6.1) by the quantity of off-peak electricity consumed at an exit point (expressed in kWh); and
- d. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day;

Notes:

1. The on and off peak periods for these tariffs are defined in the following table (all times are Western Standard Time (WST)):

| | Monday – Friday (includes public holidays) | | | Saturday - Sunday |
|------|--|------------------|-------------------|-------------------|
| | Off-peak | On-Peak | Off-Peak | Off-Peak |
| RT15 | 12:00am – 7:00am | 7:00am – 9:00pm | 9:00pm – 12:00am | All times |
| RT16 | 12:00am – 8:00am | 8:00am – 10:00pm | 10:00pm – 12:00am | All times |

4.12 Reference tariffs 17 and 18 (RT17 and RT18)

RT17 and RT18 consist of:

- a. a fixed use of system charge (detailed in Table 6.1) which is payable each day;
- an on-peak use of system variable charge calculated by multiplying the on-peak energy price (detailed in Table 6.1) by the quantity of on-peak electricity consumed at the connection point (expressed in kWh);
- c. a shoulder use of system variable charge calculated by multiplying the shoulder energy price (detailed in Table 6.1) by the quantity of shoulder period electricity consumed at the connection point (expressed in kWh);
- d. an off-peak use of system variable charge calculated by multiplying the off-peak energy price (detailed in Table 6.1) by the quantity of off-peak electricity consumed at the connection point (expressed in kWh);
- e. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day;

Notes:

1. The on peak, shoulder and off peak periods for these tariffs are defined in the table below (all times are Western Standard Time (WST)).

| | M | Saturday - Sunday | | | |
|----------------|-------------------|----------------------|-----------------|------------------|-----------|
| | Off-peak | Shoulder | On-Peak | Off-Peak | Off-Peak |
| RT17 & RT18 | 12:00am – 12:00pm | 12:00pm – 3:00pm | 3:00pm – 9:00pm | 9:00pm – 12:00am | All times |



5. Transmission tariff application guide

5.1 Transmission reference tariff (TRT1)

5.1.1 Tariff calculation

TRT1 consists of:

- a user-specific charge that is to be an amount per day which reflects the costs to Western Power of providing the Connection Assets under an Access Contract, which may consist of capital and non-capital costs.
- a variable use of system charge calculated by multiplying the applicable use of system price (detailed in Table 6.13 or where there is no applicable use of system price in Table 6.13 for the exit point, the price calculated by Western Power in accordance with Appendix A of the Price List Information) by the contracted maximum demand (CMD) at the exit point (expressed in kW);
- c. a variable common service charge calculated by multiplying the common service price (detailed in Table 6.15) by the CMD at the exit point (expressed in kW);
- d. a variable control system service charge calculated by multiplying the control system service price (detailed in Table 6.17) by the CMD at the exit point (expressed in kW);
- e. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day;
- f. excess network usage charges (if applicable).

5.1.2 Excess network usage charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated CMD during the billing period of the load.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

| ENUM | is the Excess network usage multiplier factor, which is defined in Table 6.18. |
|------|---|
| PD | is the peak half-hourly demand during the billing period of the load (expressed in kW) |
| CMD | is the nominated CMD for the billing period of the load (expressed in kW) |
| UOS | is the applicable variable use of system charge for the billing period for the nominated CMD |
| CON | is the applicable User-specific charge for the billing period |
| CS | is the applicable variable common service charge for the billing period for the nominated CMD |
| CSS | is the applicable variable control system service charge for the billing period for the nominated CMD |



Note: The ENUC does not include the metering components of the tariff.

5.2 Transmission reference tariff 2 (TRT2)

5.2.1 Tariff calculation

TRT2 consists of:

- a. a user-specific charge that is to be an amount per day which reflects the costs to Western Power of providing the Connection Assets under an Access Contract, which may consist of capital and non-capital costs.
- a variable use of system charge calculated by multiplying the applicable use of system price (detailed in Table 6.14 or where there is no applicable use of system price in Table 6.14 for the entry point, the price calculated by Western Power in accordance with Appendix A of the Price List Information) by the declared sent-out capacity (DSOC) at the entry point (expressed in kW);
- c. a variable control system service charge calculated by multiplying the control system service price (detailed in Table 6.16) by the nameplate output of the generator at the entry point (expressed in kW);
- d. a fixed metering charge per revenue meter (detailed in Table 6.9) which is payable each day; and
- e. excess network usage charges (if applicable).

5.2.2 Excess network usage charges

An additional charge applies to this tariff where the peak half-hourly demand exceeds the nominated DSOC during the billing period except where Western Power deems the export of power in excess of DSOC was required for power system reliability and security purposes.

The excess network usage charge (ENUC) is calculated by applying a factor to the excess usage as follows:

Where

| ENUM | is the Excess network usage multiplier factor, which is defined in Table 6.18. $ \\$ |
|------|---|
| PD | is the peak half-hourly demand during the billing period (expressed in kW) |
| DSOC | is the nominated DSOC for the billing period (expressed in kW) |
| UOS | is the applicable variable use of system charge for the billing period for the nominated DSOC |
| CON | is the applicable User-specific charge for the billing period |
| CSS | is the applicable variable control system service charge for the billing period |

Note:

1. The ENUC does not include the metering components of the tariff.



6. Price tables

The tables in the following sections must be used in conjunction with the details in the sections above.

Table 6.6, Table 6.13 and Table 6.14 include a Transmission Node Identity (TNI) to uniquely identify zone substations.

All prices quoted in this Price List are **GST exclusive**.

6.1 Prices for energy-based tariffs on the distribution network

6.1.1 Use of system prices

The prices in the following tables are applicable for reference tariffs RT1, RT2, RT3, RT4, RT9, RT10, RT13, RT14, RT15, RT16, RT 17 and RT18.

Table 6.1: Reference tariffs prices

| | Fixed Price | | | | |
|--------------------------|-------------|------------------|------------------|-------------------|-------------------|
| | c/day | Anytime c/kWh | On Peak c/kWh | Shoulder c/kWh | Off Peak c/kWh |
| Reference tariff 1 - RT1 | | | | | |
| Transmission | 0.000 | 1.679 | | | - |
| Distribution | 88.480 | 6.836 | | | - |
| Bundled tariff | 88.480 | 8.515 | | | - |
| Reference tariff 2 - RT2 | | | | | |
| Transmission | 0.000 | 1.993 | | | - |
| Distribution | 185.120 | 9.380 | | | - |
| Bundled tariff | 185.120 | 11.373 | | | - |
| Reference tariff 3 - RT3 | | | | | |
| Transmission | 0.000 | | 3.036 | | 0.638 |
| Distribution | 88.480 | | 11.582 | | 2.680 |
| Bundled tariff | 88.480 | | 14.618 | | 3.318 |
| Reference tariff 4 - RT4 | | | | | |
| Transmission | 0.000 | | 3.139 | | 0.758 |
| Distribution | 354.540 | | 12.870 | | 2.912 |
| Bundled tariff | 354.540 | | 16.009 | | 3.670 |

| | Fixed Price | Energy Rates | | | | |
|----------------------------|-------------|------------------|------------------|-------------------|-------------------|--|
| | c/day | Anytime c/kWh | On Peak c/kWh | Shoulder c/kWh | Off Peak c/kWh | |
| Reference tariff 9 – RT9 | | | | | | |
| Transmission | 0.000 | 1.055 | | | | |
| Distribution | 7.850 | 3.587 | | | | |
| Bundled tariff | 7.850 | 4.642 | | | | |
| Reference tariff 10 – RT10 | | | | | | |
| Transmission | 0.000 | 0.696 | | | | |
| Distribution | 57.146 | 3.866 | | | | |
| Bundled tariff | 57.146 | 4.562 | | | | |
| Reference tariff 13 - RT13 | | | | | | |
| Transmission | 0.000 | 1.679 | | | | |
| Distribution | 88.480 | 6.836 | | | | |
| Bundled tariff | 88.480 | 8.515 | | | | |
| Reference tariff 14 - RT14 | | | | | | |
| Transmission | 0.000 | 1.993 | | | | |
| Distribution | 185.120 | 9.380 | | | | |
| Bundled tariff | 185.120 | 11.373 | | | | |
| Reference tariff 15 - RT15 | | | | | | |
| Transmission | 0.000 | | 3.036 | | 0.638 | |
| Distribution | 88.480 | | 11.582 | | 2.680 | |
| Bundled tariff | 88.480 | | 14.618 | | 3.318 | |
| Reference tariff 16 - RT16 | | | | | | |
| Transmission | 0.000 | | 3.139 | | 0.758 | |
| Distribution | 354.540 | | 12.870 | | 2.912 | |
| Bundled tariff | 354.540 | | 16.009 | | 3.670 | |
| Reference tariff 17 - RT17 | | | | | | |
| Transmission | 0.000 | | 1.847 | 1.679 | 1.526 | |



| | Fixed Price | Energy Rates | | | | | | |
|----------------------------|-------------|------------------|------------------|-------------------|-------------------|--|--|--|
| | c/day | Anytime c/kWh | On Peak c/kWh | Shoulder c/kWh | Off Peak c/kWh | | | |
| Distribution | 88.480 | | 7.520 | 6.836 | 6.215 | | | |
| Bundled tariff | 88.480 | | 9.367 | 8.515 | 7.741 | | | |
| Reference tariff 18 - RT18 | | | | | | | | |
| Transmission | 0.000 | | 2.192 | 1.993 | 1.812 | | | |
| Distribution | 185.120 | | 10.318 | 9.380 | 8.527 | | | |
| Bundled tariff | 185.120 | | 12.510 | 11.373 | 10.339 | | | |



6.1.2 Streetlight asset prices

The prices in the following table are applicable for reference tariff **RT9**.

Table 6.2: Current light types

| Light specification | Daily charge c/day |
|-----------------------|-----------------------|
| 42W CFL SE | 26.640 |
| 42W CFL BH | 28.312 |
| 42W CFL KN | 31.905 |
| 70W MH | 46.568 |
| 70W HPS | 22.903 |
| 125W MV | 27.722 |
| 150W MH | 53.802 |
| 150W HPS | 30.128 |
| 250W MH | 53.802 |
| 250W HPS | 30.128 |
| Standard LED 20W | 26.655 |
| Standard LED 36W | 26.655 |
| Standard LED 53W | 26.716 |
| Standard LED 80W | 26.643 |
| Standard LED 160W | 27.375 |
| Standard LED 170W | 27.375 |
| Decorative BH LED 17W | 33.155 |
| Decorative KN LED 17W | 34.508 |
| Decorative LED 34W | 34.472 |
| Decorative LED 42W | 33.155 |
| Decorative LED 80W | 35.240 |
| Decorative LED 100W | 37.227 |
| Decorative LED 155W | 37.227 |

Table 6.3: Obsolete light types

| Light specification | Daily charge c/day |
|---------------------|-----------------------|
| 50W MV | 16.566 |
| 70W MV | 22.297 |
| 80W MV | 22.297 |
| 150W MV | 27.722 |
| 250W MV | 36.162 |
| 400W MV | 37.968 |
| 40W FLU | 16.566 |
| 80W HPS | 22.903 |
| 125W HPS | 30.128 |
| 100W INC | 16.566 |
| 80W MH | 22.297 |
| 125W MH | 53.802 |
| 22W LED | 16.656 |



6.2 Prices for demand-based tariffs on the distribution network (RT5 to RT8 and RT11¹)

6.2.1 Demand charges

The prices in the following table are applicable for reference tariff **RT5**.

Table 6.4: Prices for reference tariff RT5

| | Tran | smission | Dist | ribution | Bundled tariff | | |
|---|----------------|---|----------------|---|----------------|---|--|
| Demand (kVA) (Lower to upper threshold) | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | |
| 0 to 300 | 0.000 | 20.060 | 204.560 | 65.114 | 204.560 | 85.174 | |
| 300 to 1000 | 6,017.907 | 14.851 | 19,729.044 | 47.568 | 25,746.951 | 62.419 | |
| 1000 to 1500 | 16,413.289 | 8.484 | 53,026.919 | 20.244 | 69,440.208 | 28.728 | |

The prices in the following table are applicable for reference tariff RT6.

Table 6.5: Prices for reference tariff RT6

| | Tran | smission | Dist | ribution | Bundled tariff | | |
|---|------------|---|----------------|---|----------------|---|--|
| Demand Fixed (kVA) c/day (Lower to upper threshold) | | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | |
| 0 to 300 | 0.000 | 20.060 | 1,156.720 | 67.144 | 1,156.720 | 87.204 | |
| 300 to 1000 | 6,017.907 | 14.851 | 21,244.863 | 51.998 | 27,262.770 | 66.849 | |
| 1000 to 1500 | 16,413.289 | 8.484 | 57,643.738 | 25.839 | 74,057.027 | 34.323 | |

 $^{1 \ \}mbox{Note that some components of RT11}$ are in section $6.3 \ \mbox{}$



The prices in the following table are applicable for reference tariffs **RT7** and **RT8**.

Table 6.6: Prices for reference tariffs RT7 and RT8

| | TNI | Pricing | Trar | smissior | | Dist | ribution | | | Bundled | |
|----------------------|------|----------------------|---|--|--|---|--|--|---|--|--|
| Zone substation | | zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) |
| Cook Street | WCKT | CBD | 15,071.327 | 16.210 | 16.047 | 34,245.179 | 11.585 | 14.822 | 49,316.506 | 27.795 | 30.869 |
| Forrest Avenue | WFRT | CBD | 15,071.327 | 16.210 | 16.047 | 34,245.179 | 11.585 | 14.822 | 49,316.506 | 27.795 | 30.869 |
| Hay Street | WHAY | CBD | 15,071.327 | 16.210 | 16.047 | 34,245.179 | 11.585 | 14.822 | 49,316.506 | 27.795 | 30.869 |
| Milligan Street | WMIL | CBD | 15,071.327 | 16.210 | 16.047 | 34,245.179 | 11.585 | 14.822 | 49,316.506 | 27.795 | 30.869 |
| Wellington Street | WWNT | CBD | 15,071.327 | 16.210 | 16.047 | 34,245.179 | 11.585 | 14.822 | 49,316.506 | 27.795 | 30.869 |
| Black Flag | WBKF | Goldfields Mining | 15,071.327 | 32.025 | 29.603 | 34,245.179 | 6.119 | 10.137 | 49,316.506 | 38.144 | 39.740 |
| Boulder | WBLD | Goldfields Mining | 15,071.327 | 29.575 | 27.503 | 34,245.179 | 6.119 | 10.137 | 49,316.506 | 35.694 | 37.640 |
| Bounty | WBNY | Goldfields Mining | 15,071.327 | 56.133 | 50.267 | 34,245.179 | 6.119 | 10.137 | 49,316.506 | 62.252 | 60.404 |
| West Kalgoorlie | WWKT | Goldfields Mining | 15,071.327 | 26.432 | 24.809 | 34,245.179 | 6.119 | 10.137 | 49,316.506 | 32.551 | 34.946 |
| Albany | WALB | Mixed | 15,071.327 | 30.617 | 28.397 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 44.311 | 45.027 |
| Boddington | WBOD | Mixed | 15,071.327 | 14.912 | 14.935 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 28.606 | 31.565 |
| Bunbury Harbour | WBUH | Mixed | 15,071.327 | 14.583 | 14.653 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 28.277 | 31.283 |
| Busselton | WBSN | Mixed | 15,071.327 | 21.179 | 20.307 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 34.873 | 36.937 |
| Byford | WBYF | Mixed | 15,071.327 | 15.677 | 15.590 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 29.371 | 32.220 |
| Capel | WCAP | Mixed | 15,071.327 | 18.817 | 18.281 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 32.511 | 34.911 |
| Chapman | WCPN | Mixed | 15,071.327 | 25.121 | 23.685 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 38.815 | 40.315 |
| Darlington | WDTN | Mixed | 15,071.327 | 17.521 | 17.171 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 31.215 | 33.801 |
| Durlacher Street | WDUR | Mixed | 15,071.327 | 22.678 | 21.591 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 36.372 | 38.221 |
| Eneabba | WENB | Mixed | 15,071.327 | 21.306 | 20.416 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 35.000 | 37.046 |
| Geraldton | WGTN | Mixed | 15,071.327 | 22.678 | 21.591 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 36.372 | 38.221 |



| | TNI | Pricing | Transmission | | Distribution | | | Bundled | | | |
|--------------------|------|---------|---|--|--|---|--|--|---|--|--|
| Zone substation | | zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) |
| Marriott Road | WMRR | Mixed | 15,071.327 | 14.082 | 14.223 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 27.776 | 30.853 |
| Muchea | WMUC | Mixed | 15,071.327 | 17.375 | 17.046 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 31.069 | 33.676 |
| Northam | WNOR | Mixed | 15,071.327 | 23.479 | 22.278 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 37.173 | 38.908 |
| Picton | WPIC | Mixed | 15,071.327 | 15.755 | 15.658 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 29.449 | 32.288 |
| Rangeway | WRAN | Mixed | 15,071.327 | 24.176 | 22.875 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 37.870 | 39.505 |
| Sawyers Valley | WSVY | Mixed | 15,071.327 | 21.493 | 20.576 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 35.187 | 37.206 |
| Yanchep | WYCP | Mixed | 15,071.327 | 17.317 | 16.996 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 31.011 | 33.626 |
| Yilgarn | WYLN | Mixed | 15,071.327 | 28.594 | 26.662 | 34,245.179 | 13.694 | 16.630 | 49,316.506 | 42.288 | 43.292 |
| Baandee | WBDE | Rural | 15,071.327 | 31.944 | 29.534 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 37.903 | 39.534 |
| Beenup | WBNP | Rural | 15,071.327 | 34.377 | 31.619 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 40.336 | 41.619 |
| Bridgetown | WBTN | Rural | 15,071.327 | 20.826 | 20.005 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 26.785 | 30.005 |
| Carrabin | WCAR | Rural | 15,071.327 | 35.125 | 32.260 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 41.084 | 42.260 |
| Collie | WCOE | Rural | 15,071.327 | 24.688 | 23.314 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 30.647 | 33.314 |
| Coolup | WCLP | Rural | 15,071.327 | 27.859 | 26.032 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 33.818 | 36.032 |
| Cunderdin | WCUN | Rural | 15,071.327 | 29.382 | 27.338 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 35.341 | 37.338 |
| Katanning | WKAT | Rural | 15,071.327 | 26.781 | 25.108 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 32.740 | 35.108 |
| Kellerberrin | WKEL | Rural | 15,071.327 | 31.100 | 28.810 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 37.059 | 38.810 |
| Kojonup | WKOJ | Rural | 15,071.327 | 18.476 | 17.990 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 24.435 | 27.990 |
| Kondinin | WKDN | Rural | 15,071.327 | 19.925 | 19.231 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 25.884 | 29.231 |
| Manjimup | WMJP | Rural | 15,071.327 | 20.658 | 19.860 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 26.617 | 29.860 |
| Margaret River | WMRV | Rural | 15,071.327 | 26.880 | 25.192 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 32.839 | 35.192 |
| Merredin | WMER | Rural | 15,071.327 | 28.174 | 26.303 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 34.133 | 36.303 |
| Moora | WMOR | Rural | 15,071.327 | 20.879 | 20.050 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 26.838 | 30.050 |
| Mount Barker | WMBR | Rural | 15,071.327 | 28.092 | 26.232 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 34.051 | 36.232 |
| Narrogin | WNGN | Rural | 15,071.327 | 31.736 | 29.355 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 37.695 | 39.355 |



| | TNI | Pricing | Tran | smission | | Dist | ribution | | | Bundled | |
|---------------------------|------|---------|---|--|--|---|--|--|---|--|--|
| Zone substation | | zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) |
| Pinjarra | WPNJ | Rural | 15,071.327 | 14.760 | 14.805 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 20.719 | 24.805 |
| Regans | WRGN | Rural | 15,071.327 | 21.553 | 20.627 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 27.512 | 30.627 |
| Three Springs | WTSG | Rural | 15,071.327 | 20.815 | 19.995 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 26.774 | 29.995 |
| Wagerup | WWGP | Rural | 15,071.327 | 14.049 | 14.195 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 20.008 | 24.195 |
| Wagin | WWAG | Rural | 15,071.327 | 27.163 | 25.435 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 33.122 | 35.435 |
| Wundowie | WWUN | Rural | 15,071.327 | 23.683 | 22.452 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 29.642 | 32.452 |
| Yerbillon | WYER | Rural | 15,071.327 | 34.213 | 31.478 | 34,245.179 | 5.959 | 10.000 | 49,316.506 | 40.172 | 41.478 |
| Amherst | WAMT | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Arkana | WARK | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Australian Paper Mills | WAPM | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Balcatta | WBCT | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Beechboro | WBCH | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Belmont | WBEL | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Bentley | WBTY | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Bibra Lake | WBIB | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| British Petroleum | WBPM | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Canning Vale | WCVE | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Clarence Street | WCLN | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Clarkson | WCKN | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Cockburn Cement | WCCT | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Collier | WCOL | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Cottesloe | WCTE | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Edmund Street | WEDD | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Forrestfield | WFFD | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |



| | TNI | Pricing | Tran | smission | | Dist | ribution | | | Bundled | |
|---------------------|------|---------|---|--|--|---|--|--|---|--|--|
| Zone substation | | zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) |
| Gosnells | WGNL | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Hadfields | WHFS | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Hazelmere | WHZM | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Henley Brook | WHBK | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Herdsman Parade | WHEP | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Joel Terrace | WJTE | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Joondalup | WJDP | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Kalamunda | WKDA | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Kambalda | WKBA | Urban | 15,071.327 | 29.369 | 27.327 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 31.844 | 34.341 |
| Kewdale | WKDL | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Landsdale | WLDE | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Maddington | WMDN | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Malaga | WMLG | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Mandurah | WMHA | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Manning Street | WMAG | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Mason Road | WMSR | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Meadow Springs | WMSS | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Medical Centre | WMCR | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Medina | WMED | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Midland Junction | WMJX | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Morley | WMOY | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Mullaloo | WMUL | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Mundaring Weir | WMWR | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |



| | TNI | Pricing | Tran | smission | | Dist | ribution | | | Bundled | |
|------------------------------|------|---------|---|--|--|---|--|--|---|--|--|
| Zone substation | | zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) |
| Munday | WMDY | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Murdoch | WMUR | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Myaree | WMYR | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Nedlands | WNED | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| North Beach | WNBH | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| North Fremantle | WNFL | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| North Perth | WNPH | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| O'Connor | WOCN | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Osborne Park | WOPK | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Padbury | WPBY | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Piccadilly | WPCY | Urban | 15,071.327 | 27.652 | 25.855 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 30.127 | 32.869 |
| Riverton | WRTN | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Rivervale | WRVE | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Rockingham | WROH | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Shenton Park (Old) | WSPA | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Shenton Park (New) | WSPK | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Sth Ftle Power Station | WSFT | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Southern River | WSNR | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Tate Street | WTTS | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| University | WUNI | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Victoria Park | WVPA | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Waikiki | WWAI | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Wangara | WWGA | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |



| | TNI | Pricing | Tran | smissior |) | Dist | ribution | | | Bundled | |
|--------------------|------|---------|---|--|--|---|--|--|---|--|--|
| Zone substation | | zone | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) |
| Wanneroo | WWNO | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Welshpool | WWEL | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Wembley Downs | WWDN | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Willetton | WWLN | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |
| Yokine | WYKE | Urban | 15,071.327 | 16.634 | 16.411 | 34,245.179 | 2.475 | 7.014 | 49,316.506 | 19.109 | 23.425 |

6.2.2 Demand length charges

The prices in the following table are applicable for reference tariffs **RT5**, **RT6**, **RT7**, **RT8** and **RT11** and the CMD/DSOC is between 1,000 and 7,000 kVA.

Table 6.7: Reference for tariffs RT5, RT6, RT7, RT8 and RT11

| | Demand-Length Charge | | | | |
|--------------|---|--|--|--|--|
| Pricing zone | For kVA >1000 and first 10 km length (c/kVA.km/day) | For kVA >1000 and length in excess of 10 km (c/kVA.km/day) | | | |
| CBD | 0.000 | 0.000 | | | |
| Urban | 1.705 | 1.205 | | | |
| Mining | 0.365 | 0.255 | | | |
| Mixed | 0.795 | 0.550 | | | |
| Rural | 0.495 | 0.345 | | | |

The prices in the following table are applicable for reference tariffs **RT7**, **RT8** and **RT11** and the CMD/DSOC is at least 7,000 kVA.



Table 6.8: Reference tariffs RT7, RT8 and RT11

| | Demand-Length Charge | | | | |
|--------------|--|--|--|--|--|
| Pricing zone | For first 10 km length (c/kVA.km/day) | For length in excess of 10 km (c/kVA.km/day) | | | |
| CBD | 0.000 | 0.000 | | | |
| Urban | 1.460 | 1.025 | | | |
| Mining | 0.315 | 0.220 | | | |
| Mixed | 0.685 | 0.475 | | | |
| Rural | 0.430 | 0.295 | | | |

6.2.3 Metering prices

The prices in the following table are applicable for all reference tariffs.

Table 6.9: Metering prices

| | c/revenue meter/day |
|--|---------------------|
| Distribution connected customer (Accumulation / AMI) | 7.870 |
| Distribution connected customer (Interval meters) | 34.603 |
| Transmission connected customer | 2,252.728 |

6.2.4 Administration charges

The prices in the following table are applicable for reference tariffs RT7 and RT8.

Table 6.10: Administration charges for RT7 and RT8

| CMD | Price (c/day) |
|-------------|------------------|
| >=7,000 kVA | 8,955.000 |
| <7,000 kVA | 5,155.000 |

6.2.5 LV prices

The prices in the following table are applicable for reference tariff RT8.



Table 6.11: LV prices RT8

| Category | Price (c/day) |
|----------|------------------|
| Fixed | 1,120.00 |
| Demand | 10.805/kVA |

6.2.6 Connection price

The prices in the following table are applicable for reference tariff **RT11**.

Table 6.12: Connection Price RT11

| | Connection Price (c/kW/day) |
|------------------|--------------------------------|
| Connection price | 1.448 |

6.3 Transmission prices

6.3.1 Use of system prices

The prices in the following table are applicable for reference tariff **TRT1**.

Table 6.13: Transmission prices TRT1

| Substation | TNI | Use of System Price (c/kW/day) | |
|----------------------------|------|-----------------------------------|--|
| Albany | WALB | 16.994 | |
| Alcoa Pinjarra | WAPJ | 4.820 | |
| Amherst | WAMT | 4.045 | |
| Arkana | WARK | 5.163 | |
| Australian Fused Materials | WAFM | 3.352 | |
| Australian Paper Mills | WAPM | 5.227 | |
| Baandee (WC) | WBDE | 18.215 | |
| Balcatta | WBCT | 5.290 | |
| Beckenham | WBEC | 13.345 | |
| Beechboro | WBCH | 4.698 | |
| Beenup | WBNP | 20.379 | |
| Belmont | WBEL | 4.164 | |



| Substation | TNI | Use of System Price (c/kW/day) |
|------------------------------|------|-----------------------------------|
| Bentley | WBTY | 5.420 |
| Bibra Lake | WBIB | 3.722 |
| Binningup Desalination Plant | WBDP | 2.875 |
| Black Flag | WBKF | 18.574 |
| Boddington Gold Mine | WBGM | 3.118 |
| Boddington | WBOD | 3.039 |
| Boulder | WBLD | 16.375 |
| Bounty | WBNY | 40.226 |
| Bridgetown | WBTN | 8.323 |
| British Petroleum | WBPM | 7.187 |
| Broken Hill Kwinana | WBHK | 5.609 |
| Bunbury Harbour | WBUH | 2.748 |
| Busselton | WBSN | 8.609 |
| Byford | WBYF | 3.719 |
| Canning Vale | WCVE | 4.254 |
| Capel | WCAP | 6.509 |
| Carrabin | WCAR | 21.044 |
| Cataby Kerr McGee | WKMC | 7.762 |
| Chapman | WCPN | 12.110 |
| Clarence Street | WCLN | 6.990 |
| Clarkson | WCKN | 5.271 |
| Cockburn Cement | WCCT | 2.921 |
| Cockburn Cement Ltd | WCCL | 2.912 |
| Collie | WCOE | 11.759 |
| Collier | WCOL | 6.957 |
| Cook Street | WCKT | 5.006 |
| Coolup | WCLP | 14.580 |



| Substation | TNI | Use of System Price (c/kW/day) |
|----------------------------|------|-----------------------------------|
| Cottesloe | WCTE | 5.421 |
| Cunderdin | WCUN | 15.936 |
| Darlington | WDTN | 5.358 |
| Edgewater | WEDG | 4.641 |
| Edmund Street | WEDD | 4.776 |
| Eneabba | WENB | 8.721 |
| Forrest Ave | WFRT | 6.999 |
| Forrestfield | WFFD | 5.486 |
| Geraldton | WGTN | 9.939 |
| Glen Iris | WGNI | 3.243 |
| Golden Grove | WGGV | 26.050 |
| Gosnells | WGNL | 4.415 |
| Hadfields | WHFS | 5.308 |
| Hay Street | WHAY | 5.308 |
| Hazelmere | WHZM | 4.115 |
| Henley Brook | WHBK | 4.536 |
| Herdsman Parade | WHEP | 8.049 |
| Joel Terrace | WJTE | 7.305 |
| Joondalup | WJDP | 4.973 |
| Kalamunda | WKDA | 5.605 |
| Katanning | WKAT | 13.621 |
| Kellerberrin | WKEL | 17.463 |
| Kewdale | WKDL | 4.081 |
| Kojonup | WKOJ | 6.232 |
| Kondinin | WKDN | 7.521 |
| Kwinana Alcoa | WAKW | 1.290 |
| Kwinana Desalination Plant | WKDP | 3.540 |



| Substation | TNI | Use of System Price (c/kW/day) |
|---------------------------------------|------|-----------------------------------|
| Kwinana PWS | WKPS | 2.585 |
| Landsdale | WLDE | 4.784 |
| Maddington | WMDN | 4.299 |
| Malaga | WMLG | 4.085 |
| Mandurah | WMHA | 3.509 |
| Manjimup | WMJP | 8.173 |
| Manning Street | WMAG | 5.941 |
| Margaret River | WMRV | 13.709 |
| Marriott Road Barrack Silicon Smelter | WBSI | 2.629 |
| Marriott Road | WMRR | 2.301 |
| Mason Road | WMSR | 2.052 |
| Mason Road CSBP | WCBP | 3.104 |
| Mason Road Kerr McGee | WKMK | 1.880 |
| Meadow Springs | WMSS | 3.980 |
| Medical Centre | WMCR | 6.297 |
| Medina | WMED | 2.963 |
| Merredin 66kV | WMER | 14.861 |
| Midland Junction | WMJX | 5.000 |
| Milligan Street | WMIL | 5.929 |
| Moora | WMOR | 8.371 |
| Morley | WMOY | 5.452 |
| Mt Barker | WMBR | 14.788 |
| Muchea Kerr McGee | WKMM | 7.898 |
| Muchea | WMUC | 5.229 |
| Muja PWS | WMPS | 1.572 |
| Mullaloo | WMUL | 5.138 |
| Munday | WMDY | 5.538 |



| Substation | TNI | Use of System Price (c/kW/day) |
|-----------------|------|-----------------------------------|
| Murdoch | WMUR | 3.313 |
| Mundaring Weir | WMWR | 8.024 |
| Myaree | WMYR | 6.330 |
| Narrogin | WNGN | 18.029 |
| Nedlands | WNED | 5.928 |
| North Beach | WNBH | 5.290 |
| North Fremantle | WNFL | 5.321 |
| North Perth | WNPH | 4.515 |
| Northam | WNOR | 10.652 |
| Nowgerup | WNOW | 6.102 |
| O'Connor | WOCN | 5.520 |
| Osborne Park | WOPK | 5.737 |
| Padbury | WPBY | 5.360 |
| Parkeston | WPRK | 18.640 |
| Parklands | WPLD | 4.091 |
| Piccadilly | WPCY | 14.824 |
| Picton 66kv | WPIC | 3.789 |
| Pinjarra | WPNJ | 2.926 |
| Rangeway | WRAN | 11.272 |
| Regans | WRGN | 8.969 |
| Riverton | WRTN | 3.663 |
| Rivervale | WRVE | 5.694 |
| Rockingham | WROH | 3.138 |
| Sawyers Valley | WSVY | 8.888 |
| Shenton Park | WSPA | 6.166 |
| Southern River | WSNR | 3.845 |
| South Fremantle | WSFT | 3.987 |



| Substation | TNI | Use of System Price (c/kW/day) |
|------------------------|------|-----------------------------------|
| Summer St | WSUM | 7.540 |
| Sutherland | WSRD | 4.515 |
| Tate Street | WTTS | 6.367 |
| Three Springs | WTSG | 8.313 |
| Three Springs Terminal | WTST | 20.077 |
| Tomlinson Street | WTLN | 6.451 |
| University | WUNI | 6.836 |
| Victoria Park | WVPA | 6.225 |
| Wagerup | WWGP | 2.292 |
| Wagin | WWAG | 13.960 |
| Waikiki | WWAI | 3.431 |
| Wangara | WWGA | 4.912 |
| Wanneroo | WWNO | 5.170 |
| Wellington Street | WWNT | 7.503 |
| Welshpool | WWEL | 4.056 |
| Wembley Downs | WWDN | 6.053 |
| West Kalgoorlie | WWKT | 13.551 |
| Western Collieries | WWCL | 2.307 |
| Western Mining | WWMG | 2.711 |
| Westralian Sands | WWSD | 5.902 |
| Willetton | WWLN | 3.898 |
| Worsley | WWOR | 1.914 |
| Wundowie | WWUN | 10.864 |
| Yanchep | WYCP | 5.177 |
| Yerbillon | WYER | 20.234 |
| Yilgarn | WYLN | 15.196 |
| Yokine | WYKE | 5.608 |



The prices in the following table are applicable for reference tariffs **RT11** and **TRT2**.

Table 6.14: Reference tariffs RT11 and TRT2

| Substation | TNI | Use of System Price (c/kW/day) |
|------------------------|------|-----------------------------------|
| Albany | WALB | 2.180 |
| Boulder | WBLD | 1.580 |
| Bluewaters | WBWP | 2.196 |
| Cockburn PWS | WCKB | 1.331 |
| Collgar | WCGW | 2.520 |
| Collie PWS | WCPS | 2.555 |
| Emu Downs | WEMD | 2.226 |
| Geraldton | WGTN | 0.374 |
| Greenough Solar Farm | TMGS | 0.476 |
| Kemerton PWS | WKEM | 1.775 |
| Kwinana Alcoa | WAKW | 1.373 |
| Kwinana Donaldson Road | WKND | 1.042 |
| Kwinana PWS | WKPS | 1.331 |
| Landwehr (Alinta) | WLWT | 1.657 |
| Mason Road | WMSR | 1.042 |
| Merredin Power Station | TMDP | 1.836 |
| Muja PWS | WMPS | 2.681 |
| Mumbida Wind Farm | TMBW | 2.259 |
| Mungarra GTs | WMGA | 2.218 |
| Newgen Kwinana | WNGK | 1.549 |
| Newgen Neerabup | WGNN | 1.365 |
| Oakley (Alinta) | WOLY | 1.848 |
| Parkeston | WPKS | 1.905 |
| Pinjar GTs | WPJR | 1.107 |



| Substation | TNI | Use of System Price (c/kW/day) |
|---------------------|------|-----------------------------------|
| Alcoa Pinjarra | WAPJ | 1.940 |
| Tiwest GT | WKMK | 1.077 |
| Wagerup | WWGP | 1.528 |
| Walkaway Windfarm | WWWF | 2.451 |
| West Kalgoorlie GTs | WWKT | 1.549 |
| Worsley | WWOR | 1.736 |

6.3.2 Common service prices

The prices in the following table are applicable for reference tariff **TRT1**.

Table 6.15: Common Service Prices TRT1

| | Common Service Price (c/kW/day) |
|----------------------|------------------------------------|
| Common service price | 4.827 |

6.3.3 Control system service prices

The prices in the following table are applicable for reference tariffs RT11 and TRT2.

Table 6.16: Control system service prices for reference tariffs RT11 and TRT2

| | Price (c/kW/day) |
|---|---------------------|
| Control system service price (Generators) | 0.215 |

The prices in the following table are applicable for reference tariff **TRT1**.

Table 6.17: Control system service prices for reference tariff TRT1

| | Price (c/kW/day) |
|--------------------------------------|---------------------|
| Control system service price (Loads) | 1.823 |



6.4 Excess network usage charges – substation classification

The following table applies to reference tariffs RT7, RT8, RT11, TRT1 and TRT2.

Table 6.18: Values for ENUM for reference tariffs RT7, RT8, RT11, TRT1 and TRT2

| Substation | ENUM |
|--|------|
| All substations in described as 'Goldfields Mining' in Table 6.6 | 2.5 |
| Albany | 2.5 |
| All other substations | 1 |

Appendix F.4

2018/19 Price List Information

Revised proposed access arrangement

14 June 2018



An appropriate citation for this paper is:

Appendix F.4

Western Power

363 Wellington Street Perth WA 6000 GPO Box L921 Perth WA 6842

T: 13 10 87 | Fax: 08 9225 2660 TTY 1800 13 13 51 | TIS 13 14 50

Electricity Networks Corporation ABN 18 540 492 861

enquiry@westernpower.com.au westernpower.com.au

Enquiries about this report should be directed to:

AA4 Project Team

Email: AA4@westernpower.com.au

Contents

| 1. | Intro | duction | 1 |
|----|--------|--|----|
| | 1.1 | Code Requirements | 1 |
| | 1.2 | 2018/19 Foreword | 1 |
| | 1.3 | Revenue requirement for 2018/19 | 5 |
| | 1.4 | Forecast revenue recovery | 6 |
| 2. | Pricir | ng Principles Overview | 8 |
| | 2.1 | Pricing Objectives | 8 |
| | 2.2 | Pricing Methods | 9 |
| 3. | Deriv | ration of Transmission System Cost of Supply | 11 |
| | 3.1 | Cost Pools | 11 |
| | 3.2 | Cost of Supply | 12 |
| | 3.3 | Methodology of Allocating to Cost Pools | 14 |
| | 3.4 | Cost Pool Allocations | 15 |
| 4. | Deriv | ration of Distribution System Cost of Supply | 16 |
| | 4.1 | Cost Pools | 16 |
| | 4.2 | Customer Groups | 16 |
| | 4.3 | Locational Zones | 16 |
| | 4.4 | Methodology of Deriving the Cost of Supply | 18 |
| | 4.5 | Cost Pool Allocations | 23 |
| 5. | Refe | ence Tariff Structure | 26 |
| | 5.1 | Reference Services and Tariff Structure | 26 |
| | 5.2 | Exit Service Tariff Overview | 27 |
| | 5.3 | Entry Service Tariff Overview | 29 |
| 6. | Deriv | ration of Transmission System Tariff Components | 31 |
| | 6.1 | Cost Reflective Network Pricing | 31 |
| | 6.2 | Price Setting for Transmission Reference Services | 32 |
| | 6.3 | Price Setting for Distribution Reference Services | 34 |
| | 6.4 | Annual Price Review | 40 |
| | 6.5 | Compliance with sections 7.3 (b) and 7.6 of the Code | 41 |
| 7. | Deriv | ration of Distribution System Tariff Components | 42 |
| | 7.1 | Price Setting | 42 |



| | 7.2 | Demonstration of Derivation of Distribution Components of Distribution Reference Tariffs | <i>1</i> C |
|-----|---------|---|------------|
| | 7.3 | Demonstration that Distribution Reference Tariffs are between incremental and stand-alone cost of service provision | |
| | 7.4 | Demonstration that incremental costs are recovered through variable components | 55 |
| | 7.5 | Annual Price Review | 56 |
| | 7.6 | TEC in the Distribution Components of Distribution Reference Tariffs | 56 |
| 8. | Price (| Changes | 60 |
| | 8.1 | Side constraint demonstration | 60 |
| | 8.2 | Individual component changes | 62 |
| Арр | endix A | 1 | A–1 |

1. Introduction

This document is Western Power's Price List Information, as defined in the *Electricity Networks Access Code* 2004 (Code), to apply from 1 July 2018 or as approved by the Economic Regulation *Authority* (the *Authority*).

This document details:

- the history of the network tariffs
- the Price List's compliance with the access arrangement
- the objectives and principles that underlie Western Power's approach to deriving the reference tariffs
- the methodology of deriving cost of supply and the reference tariffs from the target revenue.

1.1 Code Requirements

Section 8.1 of the Code requires Western Power to submit Price List Information to the Authority.

The *Code* defines *Price List Information* as:

"price list information" means a document which sets out information which would reasonably be required to enable the *Authority*, users and applicants to:

- a. Understand how the service provider derived the elements of the proposed price list; and
- b. Assess the compliance of the proposed price list with the access arrangement.

The access arrangement specifies the revenue cap form of price control and details the revenue that Western Power is able to earn in each year of the access arrangement period. The access arrangement contains the detailed price control formula that is applied each year to determine the network tariffs. Network tariffs are set each year to recover no more than the revenue cap. The revenue cap is the sum of:

- Western Power's revenue requirement contained in the access arrangement plus
- an adjustment for any previous year revenue over or under-recoveries (known as the k-factor adjustment) plus
- an adjustment for the Tariff Equalisation Contribution (TEC)

The access arrangement requires Western Power to seek the Authority's approval each year for the price list.

1.2 2018/19 Foreword

This section details a number of matters that relate specifically to the preparation of the 2018/19 Price List.

1.2.1 Price List forms part of revised proposal

The 2018/19 Price List forms part of Western Power's revised proposal for the fourth *access arrangement* period (AA4). It covers the balance of the 2018/19 financial year from the AA4 commencement date until the end of the financial year, however the exact date of commencement will be decided as part of the *Authority*'s decision making process. Due to delays with the commencement of the AA4 process, there was



no 2017/18 Price List produced in April 2017, with the 2016/17 Price List remaining in place. The access arrangement includes a 2017/18 Price List (attached at appendix F.1) however this is just the 2016/17 Price List, repurposed. The 2017/18 Price List will remain in force until the AA4 commencement date.

1.2.2 Modelling a mid-year price change

The access arrangement contains revenue caps for the whole of 2018/19. However, the financial year is split into two parts for pricing purposes: the first part commences on 1 July 2018 and involves no changes to existing tariffs; the second part will begin on 1 November 2018. The prices due to commence from 1 November are calculated such that the total revenue earned throughout 2018/19 is equal to the 2018/19 approved revenue caps.

As the pricing model requires annual revenue targets, where applicable (and noted) elsewhere in this document, revenues and costs have been converted to an 'annualised' dollar amount.

1.2.3 Metering pricing

For this revised proposal, the prices for distribution metering will now be split into two charges:

- For accumulation or Advanced Metering Installations (AMI)
- For interval meters (that are not AMI).

The costs involved in reading interval meters are higher than for accumulation meters and are priced accordingly. The largest contributor to this cost difference is the reading costs; manual reads involve higher labour costs (as the data is time consuming to extract), and for remotely read (non-AMI) meters the higher costs are attributable to the costs of the monthly data transmission via sim cards.

Distribution metering revenue is part of the distribution revenue cap, however section 4.5.1 details how the distribution revenue cap is allocated between metering and other revenue components.

1.2.4 Streetlight pricing

As discussed in the revised access arrangement information, Western Power is adopting a new replacement strategy for the AA4 period.

As is the case for metering above, streetlight revenue is recovered within the distribution revenue cap and is detailed in section 4.5.1.

1.2.4.1 Revised roll out and replacement strategy

Western Power is currently evaluating its luminaire replacement strategy. Our preferred position is light emitting diode (LED) streetlight replacements as the default for failed luminaries. In the event of a lamp failure, Western Power will continue to replace the lamp with a traditional lamp equivalent.

Western Power will also offer customers LED equivalent option for all current streetlight types for State Underground Power Program (SUPP) and new subdivision applications.

We do not expect there to be a significant variation in forecast costs as the take-up of LEDs as a proportion of the entire streetlight population will not be material during the AA4 period. LED luminaires installed during the AA4 period are not expected to have a materially different maintenance requirement, therefore no change to the streetlight opex allowance has been included in this revised AA4 proposal



1.2.4.2 LED streetlight options

The table below outlines the LED streetlight models and Western Power's tariff prices that will be available during the AA4 period:

Table 1.1: LED Models and Tariffs

| LED Streetlight | Wattage | Price (c/day) |
|----------------------------|---------|---------------|
| Standard LED | 20 | 26.66 |
| Standard LED | 36 | 26.66 |
| Standard LED | 53 | 26.72 |
| Standard LED | 80 | 26.64 |
| Standard LED | 160 | 27.38 |
| Standard LED | 170 | 27.38 |
| Decorative Bourke Hill LED | 17 | 33.16 |
| Decorative LED | 42 | 33.16 |
| Decorative Kensington LED | 17 | 34.51 |
| Decorative LED | 34 | 34.47 |
| Decorative LED | 80 | 35.24 |
| Decorative LED | 100 | 37.23 |
| Decorative LED | 155 | 37.23 |

The table below shows the mapping of LED streetlight equivalents against Western Power's currently installed streetlight assets.

Table 1.2: LED Equivalents Mapped Against Current Luminaire Types

| Light specification | Wattage | Standard/Decorative | Wattage |
|---------------------|---------|----------------------------|---------|
| 42W CFL BH | 42 | Decorative Bourke Hill LED | 17 |
| 42W CFL SE | 42 | Standard LED | 20 |
| 42W CFL KN | 42 | Decorative Kensington LED | 17 |
| 150W HPS | 150 | Standard LED | 80 |
| | 150 | Decorative LED | 80 |
| 250W HPS | 250 | Standard LED | 170 |

| Light specification | Wattage | Standard/Decorative | Wattage |
|---------------------|---------|---------------------------|---------|
| | 250 | Decorative LED | 155 |
| 70W HPS | 70 | Standard LED | 36 |
| | 70 | Decorative LED | 42 |
| | 70 | Decorative LED | 34 |
| 125W MV | 125 | Standard LED | 53 |
| | 125 | Decorative LED | 42 |
| 150W MH | 150 | Standard LED | 80 |
| | 150 | Decorative LED | 80 |
| 250W MH | 250 | Standard LED | 160 |
| | 250 | Decorative LED | 100 |
| 70W MH | 70 | Standard LED | 36 |
| | 70 | Decorative LED | 42 |
| | 70 | Decorative LED | 34 |
| 40W FLU | 40 | Standard LED | 20 |
| 100W INC | 100 | Decorative Kensington LED | 17 |
| 50W MV | 50 | Standard LED | 20 |
| 80W MV | 80 | Standard LED | 20 |
| 250W MV | 250 | Standard LED | 170 |
| 22W LED | 18 | Standard LED | 20 |

1.2.5 Changes to the Excess Network Usage Charge

As discussed in attachment 11.1 of the initial AA4 proposal, Western Power is proposing changes to the way that use of the network in excess of contracted values is charged. Excess Network Usage Charges (ENUC) apply when a customer exceeds their contracted maximum demand (for a load) or their declared sent out capacity (for a generator). The ENUC is there to incentivise customers to operate within the contracted values as these are the values used when planning and operating the network.

However, Western Power recognises that not all instances of exceedance have equal impact. That is, there are some parts of the network where a demand increase would not have an impact on the safety or reliability of the network. The way the ENUC has been applied over the AA3 period does not make that distinction. To address this concern, Western Power is proposing to introduce a more nuanced ENUC. The new charges will consider the location of the customer, making the signal clearer and fairer. Each year, Western Power produces a State of the Infrastructure Report, this document includes discussion on which



parts of the transmission network that are constrained. It is these areas that the revised ENUC will focus on.

In line with the most recent version of the report¹, for the 2018/19 Price List, the ENUC will be higher for customers in the goldfields region and connected to the Albany substation. Other customers will see a reduction in the ENUC.

1.3 Revenue requirement for 2018/19

The following sections detail the calculation of the revenue requirements for Western Power's Transmission and Distribution networks.

1.3.1 Maximum Transmission Regulated Revenue

The following table demonstrates the derivation of the maximum transmission regulated revenue for 2018/19 in accordance with section 5.6.6 of the *access arrangement*.

Table 1.3 – Maximum Transmission Regulated Revenue for 2018/19 (\$M real as at 30 June 2017)

| Transmission Revenue | 2018/19 |
|----------------------|---------|
| TR _t | 302.7 |
| plus TK _t | 0.0 |
| MTRt | 302.7 |

The derivation of the transmission system cost of supply cost pools and tariffs require the reference service revenue as an input in nominal terms. The following table details the transmission reference service revenue in nominal terms (please see section 1.3.3 for details of the inflation factor used). Also shown is the revenue cap converted to an annualised value for pricing.²

Table 1.4 - Transmission Revenue Cap Revenue for 2018/19 (\$M)

| Transmission Revenue | Revenue (Real) | Revenue (Nominal) |
|---|-------------------|----------------------|
| Revenue Cap Revenue (MTR _{2018/19}) | 302.7 | 314.0 |
| Revenue Cap Revenue - annualised | | 326.5 |

1.3.2 Maximum Distribution Regulated Revenue

The following table demonstrates the derivation of the maximum distribution regulated revenue for 2018/19 in accordance with section 5.7.6 of the *access arrangement*.

² Of the \$314M revenue in 2018/19, \$217.7M is recovered between November – June. Dividing by 8 (months) and multiplying by 12 (months) converts this number to \$326.5M as shown.



¹ Published on Western Power's website: https://westernpower.com.au/media/2355/state-of-the-infrastructure-report-2016.pdf

Table 1.5 – Maximum Distribution Regulated Revenue for 2018/19 (\$M real as at 30 June 2017)

| Distribution Revenue | 2018/19 |
|--|---------|
| DR _t | 1,001.4 |
| plus DK _t | 0 |
| MDR _t (not including TEC _t) | 1,001.4 |
| TEC _t (\$M nominal) | 198.0 |

The derivation of the distribution system cost of supply cost pools and tariffs require the reference service revenue as an input in nominal terms. The following table details the distribution reference service revenue in nominal terms (please see section 1.3.3 for details of the inflation factor used). Also shown is the revenue cap converted to an annualised value for pricing.³

Table 1.6 - Distribution Revenue Cap Revenue for 2018/19 (\$M)

| Distribution Revenue | Revenue (Real) | Revenue (Nominal) |
|--|-------------------|----------------------|
| MDR _t (not including TEC _t) | 1,001.4 | 1,038.5 |
| Revenue Cap Revenue (MDR _{2018/19}) | | 1,236.5 |
| Revenue Cap Revenue - annualised | | 1,248.7 |

1.3.3 Derivation of Inflation Factor

In sections 1.3.1 and 1.3.2 Western Power has inflated the reference service revenue from real terms to nominal terms by using real and forecast inflation in accordance with sections 5.6.6 and 5.7.6 of the *access arrangement*.

Table 1.7 - Derivation of 2018/19 Inflation Factor

| December 2016 – December 2017 – Forecast | 1.84% |
|--|-------|
| December 2017 – December 2018 – Forecast | 1.84% |
| Derived Inflation Factor | 1.037 |

1.4 Forecast revenue recovery

The following table sets out the reference service revenue, by tariff, which is forecast to be collected when applying the 2018/19 Price List. Note the new reference tariffs are showing zero volumes as there are unlikely to be any customers on these reference services at 1 November 2018. The new reference services require a remotely communicating advanced meter to be installed.

³ Of the \$1,236.5M revenue in 2018/19, \$832.4M is recovered between November – June. Dividing by 8 (months) and multiplying by 12 (months) converts this number to \$1,248.7M as shown.



Table 1.8 – Reference Service Revenue Forecast in 2018/19 (\$M Nominal, annualised values)

| ecast bution enue |
|-------------------------|
| vered |
| 0.0 |
| 0.0 |
| 572.7 |
| 151.0 |
| 6.6 |
| 90.3 |
| 26.3 |
| 125.0 |
| 55.1 |
| 9.7 |
| 41.2 |
| 4.8 |
| 2.2 |
| 141.0 |
| 6.5 |
| 6.5 |
| 9.0 |
| - |
| - |
| L ,248.0 |
| 0.7 |
| L ,248.7 |
| 0 |
| |



2. Pricing Principles Overview

This section discusses the principles, objectives and an overview of the methodology used in determining the reference tariffs.

2.1 Pricing Objectives

Reference service revenue is recovered through a set of reference tariffs that have been designed to meet high-level objectives described below. These objectives have been updated for the AA4 period.

Table 2.1: Pricing Objectives

| Table 2.1: Pricing Objectives | | | | | | | |
|-------------------------------|--|--|--|--|--|--|--|
| Theme | Pricing objectives | | | | | | |
| Revenue sufficiency | Tariffs should be formulated to recover revenue from users in a manner that achieves: | | | | | | |
| | sufficient revenue to provide a safe and reliable network | | | | | | |
| | efficient network services to all network users | | | | | | |
| | sufficient revenue to recover the revenue allowance defined in the price control. | | | | | | |
| Network efficiency | Tariffs must send appropriate and effective signals to promote the economically efficient investment in, operation and use of the Western Power Network. | | | | | | |
| | Tariff signals will include the objective of: | | | | | | |
| | informing network users of their impact on existing and future network capacity and costs | | | | | | |
| | assisting in managing growth in peak demand (to avoid increases in capital expenditure requirements) | | | | | | |
| | providing network users with an incentive to shift their loads away from peak to off-peak periods. | | | | | | |
| | Tariffs will be cost reflective by: | | | | | | |
| | reflecting the actual long run, time-varying cost of service provision to network users | | | | | | |
| | individual charging parameters within each tariff taking account of the long run marginal costs. | | | | | | |
| Choice | Tariffs should provide network users with tariff choices that enable them to manage their costs | | | | | | |
| Simplicity | Be simple and straightforward, readily understood by customers and minimise administration costs, as far as is reasonable taking into account other objectives | | | | | | |

2.2 Pricing Methods

The pricing methods (cost allocations) are set out in section 6.5 of the *access arrangement*. This section provides a summary of Western Power's pricing methods.

2.2.1 General

Reference tariffs aim to reasonably reflect the cost of providing the network service to users. The first step in developing reference tariffs is to model the cost of supply for users. The cost of supply cannot be derived at an individual customer level and so customers are categorised into a number of groups with similar costs.

Reference tariffs will generally have a number of components, which fall into fixed and variable categories. Fixed components would generally be a charge per user regardless of their size whereas the variable component would be related to energy or demand. These categories of costs reflect the fact that costs will be related either to the number of users serviced or to the amount of capacity provided.

The two processes of 'determining cost of supply' and 'setting reference tariffs' to recover those costs are separated so the costs of supply can be allocated to particular customer groups and the reference tariffs can be set to recover those costs. The costs are separated into fixed and variable components and the reference tariffs are similarly split so that fixed costs are recovered by fixed charges and variable costs by variable charges.

It is recognised the determination of the cost of supply for users and respective reference tariffs is an inexact process. A number of simplifying assumptions are required, for example, to categorise users into a small number of customer groups or classes with similar characteristics.

It is also noted that demand is the best measurement of capacity. However, the vast majority of users have energy only metering (or no metering at all) that does not record demand, and therefore energy is used as a proxy for demand.

2.2.2 Process to Determine Cost of Supply

This section presents an overview of the process to derive the cost of supply. Detailed information on this process is provided in sections 3 and 4.

There are two basic stages in determining the cost of supply for users:

- determination of the reference service revenue for Western Power; and
- allocation of the revenue components to different cost pools for various customer groups, based on factors such as supply voltage, location and load characteristics.

Note: Transmission and distribution are treated separately and each has independent target revenues.

The reference service revenue requirement must then be allocated to asset classes and the use of the assets allocated to users. The customer groups used in the analysis and modelling of costs generally reflect the nature of the physical connection to the network and the relative size and nature of the user, namely:

Transmission connected:

- Transmission Generation
- Transmission Loads



Distribution connected:

- High Voltage >1 MVA maximum demand
- High Voltage <1 MVA maximum demand
- Low Voltage >1 MVA maximum demand
- General Business Large (300 to < 1,000 kVA maximum demand)
- General Business Medium (100 to < 300 kVA maximum demand)
- General Business Small (15 to < 100 kVA maximum demand)
- Small Business (<15 kVA maximum demand)
- Residential
- Streetlights
- Unmetered Supplies

2.2.3 Process to Determine Reference Tariffs

This section presents an overview of the process by which reference tariffs are derived. Detailed information on the process is provided in sections 6 and 7.

The users within the customer groups are linked to reference tariffs so that cost of supply can then be derived for each reference tariff. The cost of supply is in terms of fixed and variable costs and price settings are then simply established to recover the cost pools from the users.

2.2.4 Modelling Cost Allocations

Western Power's transmission and distribution cost of supply (COS) models accurately reflect the network cost of supply for the various customer groups. The model assembles capital and operating costs for the components (lines, substations, transformers, etc.) of the modern equivalent assets employed in providing network capacity and delivering energy and allocates these to each customer group according to a predetermined set of principles.

Tables from Western Power's COS model are provided in this document to demonstrate that Western Power complies with its cost allocation methodology.



3. Derivation of Transmission System Cost of Supply

This section details the derivation of the transmission system cost of supply for connection points on the transmission system.

3.1 Cost Pools

The following cost pools are used in the derivation of the transmission system cost of supply:

- Connection Services Cost Pool. Which is further allocated to the following cost pools:
 - Connection Services for Exit Points Cost Pool; and
 - Connection Services for Entry Points Cost Pool.
- Shared Network Services Cost Pool. Which is further allocated to the following cost pools:
 - Use Of System for Loads Cost Pool;
 - Use Of System for Generators Cost Pool; and
 - Common Service for Loads Cost Pool.
- Control System Services Cost Pool. Which is further allocated to the following cost pools:
 - Control System Services for Loads Cost Pool; and
 - Control System Services for Generators Cost Pool.

3.1.1 Connection Services for Exit Points Cost Pool

The Connection Services for Exit Points Cost Pool includes the Gross Optimised Deprival Value (GODV) of all connection assets at each Exit Point and one-third of the value of the voltage control assets at those points (since the function of voltage control equipment is partly location specific and partly system related).

3.1.2 Connection Services for Entry Points Cost Pool

The Connection Services for Entry Points Cost Pool includes the GODV of all connection assets at each Entry Point and one-third of the value of the voltage control assets at those points (since the function of voltage control equipment is partly location specific and partly system related).

3.1.3 Use of System for Loads Cost Pool

Use of System for Exit Points Cost Pool includes 50% of the total Shared Network Services Cost Pool.

3.1.4 Use of System for Generators Cost Pool

Use of System for Entry Points Cost Pool includes 20% of the total Shared Network Services Cost Pool.

3.1.5 Common Service for Loads Cost Pool

The Common Service for Loads Cost Pool includes:

- 30% of the total Shared Network Services Cost Pool;
- Shared Voltage Control Assets two thirds of the value of voltage control assets at Entry and Exit points (since the function of voltage control equipment is partly location specific and partly system related) and the value of all of voltage control assets at transmission substations; and



 Adjustments for under or over recovery of revenue expected for any reason in any other tariff component.

3.1.6 Control System Service for Loads Cost Pool

The Control System Service for Loads Cost Pool consists of a portion of the total cost of all Supervisory Control and Data Acquisition (SCADA), SCADA related communications equipment, and costs associated with the control centre, proportioned based on the total number of points in the SCADA master station relevant to loads.

3.1.7 Control System Service for Generators Cost Pool

The Control System Service for Generators Cost Pool consists of a portion of the total cost of all SCADA, SCADA related communications equipment, and costs associated with the control centre, proportioned based on the total number of points in the SCADA master station relevant to generators.

3.2 Cost of Supply

In order to calculate transmission cost of supply, all transmission assets are valued and categorised into the above cost pools. Each network branch is further defined as either exit, entry or shared network and cost allocation is then applied based on the GODV of all relevant assets.

3.2.1 Transmission Assets

The principal elements of the transmission networks include transmission substations and zone substations, interconnected by transmission and sub-transmission lines. The transmission networks enable the transportation of electricity from power stations to zone substations and high voltage user loads. The zone substations provide the interface between the transmission network and distribution network.

Generally, the transmission networks assets comprise connection assets, shared network assets and other or ancillary assets. These are described as follows:


- Connection Assets: those assets at the point of physical interconnection with the transmission networks which are dedicated to a User - that is, at substations including transformers and switchgear, but excluding the incoming line switchgear. Connection assets for generators are referred to as entry assets and for loads they are called exit assets.
- Shared Network Assets: all other transmission assets, which are shared to some extent by network Users.
- Other or Ancillary Assets: network assets performing an Ancillary Services function comprise:
 - those providing a Control System Service, for example, system control centres, supervisory control and communications facilities.
 - those providing a Voltage Control Service in the networks, for example, a proportion of the costs of capacitor and reactor banks in substations.

Figure 1 shows, in simplified form, the principal elements of the transmission networks and the categorisation of the assets as described above.



Figure 1: Transmission Network Assets

Transmission Network Assets



3.2.2 Asset Valuation

All valuations of transmission assets are performed using the Optimised Deprival Value (ODV) methodology.

3.2.3 Valuation of Individual Branches and Nodes

To determine cost of supply, valuation data is required for every individual branch and node on the network. Every branch and node consists of many individual asset valuation building blocks that are all individually assessed.

Branches include transmission lines and transformers and include the substation circuits at each end. Each transmission line branch will typically have the cost of each of the circuit breakers at different substations included, whereas each transformer branch will typically have the cost of each of the circuit breakers at that same substation included.

Substation site establishment costs are allocated equally to all substation circuits.

The costs for shared circuit breakers (such as bus section breakers etc.) are allocated equally between all other substation circuits, which derive benefit from that shared circuit breaker.

3.3 Methodology of Allocating to Cost Pools

3.3.1 Overview

The methodology for allocating the transmission revenue to each cost pool is to allocate the revenue in the proportion to the GODV of the assets in each cost pool.

However, the annual revenue requirement for the Control System Service Cost Pool is calculated separately (using the same method as for all other network assets) but assuming higher depreciation and operating expenditure than for other network assets. When calculating other Cost Pool Revenues appropriate adjustments are required.

Consequently:

Cost Pool Revenue = RR * GODV (Cost Pool)

where:

RR = a revenue rate of return determined as AARR_{network} / ΣGODV_{network}

AARR_{network} = Transmission Reference Service Revenue excluding Annual Revenue Requirement for Control System Services.

GODV (Cost Pool) = GODV of the transmission network assets which belong in that cost pool.

ΣGODV_{network} = GODV of all transmission assets excluding Control System Service assets



3.4 Cost Pool Allocations

Applying the above methodology, the following cost pool revenues were derived for 2018/19.

Table 3.1 - Transmission Pricing Cost Pools for 2018/19 (\$M Nominal, annualised values)

| Cost Pool | Allocated Revenue |
|--|-------------------|
| Entry Connection | 6.5 |
| Exit Connection HV | 0.5 |
| Exit Connection LV | 70.5 |
| Control System Services for Generators | 5.1 |
| Control System Services for Loads | 26.4 |
| Use Of System for Generators | 37.5 |
| Use Of System for Loads | 101.7 |
| Common Service for Loads (including Voltage Control) | 77.9 |
| Metering CT/VT | 0.4 |
| Total Revenue Cap Revenue | 326.5 |



4. Derivation of Distribution System Cost of Supply

This section details the derivation of the distribution system cost of supply for connection points on the distribution system.

The derivation of the distribution system cost of supply operates along the same principles as the transmission system. That is, the reference service revenue entitlement (which includes TEC) is determined for the distribution system, and that revenue is then allocated to asset categories to derive the cost of supply for each of the customer groups. The cost of supply is based on the relative usage of each asset category by the various customer groups.

The structure of the distribution network cost of supply and reference tariffs reflects the features of the distribution network.

4.1 Cost Pools

The distribution cost pools used in the distribution system cost of supply are:

- High Voltage Network
- Low Voltage Network
- Transformers
- Streetlight Assets
- Metering
- Administration

4.2 Customer Groups

The distribution customer groups used in the distribution system cost of supply are:

- High Voltage >1 MVA maximum demand
- High Voltage <1 MVA maximum demand
- Low Voltage >1 MVA maximum demand
- General Business Large (300 to < 1,000 kVA maximum demand)
- General Business Medium (100 to < 300 kVA maximum demand)
- General Business Small (15 to < 100 kVA maximum demand)
- Small Business (<15 kVA maximum demand)
- Residential
- Streetlights
- Unmetered Supplies

4.3 Locational Zones

Distribution reference tariffs are provided for individual locational zones for users with energy demands in excess of 1 MVA. Locational zones are defined as those areas supplied by the network where the distribution system cost of supply is similar. For example, the rural wheat belt areas of Western Australia



are considered to have a reasonably uniform distribution system and costs of supply, as do the urban and CBD areas of Perth.

Zone substations with similar cost structures are allocated to locational zones that feed an area of the distribution system. Where a zone substation supplies an area of more than one distinct cost of supply, then all users supplied from that substation are considered to be in the one dominant category. That is, there is only one locational zone defined for each zone substation.

The five zones are defined in the sections below, and for details of the allocation of each zone substation to locational zones see the price list in the *access arrangement*.

4.3.1 CBD Locational Zone

This is defined as the intense business area generally recognised as the Perth CBD area. The defining street boundaries is generally from the Swan River north to Aberdeen Street Northbridge, west to Rokeby Road Subiaco, and east to the East Perth redevelopment area.

4.3.2 Urban Locational Zone

This is defined as the uniformly and continuously settled areas of Perth that contains the urban domestic, commercial and industrial users but exclude the CBD zone. This area also excludes the outer urban area that is treated as mixed. The country towns of Geraldton and Kalgoorlie are also included.

4.3.3 Rural Locational Zone

This is defined to include those areas which have a predominantly rural/farming characteristic and includes small to medium size towns within the southwest land division, for example Merredin.

4.3.4 Mixed Locational Zone

This is defined to include those areas that have a mixed user base that has at least two dominant load types, for example a mix of significant mining and rural loads or significant urban and rural loads. It also includes significant outer areas of Perth, which can be a mix of fringe urban, semi-rural and rural types, for example Yanchep.

4.3.5 Mining Locational Zone

This is defined to include the mining area surrounding Kalgoorlie, which is supplied at 33 kV and the mining area at Forrestania which is also supplied at 33 kV. It does not include the town of Kalgoorlie (Urban zone).




4.4 Methodology of Deriving the Cost of Supply

4.4.1 Flowchart

The derivation of the cost of supply for each customer group is illustrated in the following flow diagram.

Figure 2: Distribution Cost of Supply Flow Chart



Each step in this process to derive the distribution cost of supply is described in more detail in the following sections.



4.4.2 Calculate the Forecast Distribution Network Revenue to be recovered from Distribution-Connected Users

The forecast distribution network revenue entitlement, determined in accordance with the approach approved by the *Authority* in the *access arrangement*, includes an amount for the TEC. The allocation of TEC to the cost pools and the customer groups is undertaken on the same basis as the network revenue entitlement set out below.

4.4.3 Allocate Revenue Entitlement to Cost Pools HV Network, Transformers and LV Network

The network revenue entitlement is then allocated to each of the asset classes being the High Voltage (HV) network, transformers and the Low Voltage (LV) network. The allocation is based on the GODV of each asset category as a proportion of the total GODV.

4.4.4 Derive HV annual stand-alone cost and incremental cost of supply for all HV and LV CMD users with demand greater than 1 MVA

In the cost of supply analysis, the costs for users with annual maximum demands less than 1,000 kVA are assumed to be uniform across the network whereas costs for users with demands above 1,000 kVA are determined on the basis of their location on the network and relative use of network assets.

On this basis, the HV network costs that can be allocated to users with maximum demands in excess of 1,000 kVA are calculated through a process that ensures the cost is between the incremental and standalone cost of supply. This approach is consistent with the requirements of section 7.3 of the *Code* and demonstrated in section 7.3.

In terms of costs of supply analysis, this approach is contrary to the approach for users with demands below 1,000 kVA. For these users the approach is facilitated by allocating the network costs on the basis of sharing the average costs of the network between users depending on their relative usage of the network components.

This approach for larger users can distort the final price outcomes because it assumes that costs can be allocated linearly on usage. This approach is reasonable for smaller users where the stand-alone cost will far exceed the average cost of supply. On the other hand, the stand-alone cost for larger users can be less than a simple linear allocation of costs and for this reason it is essential to take a different approach.

The approach taken is to derive the HV network incremental and stand-alone cost for each user with maximum demand in excess of 1,000 kVA. This process will give maximum and minimum revenues that could be recovered from this customer group.

The reality of network pricing is that the actual revenue recovered from these users should fall between these two values. The actual value is determined by deriving reference tariff components that, when applied to the forecast user data will produce charge and revenue outcomes that recover at least the incremental cost of supply but do not recover more than the stand-alone cost of supply. The detail of this price setting is contained in section 7.

4.4.5 Redefine Revenue Pools

The outcome of the process to date is that the HV network revenue for HV and LV users with maximum demands greater than 1,000 kVA has been forecast. This now results in a reallocation of the reference tariff revenue entitlement into the costs pools of:

HV network cost pool that is recovered from users with demands greater than 1,000 kVA



- Residual HV network cost pool for users with demands less than 1,000 kVA
- Transformer cost pool
- LV network cost pool

These cost pools must now be allocated to customer groups based on relative usage of the network elements.

4.4.6 Allocation of Residual HV Network Costs to Customer Groups

This allocation is to reflect the usage of each of the customer groups of the HV network remembering that the costs associated with users with maximum demands greater than 1,000 kVA have already been determined.

The allocation is based on the diversified maximum demand imposed by each customer group. Where a user has a metered demand, that demand is recorded but for the vast majority of users there is no metered demand. For all of these users a notional demand is calculated based on their diversified load factor. Those calculated demands are adjusted by average loss factors to reflect the actual demand placed on the HV network.

The load factors are based on industry codes that reflect typical users. These load factors were derived from sample data taken over a large number of users and are recorded against each user. The sum of the demands is called the anytime maximum demand (ATMD).

The load factors that are used are listed by customer group as follows:

Table 4.1: Load Factor by Customer Group

| Customer Group | Load Factor (%) |
|-------------------------|-----------------|
| Unmetered | 8 |
| Streetlights | 8 |
| Residential | 8 |
| Small Business | 8 |
| General Business Small | 8 |
| General Business Medium | 5 |
| General Business Large | 4 |
| Low Voltage >1MVA | 4 |
| High Voltage | 1 |

4.4.7 Fixed and Variable Costs

Based on the premise that the network was built in part to supply each user, it is reasonable to allocate some of the HV costs on a per user basis rather than purely on demand. Capacity to carry load should clearly be allocated on demand, but the cost to get a minimum capacity supply to a user should, in principle, simply be allocated on a per user basis. This reflects the principle that all users benefit from the HV line regardless of their actual usage.



The question of what percentage of costs should be allocated on a per user basis is the classical fixed and variable cost allocation issue. To determine the fixed component of the cost the approach taken will be to calculate the cost to establish the network to supply the smallest possible load to each user. The variable component of the cost can then be based on all costs that give the network capacity to provide differential supply to each user. This process is described below.

4.4.7.1 Capital related costs (return and depreciation)

The "minimal" cost HV line could be seen as a single-phase line with minimum conductor size, maximum bay lengths and minimum pole and hardware ratings. It is reasonable to assign 40 metre bays in the urban area and 250 metre bays in rural areas for this purpose. The approximate costs for such hypothetical constructions (derived from the results of the 2004 valuation study) would be as follows.

Table 4.2: Capital Related Costs

| Line Construction | Cost per Kilometre (\$) |
|---------------------------------|-------------------------|
| 1 Phase Steel (40 m bays) | 18,000 |
| 3 Phase Large Size (40 m bays) | 50,000 |
| 1 Phase Steel (250 m bays) | 8,500 |
| 3 Phase Large Size (120 m bays) | 24,000 |

From these numbers it is reasonable to deduce that the cost to provide a minimal HV supply is approximately 35% of the cost to provide a full capacity supply in both the urban and rural cases. The remaining 65% is therefore considered related to load and should be allocated on demand.

4.4.7.2 Operating and maintenance costs

A proportion of the costs associated with operations and maintenance do not vary with load, while other costs are determined to be load related.

A proportion of maintenance costs relating to routine inspection and repair could be regarded as being fixed in nature, whereas a proportion is required to maintain capacity, and therefore could be regarded as variable. Fault restoration work can be similarly differentiated, depending on the nature of the faults.

It is difficult to be definitive in allocating maintenance costs but a 50:50 split between fixed and variable is considered reasonable and has been adopted for cost allocation purposes.

4.4.7.3 Resultant cost allocation

Applying these percentage allocations to three phase HV capital and operational and maintenance costs results in a fixed to variable ratio of approximately 40:60.

4.4.8 Allocation of Transformer Costs to Customer Groups

Transformers are installed to provide capacity and energy for each load and the costs can be fairly allocated on demand.

The cost of maintenance of transformers is a very small proportion of the total distribution network maintenance expense, and so no maintenance costs are allocated to transformers.



4.4.9 Allocation of LV Network Costs to Customer Groups

The logic for developing cost allocation principles for LV network costs is identical to the HV case. Therefore, the LV costs are allocated on a similar basis.

However, the LV costs per kVA are generally higher for smaller users than for larger users. Larger users use proportionately less of the LV network because they are typically connected closer to transformers, and generally have a lower level of back-up. For example, a user with a load of 300 kVA or more would generally be connected directly to a transformer with limited capacity in the LV network to supply only part load in the event of an HV contingency.

Appropriate weighting factors have therefore been derived to reflect the proportionate usage of the LV network by the different customer groups, as follows:

| Customer Group | Cost Weighting |
|---------------------------|----------------|
| Residential | 1 |
| Small Business | 1 |
| General Business - Small | 1 |
| General Business - Medium | 0.9 |
| General Business - Large | 0.1 |
| Low Voltage > 1 MVA | 0.1 |
| High Voltage | 0 |

4.4.10 Allocation of TEC Costs to Customer Groups

TEC is allocated to the cost pools consistent with the methodology detailed above. TEC is then allocated to customers groups on the same basis that is set out above for:

- allocation of HV network costs to customer groups
- allocation of transformer costs to customer groups
- allocation of LV network costs to customer groups

4.4.11 Streetlighting Costs

Allocation of network costs to streetlighting is in two components - the use of network costs and the costs associated with the streetlight asset itself.

4.4.11.1 Use of Network Costs

Costs for the use of the HV and LV networks and transformers are allocated on a fixed and variable basis as for other customer groups, but with customer numbers reduced by a factor of 10.

4.4.11.2 Streetlight Asset Costs

Streetlighting costs are directly allocated to streetlights based on the share of the revenue cap that is directly attributable to streetlight maintenance. This calculation is shown in section 4.5.1.



4.4.12 Metering Costs

Similarly to streetlights, metering costs are allocated based on their share of the revenue cap, shown in section 4.5.1.

4.4.13 Administration Costs

The allocation of administration costs is based on specific charges for the larger customer groups, with the residual cost pool allocated by ATMD over the other customer groups.

4.5 Cost Pool Allocations

Applying the above methodology, the following tables details the allocation of the distribution network revenue entitlement (which includes TEC) to the cost pools:

Table 4.3: Allocation of the Distribution Network Revenue Entitlement to Cost Pools

| | ATMD MVA | GWh | Loss Adjusted ATMD's | Transformer Adjusted ATMD's | LV Adjusted ATMD's | d ATMD's Customers | LV Adjusted Customer Numbers | High Voltage Network | | Low Voltage | Network | Transformers | Streetlight Assets | Metering | Administration |
|---------------------------------|----------|-------|----------------------|-----------------------------|--------------------|---------------------|------------------------------|-------------------------|-------------------|----------------|-------------------|-------------------|--------------------|----------|----------------|
| Customer group | АТМБ | ٩٥ | Loss Adjust | Transformer Ac | LV Adjuste | Number of Customers | LV Adjusted Cus | Fixed \$/annum | Variable \$/annum | Fixed \$/annum | Variable \$/annum | Variable \$/annum | Fixed | | |
| Unmetered | 6 | 37 | 6 | 6 | 6 | 16,345 | 16,345 | 2.1 | 0.4 | 1.5 | 0.3 | 0.2 | 0.0 | 0.0 | 0.7 |
| Streetlights | 34 | 134 | 37 | 37 | 4 | 280,437 | 28,044 | 3.8 | 2.5 | 2.2 | 0.2 | 1.3 | 28.4 | 0.0 | 2.0 |
| Residential | 2,040 | 5,302 | 2,135 | 2,135 | 2,135 | 1,045,638 | 1,045,638 | 139.0 | 148.4 | 83.1 | 114.7 | 78.2 | 0.0 | 26.0 | 101.2 |
| Small Business | 322 | 722 | 337 | 337 | 337 | 74,041 | 74,041 | 14.0 | 27.6 | 6.2 | 19.4 | 13.9 | 0.0 | 3.7 | 15.0 |
| General Business - Small | 532 | 1,192 | 556 | 556 | 556 | 13,045 | 13,045 | 2.2 | 46.5 | 1.1 | 32.2 | 23.3 | 0.0 | 2.1 | 21.8 |
| General Business - Medium | 470 | 1,055 | 486 | 486 | 437 | 2,931 | 2,637 | 0.5 | 40.2 | 0.2 | 25.6 | 20.4 | 0.0 | 1.2 | 19.1 |
| General Business - Large | 449 | 1,006 | 464 | 464 | 46 | 970 | 97 | 0.2 | 35.1 | 0.0 | 2.7 | 18.5 | 0.0 | 0.6 | 18.1 |
| LV greater than 1 MVA | 162 | 362 | 165 | 165 | 17 | 126 | 13 | 3.9 | 15.3 | 0.0 | 0.9 | 6.9 | 0.0 | 0.1 | 2.4 |
| HV less than 1 MVA | 78 | 279 | 79 | 0 | 0 | 149 | 0 | 0.0 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 2.4 |

| | АТМБ МУА | GWh | Loss Adjusted ATMD's | Transformer Adjusted ATMD's | LV Adjusted ATMD's | Number of Customers | LV Adjusted Customer Numbers | High Voltage Network | | Low Voltage | Network | Transformers | Streetlight Assets | Metering | Administration |
|----------------|----------|--------|----------------------|-----------------------------|--------------------|---------------------|------------------------------|-------------------------|-------------------|----------------|-------------------|-------------------|--------------------|----------|----------------|
| Customer group | ATME | 0 | Loss Adjust | Transformer Ac | LV Adjuste | Number of | LV Adjusted Cus | Fixed \$/annum | Variable \$/annum | Fixed \$/annum | Variable \$/annum | Variable \$/annum | Fixed | | |
| HV>1 MVA | 1,038 | 3,083 | 1,095 | 0 | 0 | 406 | 0 | 22.4 | 39.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 6.2 |
| TOTAL | 5,131 | 13,172 | 5,360 | 4,186 | 3,538 | 1,434,088 | 1,179,859 | 188.1 | 359.9 | 94.3 | 195.9 | 162.8 | 28.4 | 34.4 | 188.2 |

Table 4.4 - Distribution Cost Pools for 2018/19 (\$M Nominal, annualised values)

| | Locational Zone | | | | | |
|------------------------------|-----------------|-------|----------------------|-------|-------|---------|
| Cost Pool | CBD | Urban | Goldfields Mining | Mixed | Rural | Total |
| High Voltage Network | 12.8 | 194.9 | 4.6 | 127.6 | 132.3 | 472.2 |
| High Voltage Network > 1 MVA | 9.8 | 39.6 | 5.6 | 14.9 | 4.1 | 74.0 |
| High Voltage Network Total | 22.6 | 234.5 | 10.2 | 142.5 | 136.4 | 546.2 |
| Low Voltage Network | 12.6 | 203.1 | 1.7 | 52.2 | 19.6 | 289.2 |
| Transformers | 8.6 | 86.2 | 2.3 | 39.7 | 25.5 | 162.3 |
| Streetlight Assets | | | | | | 28.4 |
| Metering | | | | | | 34.4 |
| Administration | | | | | | 188.2 |
| Revenue requirement | | | | | | 1,248.7 |

4.5.1 Derivation of streetlight and metering asset cost pools

The costs for streetlight and metering shown in Table 4.4 are calculated using a similar approach as the overall revenue modelling approach taken to determine the transmission and distribution revenue caps. That is, using a building block approach to revenue. The cost pool is the sum of the:

- Return on assets (that is, the product of the rate of return with the Regulated Asset Base (RAB) of the assets);
- Depreciation (based on the regulated value of the assets and the expected life of the assets); and
- Operating expenditure approved.



Added to these costs are a portion of Western Power's overall tax building block and a portion of the recovery of deferred revenue. For a more detailed explanation of the building blocks, see Chapter 10 of the AAI for the initial proposal.

Table 4.5: Derivation of Streetlight and Metering Costs

| 2018/19 cost of service | Streetlights | Metering |
|--------------------------|--------------|----------|
| Opening RAB | 90.2 | 133.2 |
| Return on asset | 3.7 | 6.3 |
| Depreciation | 7.4 | 9.5 |
| Opex | 14.1 | 14.8 |
| Indirect cost allocation | 3.2 | 3.9 |
| Cost of service | 28.4 | 34.5 |

5. Reference Tariff Structure

This section provides an overview of the reference tariffs that apply to the transmission and distribution system.

5.1 Reference Services and Tariff Structure

The following table details the relationship between the reference services, detailed in the *access arrangement*, and the reference tariffs.

Table 5.1 - Reference Services

| Reference Service | Reference Tariff |
|--|------------------|
| A1 – Anytime Energy (Residential) Exit Service | RT1 |
| A2 – Anytime Energy (Business) Exit Service | RT2 |
| A3 – Time of Use Energy (Residential) Exit Service | RT3 |
| A4 – Time of Use Energy (Business) Exit Service | RT4 |
| A5 – High Voltage Metered Demand Exit Service | RT5 |
| A6 – Low Voltage Metered Demand Exit Service | RT6 |
| A7 – High Voltage Contract Maximum Demand Exit Service | RT7 |
| A8 – Low Voltage Contract Maximum Demand Exit Service | RT8 |
| A9 – Streetlighting Exit Service | RT9 |
| A10 – Unmetered Supplies Exit Service | RT10 |
| A11 – Transmission Exit Service | TRT1 |
| B1 – Distribution Entry Service | RT11 |
| B2 – Transmission Entry Service | TRT2 |
| C1 – Anytime Energy (Residential) Bi-directional Service | RT13 |
| C2 – Anytime Energy (Business) Bi-directional Service | RT14 |
| C3 – Time of Use (Residential) Bi-directional Service | RT15 |
| C4 – Time of Use (Business) Bi-directional Service | RT16 |
| C5 – High Voltage Metered Demand Bi-directional Service | RT5 |
| C6 – Low Voltage Metered Demand Bi-directional Service | RT6 |
| C7 – High Voltage Contract Maximum Demand Bi-directional Service | RT7 |
| C8 – Low Voltage Contract Maximum Demand Bi-directional Service | RT8 |
| D1 - 3 Part Time of Use Energy (Residential) Service | RT17 |

| Reference Service | Reference Tariff |
|---|------------------|
| D2 - 3 Part Time of Use Energy (Business) Service | RT18 |

5.2 Exit Service Tariff Overview

An overview of the structure of each of the reference tariffs applicable to exit services is presented in the following sections.

5.2.1 RT1, RT2, RT 13 and RT14

The tariff structure for distribution includes:

- A fixed charge per user, and
- A charge per kWh for energy consumption.

The tariff structure for transmission includes:

• A charge per kWh for energy consumption.

Energy only tariffs have no incentive for users to improve their load factor or shift energy consumption to off-peak.

5.2.2 RT3, RT4, RT15 and RT16

The tariff structure for distribution includes:

- A fixed charge per user;
- A charge per kWh for metered on peak energy consumption; and
- A charge per kWh for metered off peak energy consumption.

The tariff structure for transmission includes:

- A charge per kWh for metered on peak energy consumption; and
- A charge per kWh for metered off peak energy consumption.

Time of use tariffs have the incentive for users to manage their energy consumption to shift energy consumption from on-peak to off-peak. However, as noted earlier, these time of use tariffs do not adequately reflect the actual peak periods of the network.

5.2.3 RT5 – High Voltage Metered Demand

The tariff structure is based on the metered demand of the user, with a discount to the demand charge based on the ratio of off-peak energy to total energy used. In addition the tariff has a demand length tariff component for users with demand greater than 1,000 kVA.

This tariff has a mix of incentives for the user to manage their electricity consumption.

The demand used is a running 12-month peak. This provides a clear incentive to manage the peak demand because any excessive demand recorded in one month then impacts upon the demand charge for the next 12 months. The demand length charge is also based on the running 12-month peak.



The second incentive is the off-peak energy discount which is based upon the ratio of off-peak energy to total energy used. The maximum discount is 30% for off-peak energy usage.

5.2.4 RT6 – Low Voltage Metered Demand

The tariff structure is identical to RT5 – High Voltage Metered Demand.

5.2.5 RT7 – High Voltage Contract Maximum Demand

The tariff structure requires the user to nominate a contracted maximum demand (CMD) that reasonably reflects their expected annual peak demand. In addition the tariff has a demand length tariff component also based on the CMD. There is a monthly penalty for any demand excursion above the CMD. All prices are in terms of \$ per kVA.

The distribution component of the prices is zonal and there are 5 locational zones ranging from CBD to rural. This is because the costs of supply are seen to be dependent on the nature of the network that varies according to the location and consequent construction standard and cost.

There are also separate charges for administration and metering.

The transmission component of the tariff is nodal with prices based on the zone substation to which the user is connected.

This tariff has a mix of incentives for the user to manage their electricity consumption.

The demand is in kVA rather than kW so there is a clear benefit from managing the power factor as close to unity as possible. For example, improving the power factor from 0.7 to 0.8 will reduce the demand charge by 12.5%.

The second incentive is to manage the peak demand, which can be achieved by improving the load factor and by containing the peak demand. This incentive is very strong and the user has flexibility in the options available for managing the demand. The penalty for exceeding the contract maximum demand provides additional incentive.

The demand length charge provides an incentive for the user to locate as close as possible to the zone substation. For existing users there is no real opportunity to respond to this incentive, but for new users there is some ability to respond.

The transmission component of the price is nodal so that there is a clear signal for users to locate near to the lower price substations. This may or may not be achievable depending on the individual user circumstances.

5.2.6 RT8 – Low Voltage Contract Maximum Demand

The tariff structure is identical to RT7 – High Voltage Contract Maximum Demand with the addition of a low voltage charge that reflects the additional cost for usage of the low voltage distribution network.

5.2.7 RT9 – Streetlighting and RT10 – Unmetered Supplies

Streetlights and unmetered supplies do not have metering information to support either the initial setting of the tariff or the billing of users based on energy consumption or energy demand and therefore the energy consumption must be estimated based on burn hours and globe wattage.



The tariff structure for distribution includes:

- A fixed charge per user; and
- A charge per kWh for calculated energy consumption.

The tariff structure for transmission includes:

• A charge per kWh for calculated energy consumption.

Where the asset is a Western Power maintained streetlight, there is a charge to reflect the capital and operating costs of the streetlight asset itself, revenue to recover these costs are included within the revenue cap. The tariff structure for the streetlight asset is a fixed charge per light based on the type and rating of the light.

5.2.8 TRT1 – Transmission

The tariff is based on the zone substation to which the user is connected. The user will pay the use of system, common service and control system service charges. There is also a separate metering charge. All prices are in dollars per kW.

The tariff structure requires the user to nominate a CMD, in kWs, that reasonably reflects their expected annual peak demand. There is a monthly penalty for any demand excursion above the CMD.

The incentive is clearly for the user to manage their peak demand through the initial nomination of the CMD and also the monthly penalty for exceeding the CMD.

5.3 Entry Service Tariff Overview

An overview of the structure of each of the reference tariffs applicable to entry services is presented in the following sections.

5.3.1 RT11 – Distribution

The transmission charge is identical to the charge for a transmission connected generator in that the generator nominates a declared sent out capacity (DSOC) and the charge is based on the transmission nodal price at the nearest transmission entry point. The transmission charge for use of system is in dollars per kW. Unlike the transmission exit reference tariff (TRT1) there is no common service charge. The generator must also pay the connection charge which is also expressed in terms of \$ per kW.

The generator's DSOC is in kW and is corrected for losses from the zone substation to the generator site, for purposes of calculation of the transmission price component.

The distribution charge is based on the zonal CMD demand length price. There is no demand only charge. As such the distribution charge for generators with demand less than 1,000 kVA is zero. There is also a separate metering charge.

The DSOC must be nominated in kW for the transmission charge and in kVA for the distribution charge. However the power factor is assumed to be unity for the purpose of charging because the power factor will not generally be within the control of the generator.

The incentive for distribution-connected generators is to locate as near as possible to the zone substation although for generators with a DSOC less than 1,000 kVA there is no such incentive. However, small



generators are not considered to require strong locational incentives because the network will generally not be impacted to any significant extent.

The transmission component also contains a locational signal. Like for TRT2 customers, there is a monthly penalty for any demand excursion above the DSOC that has not been authorised by System Management.

5.3.2 TRT2 – Transmission

The tariff is based on the zone substation to which the generator is connected. The generator will pay the entry point use of system and control system service charges. There is also a separate metering charge. All prices are in dollars per kW.

The tariff structure requires the generator to nominate a DSOC, in kWs, that reflects their maximum intended export capacity. There is a monthly penalty for any demand excursion above the DSOC that has not been authorised by System Management.



6. Derivation of Transmission System Tariff Components

This section describes the methodology used to calculate transmission reference tariff components.

6.1 Cost Reflective Network Pricing

6.1.1 General

The Cost Reflective Network Pricing (CRNP) cost allocation method allocates the revenue requirement to all network elements, based on their GODV, then determines the use made of each network element by each connection point during the survey period.

The CRNP cost allocation process requires detailed network analysis and involves the following steps:

- 1. Determining the annual revenue requirement for individual transmission shared network assets (see below);
- 2. Determining the network load and generation pattern;
- 3. Performing a load-flow to calculate the MVA loading on network elements;
- 4. Determining the allocation of generation to loads;
- 5. Determining the utilisation of each asset on the network by each connection point;
- 6. Allocating the revenue requirement of individual network elements to each user based on the assessed usage share; and
- 7. Determining the total cost allocated to each connection point by adding the share of the costs of each individual network element attributed to each point in the network.

6.1.2 Allocation of Generation to Load

A major assumption in the use of the CRNP methodology is the allocation of generation to load using the 'electrical distance'. With this approach, a greater proportion of load at a particular location is supplied by generators that are electrically closer than those that are electrically remote. The electrical distance is the impedance between the two locations, and this can readily be determined through a standard 'fault level calculation'. Once the assumption has been made as to the proportion that each generator actually supplies each load for a particular load and generation condition (time of day) it is possible to trace the flow through the network that results from supplying each load (or generator).

The utilisation that any load makes of any element is then simply the ratio of the flow on the element resulting from the supply to this load to the total flow on the element made by all loads and generators in the system.

6.1.3 Operating Conditions for Cost Allocation

The choice of operating conditions is important in developing prices using the CRNP methodology. The use made of the network by particular loads and generators will vary depending on the load and generation conditions on the network at the time. The National Electricity Rules (NER) sets out principles that could be applied to determine the sample of operating conditions to consider.

The load and generation patterns used to establish transmission prices should include all operating scenarios that result in most stress in the network and for which network investment may be contemplated. The operating conditions chosen should broadly correspond to the times at which high



demands drive network expansion decisions. Operating conditions should be included that impose peak loading conditions on particular elements, recognising that these may occur at times other than for peak demand.

Consistent with these principles, the operating conditions to be used for the cost allocation process for the transmission system are as follows:

- Load and generation conditions shall be actual operating conditions from 12 months prior; and
- Operating conditions shall include data for every node for every half hour where system peak demand is greater than an amount such that data from 10 individual summer days and 10 individual winter days are included.

6.2 Price Setting for Transmission Reference Services

Transmission tariffs for exit and entry services are fixed and are generally expressed as dollars/kw/annum. Generally, transmission prices are derived by dividing the cost pool, either in its entirety or at a zone substation level, by the assigned maximum demand applying to those assets. However, the details of some parts of the process are complex and explained in more detail in the following sections.

6.2.1 Transmission Pricing Model

Once Transmission assets are valued and T-price (see below for details) has established the relativity of Use of System (UOS) prices the Transmission Pricing Model is used:

- 1. to calculate the annual revenue requirements for all respective cost pools (based on valuation data and the rate of return required); and
- 2. to scale the raw T-price derived UOS prices to give the required UOS cost pool revenues.

6.2.2 Connection Price

The Connection Price is a price for the utilisation of Western Power owned connection assets. The Connection Price reflects the total annual costs allocated to the connection assets divided by the total usage at all points. The Connection Price is calculated by taking the Connection Cost Pool Revenue and dividing it by the aggregate of relevant CMDs and DSOCs (over all Exit or Entry points where the charge is applied).

Connection charges for connection points on the distribution system will be differentiated between loads and generators by applying the principles applied to the transmission shared system.⁴ This results in generators paying approximately a quarter of the price as for loads.

Connection charges for connection points on the transmission system are not published but are determined subject to the specific connection arrangements. These connection charges are individually calculated to reflect the actual connection assets that apply to that user. The amount of the charge is based on achieving a regulated return on all relevant assets and an allocation of the transmission network operating costs.

⁴ By adopting the principle of 20 per cent of costs being allocated to generation and the remaining 80 per cent to loads.



6.2.3 UOS Prices

Consistent with the NER, the proportion of the transmission reference service revenue that is allocated to Transmission UOS is allocated to each and every connection point using a CRNP method. CRNP assigns a proportion of shared network costs to individual user connection points.

6.2.3.1 T-Price

Western Power uses T-price to establish the relativity of UOS prices for each exit and entry point. T-price is a modelling tool to allocate network costs using CRNP. T-price requires significant work to establish all of the inputs and to run the model, in summary:

- The GODV of every branch and node of the network is allocated. Every node is classified as either Exit or Entry, and every branch is classified as either shared or dedicated to consumers or dedicated to generators.
- Electrical configuration and parameters of the network are established (PSSE system Raw Data file).
- Interval data is assembled for all entry and exit points.
- Load flow analysis is carried out so that all network element costs are allocated to each zone substation based on usage of those network elements.
- The costs for all entry and exit points are then converted to prices by assigning a maximum demand to each node and using that demand to calculate a price in terms of dollars/kW/annum.

6.2.3.2 UOS Price Moderation

The application of CRNP for UOS prices can introduce volatility to individual prices as a result of changes in network usage beyond the control of any one user. It is hence appropriate to moderate any price fluctuations to mitigate price shock and improve certainty to customers. Annual variations to UOS prices are therefore scaled and moderated such that annual changes are constrained within a band of \pm 5%.

6.2.4 Common Service Price for Loads

The Common Service Price is expressed in cents/kW/day and is uniform for all exit points. The Common Service Price is calculated by taking the Common Service Cost Pool Revenue and dividing it by the aggregate of relevant CMDs (over all Exit points where the charge is applied).

6.2.5 Control System Service Price

The Control System Service Price is expressed in cents /kW/day. Separate Prices for consumers and generators are calculated based on the respective cost pools but are uniform for each.

6.2.5.1 Control System Service for Loads

The Control System Services price for Loads is calculated by taking the Control System Services for Loads Cost Pool Revenue and dividing it by the aggregate of relevant CMDs (over all Exit points where the charge is applied).



6.2.5.2 Control System Service for Generators

The Control System Services price for Generators is calculated by taking the Control System Services for Generators Cost Pool Revenue and dividing it by the aggregate of relevant DSOCs (over all Entry Points where the charge is applied).

6.2.6 Transmission Tariff Setting

The following table details the forecast transmission revenue which will be collected from transmission connection points and the total amount that will be collected from distribution connection points (please see section 6.3 for further details).

Table 6.1 - Transmission Revenue Forecast for 2018/19 (\$M Nominal, annualised values)

| Customer type | Forecast Total MW | Number Customers | Forecast Transmission Revenue Recovered |
|---------------------------|----------------------|---------------------|--|
| Transmission Exit | 710 | 28 | 37.2 |
| Transmission Entry | 5505 | 30 | 49.6 |
| Distribution Users | 3683 | | 236.9 |
| Transmission Standby | | | 2.8 |
| Total Revenue Cap Revenue | | | 326.5 |

6.3 Price Setting for Distribution Reference Services

The tariffs for connection points on the transmission system do not collect the full transmission reference service revenue entitlement. Connection points on the distribution system utilise the transmission system as well as the distribution system. The remainder of the transmission reference service revenue entitlement is collected from tariffs for connection points on the distribution system.

Charges are determined for each direct connected transmission user based on respective CMDs. The revenue from these users is then deducted from the revenue entitlement for that substation to give a net revenue amount to be recovered from users connected to that substation via tariffs for connection points on the distribution system.

Reference tariffs for users connected to the distribution system with a peak demand >1 MVA incorporate transmission nodal prices. The transmission pass-through revenue, net of the revenues from the >1 MVA users, is then allocated in aggregate to the various small customer groupings on the basis of loss adjusted any time maximum demand (ATMD) for each grouping (further described below).

A number of processes take place to determine transmission prices that match the structure of distribution reference tariffs so that a full suite of bundled tariffs can be produced.


Transmission prices take a range of forms, as discussed in section 5. The CMD tariffs are based on a nominated peak demand in terms of kVA. The CMD tariffs are nodal in that they are based on the transmission node to which the load user is connected. All other tariffs are uniform across the Western Power Network.



6.3.1 Flow Chart

The process to derive prices is illustrated in the following flow diagram.

Figure 3: Derivation of Transmission Tariff Component of Distribution System Flow Chart



Each step in this process to derive transmission component of the distribution system reference tariffs is described in more detail as follows. The first two steps of determining the revenue entitlement and prices for transmission connected users have been covered earlier in this section.



6.3.2 Calculate the Forecast Revenue to be recovered from Distribution-Connected Users

It is assumed at this stage of the process that the forecast transmission revenue entitlement has been determined and transmission reference tariffs set. By applying the reference tariffs to the forecast transmission-connected user data, the revenue to be recovered from transmission entry and exit points can be forecast. The residual is the revenue that must be recovered from connection points on the distribution system.

6.3.3 Calculate Transmission Nodal Prices in terms of \$ per kVA

To calculate the transmission prices in terms of dollars per kVA the zone substation power factors must be determined. The power factors are measured at the low voltage bus of the zone substations at system peak. To create a single nodal price the transmission use of system, common service and connection prices are added together for each zone substation. Multiplying that price by the power factor then provides the price in terms of dollars/kVA.

There is an additional factor taken into account at this stage. The Urban and CBD prices are set to be uniform for distribution-connected users. To achieve this, a weighted average transmission nodal price and a weighted average power factor are used.

This step is taken for a number of reasons. It does not make sense for users across the Perth metropolitan area to see a range of prices depending on location. For example users can be connected to one zone substation for a period of time and then transferred to a different zone substation for operational reasons. Individual zone substation nodal prices would result in such a user seeing a price change although they had not changed anything from their perspective. From an administrative perspective it would be very difficult to manage such a situation. Price changes would also need to be managed within any side constraints imposed on price movements.

Another reason for this approach is that nodal prices are designed to give users an economic signal in terms of location. However, in an urban environment it is difficult for users to respond to any economic signal because land zoning and availability will normally be the determining factor in location rather than cost of supply.

This process produces a set of zone substation prices that are individual for Rural, Mixed and Mining substations and uniform for the CBD and Urban substations. These transmission nodal prices apply to connection points on the distribution system with demands equal to or greater than 7,000 kVA. This principle is established because the cost that a 7,000 kVA user imposes on the transmission network will be the same whether connected to the distribution or transmission networks.

For users with CMD below 7,000 kVA the factor of load diversity becomes more relevant. In addition, the price must be structured to fit into the bundled tariff structure for all CMD users with demands greater than 1,000 kVA.

6.3.4 Determine Average Transmission Price at 1,000 kVA

At this stage we have the transmission nodal prices at 7,000 kVA. We also have established that the transmission price in terms of \$/kVA at 1,000 kVA will be uniform for all users and will be the same from 0 to 1,000 kVA. The next task is to establish that uniform price.

Transmission costs are allocated to all users on the basis of anytime peak kVA demand. The transmission price is simply the revenue to be recovered from users with demands below 1,000 kVA divided by the sum of the anytime maximum demands of all those users.



The anytime maximum demands are not metered for the vast majority of users with demands below 1,000 kVA. The energy consumption is metered and the anytime maximum demands are estimated by applying load factors based on Industry Codes. The industry codes and associated load factors were developed using sample data for actual representative user types.

At this stage the size of the revenue pool is not established. The revenue pool will be the amount defined by the following formula:

$$RP_{Below 1,000} = RP_{Total} - RP_{Over 7,000} - RP_{1,000 to 7,000}$$

where.

RP_{Below 1,000} = revenue to be recovered from users with demands below 1,000 kVA

RP Total = revenue to be recovered from all distribution connected users

RP Over 7.000 = revenue to be recovered from users with demands greater than 7,000 kVA

RP $_{1,000 \text{ to } 7,000}$ = revenue to be recovered from users with demands between 1,000 and 7,000 kVA

This equation has unknown elements in several terms at this stage. The revenue to be recovered from users with demands greater than 7,000 kVA is known because it is equal to the forecast demands of those users multiplied by the nodal price for each user.

The next step is to determine the pricing structure for users with demands between 1,000 and 7,000 kVA. To facilitate the bundling of transmission and distribution components in reference tariffs for connection points on the distribution system the transmission price structure must be consistent with the distribution price structure. For these users this means the prices will be in 'rate block' structure and take the form:

Where:

User Charge $_{1,000 \text{ to } 7,000}$ = the use of system charge for a user with CMD between 1,000 and 7,000 kVA

Price At 1,000 = the average use of system price for all users with CMD below 1,000 kVA

Price 1,000 to 7,000 = the use of system for this user with CMD between 1,000 and 7,000 kVA

CMD _{User} = the contract maximum demand for that user

The Price 1,000 to 7,000 will be different for each zone substation but can be calculated by the formula:

Price
$$_{1,000 \text{ to } 7,000} = [(\text{Price At } 7,000 \text{ kVA}) - (\text{Price At } 1,000 \text{ kVA})]/6,000 \text{ kVA}]$$

So there is now a formula to calculate the price for each user with CMD between 1,000 and 7,000 kVA with the unknown being the price at 1,000 kVA. There is a single unknown (Price $_{At\,1,000}$) that can be solved in the above equation which can be expanded as below.

Original Equation:

$$RP_{Below 1,000} = RP_{Total} - RP_{Over 7,000} - RP_{1,000 to 7,000}$$



Expansion of each term:

RP Below 1,000 = \sum User anytime maximum demands multiplied by Price At 1,000

RP _{Total} = Total transmission revenue entitlement allocated to distribution-connected users

RP $_{Over\,7,000}$ = \sum Individual demands for users greater than 7,000 kVA anytime maximum demands multiplied by the nodal price at the zone substation to which the user is connected

RP $_{1,000 \text{ to } 7,000}$ = Σ User charges for all users with CMDs between 1,000 and 7,000 kVA

At this stage of the process the average price at and below 1,000 kVA, the nodal price for each zone substation for demands between 1,000 and 7,000 kVA and the nodal price for demands greater than 1,000 kVA are known. This has set the transmission tariffs for CMD users.

The rate blocks were developed using the principle of a straight-line transition from the charge at 1,000 kVA to the charge at 7,000 kVA. When converted back to prices the actual prices at any demand can be mapped and in fact the transition from a flat price below 1,000 kVA to a flat price above 7,000 kVA is a 1/x curve. The following graph illustrates the price outcomes for the above process. A number of substations have been chosen to represent the range of prices across urban and rural substations.




Figure 4: Rate Blocks Example

6.3.5 Calculate Transmission Revenue to be recovered from users with demands below 1,000 kVA

This has been determined in the previous section in that the revenue is the average price multiplied by the sum of the anytime maximum demands of all users with demands less than 1,000 kVA.



6.3.6 Calculate Transmission Prices for all other Customer Groups

The first step in this process is to allocate the total revenue entitlement for all users with demands below 1,000 kVA to the customer groups within this category. The customer groups are restated for reference.

- General Business Large (300 to < 1,000 kVA maximum demand)
- General Business Medium (100 to < 300 kVA maximum)
- General Business Small (15 to < 100 kVA maximum demand)
- Small Business (<15 kVA maximum demand)
- Residential
- Streetlights
- Unmetered Supplies

The result of this process is an amount of revenue that must be recovered within each customer group. At this stage the customer group users are mapped to reference tariff groups together with their associated revenues.

In the case of Transmission reference tariff components the cost pools are allocated on the basis of demand. The tariffs now being considered do not have metered values for demand and on that basis; energy is used as a proxy for demand. The revenue is recovered entirely through the variable component of the tariffs, which in each of these tariffs is the energy rate. Thus the tariff components are in terms of cents per kWh.

In the case of unmetered supplies, streetlights, energy small and energy large tariffs the price is calculated by the formula:

Price Tariff = Forecast Revenue Entitlement for Tariff /Total Forecast Energy for Tariff

In the case of the time of use energy tariffs the transmission revenue allocated to those tariffs is recovered through both the on-peak and off-peak energy amounts. It is essentially the on-peak demand and therefore on-peak energy that drives the cost of the transmission network. However off-peak energy must also be served and a proportion of the revenue is recovered through the off-peak energy.

Approximately 30% of the forecast revenue entitlement is recovered through the off-peak energy and 70% through the on-peak energy. This ratio is chosen to achieve three outcomes:

- It recovers most of the cost from on-peak usage which is the main driver of transmission costs;
- It allows for a portion of the costs to be recovered from off-peak energy usage to provide for equity between users with different load patterns; and
- It provides an economic signal to encourage off-peak energy usage that has the benefit of reducing network costs resulting in lower reference tariffs for all users.

6.3.7 Transmission Components of Distribution Reference Tariffs Forecast Revenue

The following table details the forecast transmission reference service revenue, by tariff, which will be collected from distribution connection points.



Table 6.2: Transmission Reference Service Revenue Recovered from Distribution Connection Points for 2018/19 (\$M Nominal, annualised values)

| Reference Tariff | kWh | Number Customers | Forecast Transmission Revenue Recovered |
|--|----------------|---------------------|--|
| RT1 - Anytime Energy (Residential) | 4,234,000,000 | 803,987 | 71.1 |
| RT2 - Anytime Energy (Business) | 1,051,000,000 | 73,608 | 20.9 |
| RT3 - Time of Use Energy (Residential) | 60,000,000 | 7,993 | 1.0 |
| RT4 - Time of Use Energy (Business) | 965,000,000 | 9,760 | 18.9 |
| RT5 - High Voltage Metered Demand | 672,000,000 | 288 | 8.1 |
| RT6 - Low Voltage Metered Demand | 2,029,000,000 | 3,901 | 32.8 |
| RT7 - High Voltage Contract Maximum Demand | 3,089,000,000 | 285 | 55.6 |
| RT8 - Low Voltage Contract Maximum Demand | 196,000,000 | 57 | 4.0 |
| RT9 – Streetlighting | 134,000,000 | 272,664 | 1.4 |
| RT10 - Unmetered Supplies | 37,000,000 | 37,000,000 16,198 | |
| RT11 - Distribution Entry | - | 20 | 1.3 |
| RT13 – Anytime Energy (Residential) Bi-directional | 1,012,000,000 | 204,050 | 17.0 |
| RT14 – Anytime Energy (Business) Bi-directional | 59,000,000 | 1,363 | 1.2 |
| RT15 – Time of Use (Residential) Bi-directional | 53,000,000 | 9,631 | 0.8 |
| RT16 – Time of Use (Business) Bi-directional | 102,000,000 | 548 | 2.0 |
| RT17 - Time of Use Energy (Residential) | 0 | 0 | - |
| RT18 - Time of Use Energy (Business) | 0 | 0 | - |
| TOTAL - Reference Service | 13,693,000,000 | 1,404,415 | 323.0 |
| TOTAL – Non-Reference Service | - | - | 3.5 |
| TOTAL | | | 326.5 |

6.4 Annual Price Review

As described in the *access arrangement*, revenue cap service revenue is reviewed annually and adjusted if necessary for under or over recovery. Together with changes to user CMDs and DSOCs (including zone substation maximum demands) it is consequently necessary to adjust prices annually also.



6.5 Compliance with sections 7.3 (b) and 7.6 of the *Code*

Section 7.3 (b) of the *Code* requires that reference tariffs are set between the incremental and stand-alone costs of service provision. For transmission reference tariffs, Western Power asserts that the pricing method described above, in particular the application of the T-price approach to tariff setting, ensures that tariffs remain between these two bounds.

As a result, section 7.6 of the *Code* which requires that variable components of tariffs recover the incremental costs of service provision, is also deemed to be satisfied.

For distribution reference tariffs, compliance is demonstrated in section 7.3 of this document.



7. Derivation of Distribution System Tariff Components

This section describes the methodology used to calculate distribution reference tariff components.

The cost allocation process reflects the costs of supply for a customer group reasonably accurately. The process for determining prices for that customer group, while ideally similar in principle, is somewhat different in that it must take into account other factors such as equity, simplicity and efficiency (e.g. existing metering type).

Prices are determined with pre loss-adjusted ATMDs.

The *Code* requires uniform reference tariffs for all users with annual energy demand below 1 MVA, which equates to approximately all but 500 connected to the Western Power Network. Users with energy demand below 1 MVA will exhibit the full range of energy consumption patterns. It is therefore clear that any tariff structure will not be totally cost reflective. However, the assumptions that are made in allocating users to particular load groups and in deriving the cost of supply to those customer groups, and the consequent prices, are all considered reasonable. Through the process described in this paper the tariff settings are derived through a rigorous process taking into account the information available and the requirements of the *Code*.

The distribution reference tariff components include the costs associated with the TEC. Section 7.12 of the *Code* sets out the requirement for Western Power to recover TEC through distribution reference tariffs for exit services (Western Power has extended this to include bi-directional services to be consistent with the Code Objective). Section 7.6 details the amounts associated with TEC that are embedded within the distribution reference tariff components.

7.1 Price Setting

This section details the methodology used to derive the tariff components from the cost pools, customer groups and locational zones.

7.1.1 Tariff Components

Distribution reference tariffs have been developed to enable users with different loads and usage patterns to choose the most appropriate form for them. The tariffs have fixed and variable components and are generally compatible with existing forms of user metering.

The components of each reference tariff are shown in the following table.



Table 7.1: Distribution Reference Tariff Components

| TARIFF | | TARI | FF CO | МРО | NENT | S | | | | | |
|--|-----------------|-------------|----------------|-----------------|-----------------|----------------|-----------------------|------------------------------|----------|-------------------------------------|--------------------------|
| | Fixed Component | Energy Only | On Peak Energy | Shoulder Energy | Off Peak Energy | Metered Demand | Annual Metered Demand | Off Peak Discount Factor (%) | CMD/DSOC | Demand/ Length for ATMD > 1,000 kVA | Fixed Metering Component |
| RT1 – Anytime Energy (Residential) | ✓ | ✓ | | | | | | | | | ✓ |
| RT2 – Anytime Energy (Business) | ✓ | ✓ | | | | | | | | | ✓ |
| RT3 - Time of Use Energy (Residential) | ✓ | | √ | | ✓ | | | | | | ✓ |
| RT4 - Time of Use Energy (Business) | ✓ | | ✓ | | ✓ | | | | | | ✓ |
| RT5 - HV Metered Demand | ✓ | | | | | ✓ | ✓ | ✓ | | ✓ | ✓ |
| RT6 - LV Metered Demand | ✓ | | | | | √ | ✓ | √ | | ✓ | ✓ |
| RT7 - HV CMD | ✓ | | | | | | | | ✓ | ✓ | ✓ |
| RT8 - LV CMD | ✓ | | | | | | | | ✓ | ✓ | ✓ |
| RT9 - Streetlighting | ✓ | ✓ | | | | | | | | | |
| RT10 – Unmetered Supplies | ✓ | ✓ | | | | | | | | | |
| RT11 - Distribution Entry | | | | | | | | | ✓ | ✓ | ✓ |
| RT13 – Anytime Energy (Residential) Bi- directional | √ | √ | | | | | | | | | ✓ |
| RT14 – Anytime Energy (Business) Bidirectional | ✓ | ✓ | | | | | | | | | ✓ |
| RT15 – Time of Use (Residential) Bi- directional | √ | | √ | | √ | | | | | | ✓ |
| RT16 – Time of Use (Business) Bidirectional | √ | | √ | | √ | | | | | | ✓ |
| RT17 - Time of Use Energy (Residential) | √ | | √ | ✓ | ✓ | | | | | | ✓ |
| RT18 - Time of Use Energy (Business) | ✓ | | ✓ | ✓ | ✓ | | | | | | ✓ |



7.1.2 The tariff comprises a fixed component (\$/annum) and a variable component (cents/kWh)

This is the simplest and most appropriate charging methodology for large numbers of small users with existing energy only metering.

The fixed and variable components are set to best recover the costs associated with the smaller customer groups. The tariff components for residential and business are different, reflecting the different costs of supply.

7.1.3 RT3 and RT4 - Time of Use Energy Tariff (Residential or Business)

The tariff comprises a fixed component (\$/annum) and variable on- and off-peak energy components (cents/kWh).

The tariff components for residential and business are different, reflecting the different costs of supply.

The fixed component of the residential time of use tariff is set to be the same as the fixed component of the residential energy only tariff.

Analysis of system load profiles by other utilities shows that typically 70% and 30% of network costs are associated with on- and off-peak load respectively. The on- and off-peak energy components of the tariffs are set to recover these approximate proportions of the variable cost pools for the respective customer groups.

7.1.4 RT5 and RT6 - Metered Demand Tariff (HV and LV)


The metered demand tariff is based on a metered annual any time maximum demand with a discount to give credit for off-peak energy usage as a proportion of total energy used.

The annual any time maximum demand is the rolling peak value over the previous 12 months. This rolling peak, rather than a monthly-metered peak, is chosen for compatibility with the CMD tariffs that are based on a contracted maximum demand set for a defined period. A tariff based on a metered monthly peak would need to be higher to recover the same revenue from these users due to the effect of seasonal variation in loads.

The principle of using this rolling peak is illustrated in Figure 5.



Figure 5: Rolling Peak Illustration



There is no excess network usage charge for this tariff. The incentive to control the peak demand is significant because any half-hourly excess peak would be retained in the charges for a full 12 months. However, this is not intended to be unreasonably punitive to users and the negative impact of an extraordinary event would be assessed on a case by case basis.

The off-peak discount is applied monthly, based on the metered off-peak and total energy amounts. The discount is intended to create an incentive for users to use the network off-peak, and is provided as a specific reduction in the monthly charge depending on the proportion of off-peak energy used.

The tariff also includes a 'demand-length' component for demands greater than 1,000 kVA, identical to that applying in the CMD tariffs, based on the rolling annual peak.

The demand price is in rate block format. The transition points are set at 300 kVA and 1,000 kVA and the discount phases out at 1,500 kVA. At 1,500 kVA the tariff is set to be less attractive than the CMD tariffs for most users.

A discount mechanism applies to this tariff and is defined within the Price List.

7.1.5 RT7 and RT8 - Contract Maximum Demand Tariff (HV and LV)

The HV component of the CMD tariff is set to reflect a price that results in a user charge that is greater than the user incremental cost of supply but less than the stand-alone cost of supply. To achieve this outcome the two costs of service are modelled for each of the HV and LV CMD users.

Customers on transition tariffs are modelled, for pricing setting purposes, as contract maximum demand tariff customers.

The price structure is based on two particular components. There is a component that is directly linked to the nominated maximum demand which is in terms of \$/kVA. The second component is based on a combination of the maximum demand and the length of HV feeder from the zone substation to the user's connection point. This price component is expressed in terms of \$/kVA.km. Both of these tariff



components are set to be uniform at 1,000 kVA and to be fully cost reflective at 7,000 kVA. This structure is consistent with the transmission CMD tariff for distribution connected customers.

The demand-length component of the tariff cannot be used in isolation because it distorts the charge for users either very close to the zone substation, where the cost could be virtually zero, or at a long distance from the substation, where the charge could be unreasonably high. The demand-based components of the tariff ameliorates this distortion as it recognises the cost of supply of a user does not only relate to the distance from the zone substation but also relates to the demand the user places on the network.

The effect of the pricing structure is, for a fixed demand, the charge to a user increases as distance to the zone substation increases. This is effectively providing a fixed and variable component to the price for identical users depending on their distance from a zone substation. In a similar manner users at the same distance from a zone substation will pay more as their demand increases.

An additional feature of this price structure is that the price is not linear in relation to the demand.

For the demand-based component, the price at 1,000 kVA is uniform for each of the locational zones and is reflective of the average HV cost of the network per KVA demand. However, as the demand increases, the price declines recognising that the cost of supply declines on a per unit basis, as the demand increases.

The demand-length component is set to zero at 1,000 kVA. This is consistent with the requirement that all tariffs are uniform below 1,000 kVA demand. The price above 7,000 kVA is uniform and the price varies continuously between 1,000 and 7,000 kVA.

In setting the CMD tariffs both components are adjusted so that for each of the users with demands greater than 1,000 kVA, their charge will fall between the incremental and stand-alone cost. The process to derive the settings is described as follows.

Demand Component of the CMD Tariff

The price at 7,000 kVA is individually set for each zone. The price is adjusted to provide a best fit so that users will see a charge that is between the incremental and stand-alone cost. This is done in combination with the demand-length component setting. However it is clear that the price at 7,000 kVA should reflect the actual costs of the networks that supply these users. As such the cost for the CBD zone will be the highest, the Urban zone the next highest and so on so that the rural zone is the cheapest.

The distribution nodal prices at 7,000 kVA have been established. It has also been established the distribution price in terms of \$/kVA at 1,000 kVA will be uniform for all users and will be the same from 0 to 1,000 kVA. The next step is to establish that uniform price. At 1,000 kVA the demand-length price is zero so the demand price should reflect the average network price for all users in terms of \$/kVA.

Distribution costs are allocated to all users on the basis of anytime peak kVA demand adjusted for losses. The distribution price is simply the revenue to be recovered from users with demands below 1,000 kVA divided by the sum of the anytime maximum demands of all those users.

The anytime maximum demands are not metered for the vast majority of users with demands below 1,000 kVA. The energy consumption is metered and the anytime maximum demands are estimated by applying load factors based on 'industry codes'. The industry codes and associated load factors were developed using sample data for actual representative user types.

At this stage the size of the revenue pool for users with demands below 1,000 kVA is not established. The revenue pool will be the amount defined by the following formula:

 $RP_{Below 1,000} = RP_{Total} - RP_{Over 7,000} - RP_{1,000 to 7,000}$



where:

RP Below 1,000 = revenue to be recovered from users with demands below 1,000 kVA

RP Total = revenue to be recovered from all distribution users

RP _{Over 7,000} = revenue to be recovered from users with demands greater than 7,000 kVA

RP $_{1,000 \text{ to } 7,000}$ = revenue to be recovered from users with demands between 1,000 and 7,000 kVA

This equation has unknown elements in each of the terms at this stage. The revenue pools will only be determined when the CMD tariff settings are established and the prices can be applied to the forecast user data for users with demands greater than 1,000 kVA. The price at 7,000 kVA is set by graphically plotting the charge outcomes for each of the users with demands above 7,000 kVA, in the locational zones, and setting a price that puts the charge outcomes between the incremental and stand-alone cost of supply. Graphs demonstrating this are included in section 7.2.

To facilitate the solving of the remaining terms of this equation the pricing settings for users with demands between 1,000 and 7,000 kVA must be determined. The tariffs are defined in terms of 'rate block' structure and, for the demand component of the tariff, take the form:

User Demand Charge $_{1,000 \text{ to } 7,000}$ = (Price $_{\text{At } 1,000}$ * 1,000 kVA) + (Price $_{1,000 \text{ to } 7,000}$ *(CMD $_{\text{User}}$ - 1,000 kVA))

where:

User Demand Charge $_{1,000 \text{ to } 7,000}$ = the demand charge for a user with CMD between 1,000 and 7,000 kVA

Price At 1,000 = the average demand price for all users with CMD below 1,000 kVA

Price $_{1,000 \text{ to } 7,000}$ = the incremental demand price for this user with CMD between 1,000 and 7,000 kVA

CMD User = the contract maximum demand for that user

The Price 1,000 to 7,000 will be different for each locational zone but can be calculated by the formula:

Price
$$_{1,000 \text{ to } 7,000} = [(Price_{At 7,000} * 7,000 \text{ kVA}) - (Price_{At 1,000} * 1,000 \text{ kVA})]/6,000 \text{ kVA}]$$

There is now a formula to calculate the price for each user with CMD between 1,000 and 7,000 kVA with the unknown being the price at 1,000 kVA. The price at 7,000 kVA has been previously set.

There is now a single unknown (Price At 1,000) that can be solved in the above equation which now must be expanded as below.

Original Equation:

$$RP_{Below 1,000} = RP_{Total} - RP_{Over 7,000} - RP_{1,000 to 7,000}$$

Expansion of each term:

RP Below 1,000 = ∑ User anytime maximum demands multiplied by Price At 1,000

RP Total HV network revenue entitlement



RP $_{Over\,7,000}$ = \sum Individual demands for users greater than 7,000 kVA anytime maximum demands multiplied by the zonal price at the zone substation to which the user is connected

RP $_{1,000 \text{ to } 7,000}$ = Σ User charges for all users with CMDs between 1,000 and 7,000 kVA

At this stage of the process the average price at and below 1,000 kVA, the demand price formula for each locational zone for demands between 1,000 and 7,000 kVA and the zonal price for demands greater than 7,000 kVA is known. This has set the demand component of the CMD tariffs.

Demand-Length Component of the CMD Tariff

The demand-length component of the tariff is set at zero at 1,000 kVA. It is also uniform at and above 7,000 kVA. The tariff is designed to be expressed in 'rate block' format so that the price is in terms of an incremental price above 1,000 kVA and up to 7,000 kVA and a uniform price above 7,000 kVA.

The price between 1,000 and 7,000 kVA is expressed as:

```
Price _{1,000 \text{ to } 7,000} = [(\text{Price }_{\text{At } 7,000} * 7,000 \text{ kVA}) - (\text{Price }_{\text{At } 1,000} * 1,000 \text{ kVA})]/6,000 \text{ kVA}]
```

The price settings are established in the same process as setting the demand settings in that the incremental and stand-alone costs are graphically plotted for every CMD user within each locational zone and the price settings are adjusted so the user charges fit between the limits. Graphs demonstrating this are included in section 7.2.

At this stage, the price settings are established for both the demand and demand-length price components of the CMD tariffs. The forecast HV network revenue for the HV and LV CMD users can be calculated by applying the prices to the forecast user data and summing the charges for all users.

The prices for both the demand and demand-length components of the prices are illustrated in Figure 11.

7.1.6 Metering Prices

The prices for distribution metering are split into two charges:

- For accumulation or AMI
- For interval meters (that are not AMI)

The costs involved in reading interval meters are higher than for accumulation meters and are priced accordingly. The largest contributor to this cost difference is the reading costs themselves; manual reads involve higher labour costs (as the data is time consuming to extract), and for remotely read (non-AMI) meters the higher costs are attributable to the costs of the monthly data transmission via sim cards.

7.1.7 Administration costs

An administration charge is published separately in conjunction with the CMD tariff, but is incorporated in the variable component of all the other tariffs.

The setting of the components in the metered demand tariff ensures compatibility with the administration price for the CMD tariff.

7.1.8 RT9 – Streetlighting Tariff

Separate network Use of System and Asset prices are designed to best recover the costs of providing streetlight services.



The use of system price comprises a fixed and variable charge similar to other low voltage tariffs, based on the expected daily cycle of energy usage.

The asset charge varies with the size and type of luminaire and is based on the annualised cost of capital and maintenance associated with each.

7.1.9 RT10 - Unmetered Supplies

The unmetered supplies tariff comprises a fixed and variable charge similar to other low voltage tariffs, designed to best recover the costs of providing these services based on the expected daily cycle of energy usage.

7.1.10 RT13 to 16 - Bi-directional Tariffs

The tariff components for these tariffs are identical to tariffs RT1 to 4, as applicable.

7.2 Demonstration of Derivation of Distribution Components of Distribution Reference Tariffs

7.2.1 CMD Demand Price Graphs

The following graphs illustrate the proposed prices for the CMD tariffs are between incremental cost and stand-alone cost for the majority of customers. However, no pricing structure can be guaranteed to price between them in every individual case. The prices have been set to achieve a balance between all customers, while still meeting the requirements of section 7.3(b) of the *Code*. Compliance with section 7.3 of the *Code* is demonstrated in section 7.3.

Figure 6: Urban Zone




Figure 7: CBD Zone




Figure 8: Mining Zone




Figure 9: Mixed Zone






Figure 10: Rural Zone



7.2.2 Demand/Length Graph

Figure 11: Demand Length Rates and CMD Rates by Zone



7.2.3 Forecast Tariff Revenue

The following table details the forecast distribution reference service revenue, by tariff, which will be collected from distribution connection points.



Table 7.2: Distribution Reference Service Revenue Recovered from Distribution Connection Points for 2018/19 (\$M Nominal, annualised values)

| Reference Tariff | kWh | Number Customers | Forecast Distribution Revenue Recovered |
|--|----------------|---------------------|--|
| RT1 - Anytime Energy (Residential) | 4,234,000,000 | 803,987 | 572.7 |
| RT2 - Anytime Energy (Business) | 1,051,000,000 | 73,608 | 151.0 |
| RT3 - Time of Use Energy (Residential) | 60,000,000 | 7,993 | 6.6 |
| RT4 - Time of Use Energy (Business) | 965,000,000 | 9,760 | 90.3 |
| RT5 - High Voltage Metered Demand | 672,000,000 | 288 | 26.3 |
| RT6 - Low Voltage Metered Demand | 2,029,000,000 | 3,901 | 125.0 |
| RT7 - High Voltage Contract Maximum Demand | 3,089,000,000 | 285 | 55.1 |
| RT8 - Low Voltage Contract Maximum Demand | 196,000,000 | 57 | 9.7 |
| RT9 – Streetlighting | 134,000,000 | 272,664 | 41.2 |
| RT10 - Unmetered Supplies | 37,000,000 | 16,198 | 4.8 |
| RT11 - Distribution Entry | - | 20 | 2.2 |
| RT13 – Anytime Energy (Residential) Bi-directional | 1,012,000,000 | 204,050 | 141.0 |
| RT14 – Anytime Energy (Business) Bi-directional | 59,000,000 | 1,363 | 6.5 |
| RT15 – Time of Use (Residential) Bi-directional | 53,000,000 | 9,631 | 6.5 |
| RT16 – Time of Use (Business) Bi-directional | 102,000,000 | 548 | 9.0 |
| RT17 - Time of Use Energy (Residential) | 0 | 0 | - |
| RT18 - Time of Use Energy (Business) | 0 | 0 | - |
| TOTAL – Reference Services | 13,693,000,000 | 1,404,415 | 1,248.0 |
| TOTAL – Non-Reference Services | | | 0.7 |
| TOTAL | | | 1,248.7 |

7.3 Demonstration that Distribution Reference Tariffs are between incremental and stand-alone cost of service provision

In accordance with section 7.3(b) of the *Code*, reference tariffs are set to at least recover the incremental cost, but to be less than the stand-alone cost of service provision. The following table demonstrates the outcomes for 2018/19.



Table 7.3: Demonstration Reference Tariffs are between incremental and stand-alone cost of service provision for 2018/19 (\$M Nominal, annualised revenue)

| Reference Service | Reference Tariff | Incremental Cost of Service | Stand-alone Cost of Service Provision | Forecast Revenue Recovered from Reference Tariff |
|----------------------|---------------------|--------------------------------|--|--|
| A1 | RT1 | 204.8 | 618.1 | 565.6 |
| A2 | RT2 | 49.8 | 368.0 | 152.1 |
| А3 | RT3 | 2.9 | 109.4 | 6.6 |
| A4 | RT4 | 42.2 | 299.1 | 91.9 |
| A5 | RT5 | 19.0 | 516.5 | 23.8 |
| A6 | RT6 | 44.8 | 452.1 | 116.6 |
| A7 | RT7 | 21.8 | 78.2 | 105.8 |
| A8 | RT8 | 3.8 | 14.6 | 12.2 |
| A9 | RT9 | 19.6 | 279.4 | 41.6 |
| A10 | RT10 | 0.8 | 308.4 | 4.8 |
| C1 | RT13 | 54.4 | 166.2 | 139.3 |
| C2 | RT14 | 3.5 | 33.6 | 6.6 |
| C3 | RT15 | 2.5 | 119.4 | 6.6 |
| C4 | RT16 | 6.1 | 24.1 | 9.2 |
| D1 | RT17 | 0 | 0 | - |
| D2 | RT18 | 0 | 0 | - |

7.3.1 Method to calculate incremental and stand-alone cost of service provision

Western Power has updated the method used to derive incremental cost in Table 7.3. The definition of incremental cost in the *Code* requires Western Power to consider only that portion of approved total costs that would be avoided if the customer group was not served. As most elements of total costs are fixed and relate to the Regulated Asset Base, these costs have been excluded. In any one year of an *access arrangement*, the only cost savings that would result from not serving a customer group would be the operating costs allocated to that customer group. As such, the method to determine incremental costs considers only operating costs.

Once this adjustment to total costs for incremental costs has been made, the values in Table 7.3 are derived during the cost of supply modelling process. For the stand-alone costs, each service is allocated a combination of fixed and variable cost pools calculated as per this document. Table 7.4 demonstrates the allocations made.



Table 7.4 – Cost pools used to determine stand-alone cost

| Stand-a | alone cost |
|---------|------------|
|---------|------------|

Fixed and variable transmission costs allocated to the service

Metering costs allocated to the service

Variable distribution costs allocated to the service

The relevant fixed distribution costs allocated to the service

7.4 Demonstration that incremental costs are recovered through variable components

Section 7.6 of the *Code* states that the incremental cost of service provision should be recovered by the variable components of tariffs. Western Power has had regard to this requirement in setting tariffs. The following table shows that the variable components for 2018/19 tariffs exceeds the incremental cost calculated in section 7.3 for all tariffs.

Table 7.5: Demonstration that variable costs exceed incremental costs (\$M Nominal)

| Reference Service | Reference Tariff | Incremental Cost of Service | Variable tariff components |
|-------------------|------------------|-----------------------------|----------------------------|
| A1 | RT1 | 204.8 | 360.5 |
| A2 | RT2 | 49.8 | 119.5 |
| A3 | RT3 | 2.9 | 4.7 |
| A4 | RT4 | 42.2 | 95.5 |
| A5 | RT5 | 19.0 | 34.1 |
| A6 | RT6 | 44.8 | 140.7 |
| A7 | RT7 | 21.8 | 66.9 |
| A8 | RT8 | 3.8 | 5.6 |
| A9 | RT9 | 19.6 | 34.6 |
| A10 | RT10 | 0.8 | 1.7 |
| C1 | RT13 | 54.4 | 86.2 |
| C2 | RT14 | 3.5 | 6.7 |
| C3 | RT15 | 2.5 | 3.9 |
| C4 | RT16 | 6.1 | 10.3 |
| D1 | RT17 | | |
| D2 | RT18 | | |

7.5 Annual Price Review

At the end of each year, the actual distribution reference service revenue entitlement is reconciled against the actual distribution reference service revenue recovered for that year, and an equivalent correction factor is applied to the forecast reference service revenue for the subsequent year. Tariffs are then adjusted to recover the corrected revenue for the following year and the new prices published.

Distribution prices can be volatile due to matters beyond the control of any one user. In order to minimise this volatility and reduce the commercial uncertainty for users, revenues are subject to an annual 'side constraint' (effectively a limit on annual reference tariff revenue changes) as detailed in the *access arrangement*. This side constraint will, by extension, have a controlling effect on price movements.

7.6 TEC in the Distribution Components of Distribution Reference Tariffs

This section details the amounts associated with TEC that are embedded within the distribution reference tariff components.

Western Power pays TEC to the WA State Government to contribute towards maintaining the financial viability of Horizon Power under Part 9A of the *Electricity Industry Act 2004*. The purpose of TEC is to enable the regulated retail tariffs for electricity that is not supplied from the South West interconnected system (SWIS) to be, so far as is practicable, the same as the regulated retail tariffs for electricity that is supplied from the SWIS.

The graphs and tables detailed in previous sections are inclusive of TEC. The tables that follow in this section separate out the amounts of TEC that are embedded within the distribution reference tariff components.

7.6.1 TEC Forecast Revenue

The following table details the forecast TEC, by tariff, which will be collected from distribution connection points.

Table 7.6 - TEC Recovered from Distribution Connection Points for 2018/19 (\$M Nominal, annualised values)

| Reference Tariff | kWh | Number Customers | Forecast TEC Recovered |
|---|---------------|------------------|---------------------------|
| RT1 - Anytime Energy (Residential) | 4,234,000,000 | 803,987 | 78.2 |
| RT2 - Anytime Energy (Business) | 1,051,000,000 | 73,608 | 19.9 |
| RT3 - Time of Use Energy (Residential) | 60,000,000 | 7,993 | 0.9 |
| RT4 - Time of Use Energy (Business) | 965,000,000 | 9,760 | 17.3 |
| RT5 - High Voltage Metered Demand | 672,000,000 | 288 | 10.6 |
| RT6 - Low Voltage Metered Demand | 2,029,000,000 | 3,901 | 41.2 |
| RT7 - High Voltage Contract Maximum Demand | 3,089,000,000 | 285 | 4.9 |



| Reference Tariff | kWh | Number Customers | Forecast TEC Recovered |
|---|---------------|------------------|---------------------------|
| RT8 - Low Voltage Contract Maximum Demand | 196,000,000 | 57 | 1.4 |
| RT9 – Streetlighting | 134,000,000 | 272,664 | 1.0 |
| RT10 - Unmetered Supplies | 37,000,000 | 16,198 | 0.3 |
| RT11 - Distribution Entry | - | 20 | - |
| RT13 – Anytime Energy (Residential) Bidirectional | 1,012,000,000 | 204,050 | 18.7 |
| RT14 – Anytime Energy (Business) Bidirectional | 59,000,000 | 1,363 | 1.1 |
| RT15 – Time of Use (Residential) Bi- directional | 53,000,000 | 9,631 | 0.8 |
| RT16 – Time of Use (Business) Bidirectional | 102,000,000 | 548 | 1.9 |
| RT17 - Time of Use Energy (Residential) | 0 | 0 | - |
| RT18 - Time of Use Energy (Business) | 0 | 0 | - |
| TOTAL | | | 198.0 |

7.6.2 TEC Tariff Components – Use of System

The following table details the amounts associated with TEC that are embedded within the distribution reference tariff use of system components.

Table 7.7: TEC Tariff Components – UOS

| | | Fixed TEC | Variable TEC | | | | |
|--------------------------|--------------------------|-----------|--------------|------------------|-------------------|--|--|
| | | c/day | c/kWh | On Peak c/kWh | Off Peak c/kWh | | |
| Refe | Reference tariff 1 - RT1 | | | | | | |
| | TEC | - | 1.846 | - | - | | |
| Refe | rence tariff 2 - RT2 | | | | | | |
| | TEC | - | 1.890 | - | - | | |
| Refe | Reference tariff 3 - RT3 | | | | | | |
| | TEC | - | - | 2.692 | 0.770 | | |
| Reference tariff 4 - RT4 | | | | | | | |



| | TEC | - | - | 2.770 | 0.792 | | | |
|------|----------------------------|---|-------|-------|-------|--|--|--|
| Refe | Reference tariff 9 – RT9 | | | | | | | |
| | TEC | - | 0.727 | - | - | | | |
| Refe | Reference tariff 10 – RT10 | | | | | | | |
| | TEC | - | 0.766 | - | - | | | |
| Refe | Reference tariff 13 – RT13 | | | | | | | |
| | TEC | - | 1.846 | - | - | | | |
| Refe | rence tariff 14 – RT14 | | • | • | | | | |
| | TEC | - | 1.890 | - | - | | | |
| Refe | rence tariff 15 – RT15 | | | | | | | |
| | TEC | - | - | 2.692 | 0.770 | | | |
| Refe | Reference tariff 16 – RT16 | | | | | | | |
| | TEC | - | - | 2.770 | 0.792 | | | |

7.6.3 TEC Tariff Components – Metered Demand

The following table details the amounts associated with TEC that are embedded within the distribution reference tariff metered demand components.

Table 7.8: TEC Tariff Components – Metered Demand

| | RT | 5 – TEC | RT6 – TEC | | |
|---|-------------|---|----------------|---|--|
| Demand (kVA) (Lower to upper threshold) | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | Fixed c/day | Demand (in excess of lower threshold) c/kVA/day | |
| 0 to 300 | 17.340 | 20.646 | 17.340 | 20.646 | |
| 300 to 1000 | 6,210.992 | 19.916 | 6,210.992 | 19.916 | |
| 1000 to 1500 | 20,152.467 | 7.244 | 20,152.467 | 7.244 | |

7.6.4 TEC Tariff Components – Demand Prices

The following table details the amounts associated with TEC that are embedded within the distribution reference tariff demand components.



Table 7.9: TEC Tariff Components – Demand Prices

| Pricing Zone | RT 7 and RT 8 – TEC | | |
|-------------------|---|--|--|
| | Fixed charge for first 1000 kVA (c per day) | Demand charge for 1000 <kva<7000 (c/kVA/day)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/day) |
| CBD | 6,311.754 | -1.052 | 0.000 |
| Goldfields Mining | 6,311.754 | -1.052 | 0.000 |
| Mixed | 6,311.754 | -1.052 | 0.000 |
| Rural | 6,311.754 | -1.052 | 0.000 |
| Urban | 6,311.754 | -1.052 | 0.000 |

Note: Users with demand greater than 7,000 kVA do not pay TEC. These users can usually choose between being transmission or distribution connected. TEC does not apply to transmission connected users. Charging TEC to distribution connected users with demand greater than 7,000 kVA would create a perverse incentive for users to transition to being transmission connected due to the additional charge. The variable demand charge between 1,000 and 7,000 kVA is negative so that when added to the fixed demand charge users with demand greater than 7,000 kVA do not pay TEC.

7.6.5 TEC Tariff Components – LV prices

The following table details the amounts associated with TEC that are embedded within the distribution reference tariff RT8.

Table 7.10: TEC Tariff Components – LV prices

| | Fixed | Demand (c/day) |
|-----------|-------|----------------|
| LV Prices | 0.00 | 1.996/kVA |

8. Price Changes

8.1 Side Constraint Demonstration

The following table demonstrates compliance with the side constraint as detailed in sections 6.5.13 and 6.5.14 of the *access arrangement*. The side constraints are reproduced below. Note for 2018/19, the side constraint represents the movement in annual prices, this is a weighted average of prices during the year. That is, 4 months of existing prices combined with 8 months of new prices.

For distribution tariff revenues:

$$\frac{\sum_{y=1}^{n} p_{t}^{xy} q_{t}^{xy}}{\sum_{y=1}^{n} p_{t-1}^{xy} q_{t}^{xy}} \le (1 + CPI_{t})(1 - DX_{t}) + A'_{t} + 0.02$$

where:

$$A'_{t} = \frac{DK_{t} + DAA3_{t} + \Delta TEC_{t}}{DR'_{t}}$$

For transmission tariff revenues:

$$\frac{\sum_{y=1}^{n} p_{t}^{xy} q_{t}^{xy}}{\sum_{y=1}^{n} p_{t-1}^{xy} q_{t}^{xy}} \leq (1 + CPI_{t})(1 - TX_{t}) + B'_{t} + 0.02$$

where:

$$B'_{t} = \frac{TK_{t} + TAA3_{t}}{TR'_{t}}$$

The following values have been used to calculate the right hand side of each side constraint in 2018/19:

Table 8.1: 2018/19 Side Constraint Components

| Variable | Value | Variable | Value |
|------------------|--------|-------------------|------------|
| CPI _t | 1.84% | DAA3 _t | 0 |
| DX _t | 3.29% | TAA3 _t | 0 |
| TXt | -6.95% | ΔTECt | \$31M |
| TKt | \$0m | TR' _t | \$314.0M |
| DK _t | \$0m | DR' _t | \$1,032.6M |
| A' _t | 3% | B' _t | 0% |

Side constraint values:

Table 8.2: Side constraint values

| Distribution | Constraint | Transmission | Constraint |
|---|------------|---|------------|
| (1+CPI _t)(1-DX _t)+A' _t +0.02 | 3.5% | (1+CPI _t)(1-TX _t)+B' _t +0.02 | 10.9% |

Table 8.3: Demonstrates compliance with these constraints on all tariffs

| Tariff | Change in weighted average prices | | Constrain | t compliance |
|--------|-----------------------------------|-----|-----------|--------------|
| RT1 | 2% | 8% | ✓ | ✓ |
| RT2 | 3% | 8% | ✓ | ✓ |
| RT3 | -1% | 8% | ✓ | ✓ |
| RT4 | 3% | 8% | ✓ | ✓ |
| RT5 | 2% | 8% | ✓ | ✓ |
| RT6 | 3% | 8% | ✓ | ✓ |
| RT7 | 0% | 8% | ✓ | ✓ |
| RT8 | 2% | 8% | ✓ | ✓ |
| RT9 | 0% | 8% | ✓ | ✓ |
| RT10 | 3% | 8% | ✓ | ✓ |
| RT11 | 0% | 8% | ✓ | ✓ |
| RT13 | 2% | 8% | ✓ | ✓ |
| RT14 | 0% | 8% | ✓ | ✓ |
| RT15 | 0% | 8% | ✓ | ✓ |
| RT16 | 2% | 8% | ✓ | ✓ |
| RT17 | N/A | N/A | N/A | N/A |
| RT18 | N/A | N/A | N/A | N/A |
| TRT1 | N/A | 7% | N/A | ✓ |
| TRT2 | N/A | 6% | N/A | ✓ |

8.2 Individual component changes

The following tables detail the % change in the 2018/19 tariff components when compared to the 2016/17 tariff components (noting that there was no 2017/18 Price List).

8.2.1 Use of System Prices

The % changes in the following table are applicable for reference tariffs: RT1, RT2, RT3, RT4, RT9, RT10, RT13, RT14, RT15 and RT16.

Table 8.4: System Prices RT1, RT2, RT3, RT4, RT9, RT10, RT13, RT14, RT15 and RT16⁵

| | Fixed Price Energy Rates | | | | |
|--------------------------|--------------------------|---------------------|---------------------|----------------------|--|
| | % Change | Anytime % Change | On Peak % Change | Off Peak % Change | |
| Reference tariff 1 - RT1 | | | | | |
| Transmission | | 12.2% | | | |
| Distribution | 7.3% | 6.0% | | | |
| Bundled Tariff | 7.3% | 7.2% | | | |
| Reference tariff 2 – RT2 | | <u>'</u> | | | |
| Transmission | | 12.3% | | | |
| Distribution | 21.7% | 4.4% | | | |
| Bundled Tariff | 21.7% | 5.7% | | | |
| Reference tariff 3 - RT3 | - | - | | | |
| Transmission | | | 12.3% | 12.3% | |
| Distribution | 7.3% | | 5.1% | 6.4% | |
| Bundled Tariff | 7.3% | | 6.5% | 7.5% | |
| Reference tariff 4 - RT4 | Reference tariff 4 - RT4 | | | | |
| Transmission | | | 12.3% | 12.3% | |
| Distribution | 20.9% | | 4.7% | 6.0% | |
| Bundled Tariff | 20.9% | | 6.1% | 7.3% | |
| Reference tariff 9 – RT9 | | | | | |
| Transmission | | 12.3% | | | |

Note for 2018/19, the approach to metering prices has changed and so the comparison is no longer appropriate. The changes will be reported annually from 2019/20 based on the new approach to pricing. In general, metering prices have reduced significantly in AA4.



| | Fixed Price | | Energy Rates | |
|----------------------------|-------------|---------------------|---------------------|----------------------|
| | % Change | Anytime % Change | On Peak % Change | Off Peak % Change |
| Distribution | 12.5% | 4.4% | | |
| Bundled Tariff | 12.5% | 6.1% | | |
| Reference tariff 10 – RT10 | | | | |
| Transmission | | 12.3% | | |
| Distribution | 4.1% | 4.3% | | |
| Bundled Tariff | 4.1% | 5.5% | | |
| Reference tariff 13 – RT13 | | | | |
| Transmission | | 12.2% | | |
| Distribution | 7.3% | 6.0% | | |
| Bundled Tariff | 7.3% | 7.2% | | |
| Reference tariff 14 – RT14 | | | | |
| Transmission | | 12.3% | | |
| Distribution | 21.7% | 4.4% | | |
| Bundled Tariff | 21.7% | 5.7% | | |
| Reference tariff 15 – RT15 | | | | |
| Transmission | | | 12.3% | 12.3% |
| Distribution | 7.3% | | 5.1% | 6.4% |
| Bundled Tariff | 7.3% | | 6.5% | 7.5% |
| Reference tariff 16 – RT16 | | | | |
| Transmission | | | 12.3% | 12.3% |
| Distribution | 20.9% | | 4.7% | 6.0% |
| Bundled Tariff | 20.9% | | 6.1% | 7.3% |



8.2.2 Streetlight Asset Prices

The % changes in the following table are applicable for reference tariff: RT9.

Table 8.5: Streetlight Asset Prices RT9

| Light Specification | Annual Charge % Change |
|-----------------------|------------------------|
| 42W CFL SE | -4.3% |
| 42W CFL BH | -4.3% |
| 42W CFL KN | -4.3% |
| 70W MH | -4.3% |
| 70W HPS | -4.3% |
| 125W MV | -4.3% |
| 150W MH | -4.3% |
| 150W HPS | -4.3% |
| 250W MH | -4.3% |
| 250W HPS | -4.3% |
| Standard LED 20W | - |
| Standard LED 36W | - |
| Standard LED 53W | - |
| Standard LED 80W | - |
| Standard LED 160W | - |
| Standard LED 170W | - |
| Decorative BH LED 17W | - |
| Decorative KN LED 17W | - |
| Decorative LED 34W | - |
| Decorative LED 42W | - |
| Decorative LED 80W | - |
| Decorative LED 100W | - |

Table 8.6: Streetlight Asset Prices RT9

| Light Specification | Annual Charge % Change |
|---------------------|------------------------|
| 50W MV | -4.3% |
| 70W MV | -4.3% |
| 80W MV | -4.3% |
| 150W MV | -4.3% |
| 250W MV | -4.3% |
| 400W MV | -4.3% |
| 40W FLU | -4.3% |
| 80W HPS | -4.3% |
| 125W HPS | -4.3% |
| 100W INC | -4.3% |
| 80W MH | -4.3% |
| 125W MH | -4.3% |
| 22W LED | 0.0% |

8.2.3 Metered Demand Prices

The % changes in the following table are applicable for reference tariff: RT5.

Table 8.7: Metered Demand Prices RT5

| | Transmission | | Dist | ribution | Bundled Tariff | | |
|---|-------------------|--|-------------------|--|-------------------|--|--|
| Demand (kVA) (Lower to upper threshold) | Fixed % Change | Demand (in excess of lower threshold) % Change | Fixed % Change | Demand (in excess of lower threshold) % Change | Fixed % Change | Demand (in excess of lower threshold) % Change | |
| 0 to 300 | | 12.3% | 6.9% | 7.1% | 6.9% | 8.3% | |
| 300 to 1000 | 12.3% | 12.3% | 7.1% | 9.6% | 8.2% | 10.3% | |
| 1000 to 1500 | 12.3% | 12.3% | 8.7% | 8.1% | 9.5% | 9.3% | |

The % changes in the following table are applicable for reference tariff: RT6.

Table 8.8: Percent changes for reference tariff RT6

| | Transmission | | Distribution | | Bundled Tariff | | |
|---|--------------------|---|-------------------|--|-------------------|--|--|
| Demand (kVA) (Lower to upper threshold) | Fixed % Changes | Demand (in excess of lower threshold) % Changes | Fixed % Change | Demand (in excess of lower threshold) % Change | Fixed % Change | Demand (in excess of lower threshold) % Change | |
| 0 to 300 | | 12.3% | 5.3% | 6.9% | 5.3% | 8.1% | |
| 300 to 1000 | 12.3% | 12.3% | 6.5% | 8.7% | 7.8% | 9.5% | |
| 1000 to 1500 | 12.3% | 12.3% | 7.9% | 6.3% | 8.9% | 7.7% | |

8.2.4 Demand Prices

The % changes in the following table are applicable for reference tariff: RT7 and RT8.

Table 8.9: Percent changes for reference tariff RT7 and RT8

| | | | Trans | smissior |) | Dis | tributio | on | | Bundle | ed |
|--------------------|------|----------------------|--|---|---|--|---|---|--|---|---|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) |
| Cook Street | WCKT | CBD | 12.3% | 12.3% | 12.3% | 4.0% | -1.9% | 0.0% | 6.4% | 5.9% | 6.0% |
| Forrest Avenue | WFRT | CBD | 12.3% | 12.3% | 12.3% | 4.0% | -1.9% | 0.0% | 6.4% | 5.9% | 6.0% |
| Hay Street | WHAY | CBD | 12.3% | 12.3% | 12.3% | 4.0% | -1.9% | 0.0% | 6.4% | 5.9% | 6.0% |
| Milligan Street | WMIL | CBD | 12.3% | 12.3% | 12.3% | 4.0% | -1.9% | 0.0% | 6.4% | 5.9% | 6.0% |
| Wellington Street | WWNT | CBD | 12.3% | 12.3% | 12.3% | 4.0% | -1.9% | 0.0% | 6.4% | 5.9% | 6.0% |
| Black Flag | WBKF | Goldfields Mining | 12.3% | 12.3% | 12.3% | 4.0% | -3.5% | 0.0% | 6.4% | 9.4% | 8.9% |
| Boulder | WBLD | Goldfields Mining | 12.3% | 12.3% | 12.3% | 4.0% | -3.5% | 0.0% | 6.4% | 9.2% | 8.7% |
| Bounty | WBNY | Goldfields Mining | 12.3% | 12.3% | 12.3% | 4.0% | -3.5% | 0.0% | 6.4% | 10.5 % | 10.0% |
| West Kalgoorlie | WWKT | Goldfields Mining | 12.3% | 12.3% | 12.3% | 4.0% | -3.5% | 0.0% | 6.4% | 8.9% | 8.4% |
| Albany | WALB | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 7.6% | 7.4% |
| Boddington | WBOD | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.2% | 5.5% |
| Bunbury Harbour | WBUH | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.1% | 5.4% |
| Busselton | WBSN | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.4% | 6.4% |
| Byford | WBYF | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.4% | 5.6% |
| Capel | WCAP | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.0% | 6.1% |
| Chapman | WCPN | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 7.0% | 6.9% |
| Darlington | WDTN | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.7% | 5.9% |



| | | | Trans | smissior | | Dis | tributio | on | | Bundle | ed |
|--------------------|------|-----------------|--|--|---|--|---|---|--|---|---|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c="" annum)<="" kva="" td=""><td>Demand Charge for kVA > 7000 (c/kVA/annum)</td><td>Fixed charge for first 1000 kVA (c per annum)</td><td>Demand charge for 1000<kva<7000 (c/kVA/annum)</kva<7000 </td><td>Demand Charge for kVA > 7000 (c/kVA/annum)</td><td>Fixed charge for first 1000 kVA (c per annum)</td><td>Demand charge for 1000<kva<7000 (c/kVA/annum)</kva<7000 </td><td>Demand Charge for kVA > 7000 (c/kVA/annum)</td></kva<7000> | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) |
| Durlacher Street | WDUR | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.6% | 6.6% |
| Eneabba | WENB | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.4% | 6.4% |
| Geraldton | WGTN | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.6% | 6.6% |
| Marriott Road | WMRR | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.0% | 5.3% |
| Muchea | WMUC | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.7% | 5.9% |
| Northam | WNOR | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.7% | 6.7% |
| Picton | WPIC | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.4% | 5.6% |
| Rangeway | WRAN | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.8% | 6.8% |
| Sawyers Valley | WSVY | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 6.4% | 6.4% |
| Yanchep | WYCP | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 5.7% | 5.8% |
| Yilgarn | WYLN | Mixed | 12.3% | 12.3% | 12.3% | 4.0% | -1.6% | 0.0% | 6.4% | 7.4% | 7.2% |
| Baandee | WBDE | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.4% | 8.9% |
| Beenup | WBNP | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.6% | 9.1% |
| Bridgetown | WBTN | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.3% | 7.9% |
| Carrabin | WCAR | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.7% | 9.1% |
| Collie | WCOE | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.8% | 8.3% |
| Coolup | WCLP | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.1% | 8.6% |
| Cunderdin | WCUN | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.2% | 8.7% |
| Katanning | WKAT | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.0% | 8.5% |
| Kellerberrin | WKEL | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.4% | 8.8% |
| Kojonup | WKOJ | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 7.9% | 7.6% |
| Kondinin | WKDN | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.2% | 7.7% |
| Manjimup | WMJP | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.3% | 7.8% |



| | | | Trans | missior | | Dis | tributio | on | | Bundle | ed |
|---------------------------|------|-----------------|--|---|---|--|---|---|--|---|---|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) |
| Margaret River | WMRV | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.0% | 8.5% |
| Merredin | WMER | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.1% | 8.6% |
| Moora | WMOR | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.3% | 7.9% |
| Mount Barker | WMBR | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.1% | 8.6% |
| Narrogin | WNGN | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.4% | 8.9% |
| Pinjarra | WPNJ | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 7.2% | 7.0% |
| Regans | WRGN | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.4% | 7.9% |
| Three Springs | WTSG | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.3% | 7.9% |
| Wagerup | WWGP | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 7.0% | 6.8% |
| Wagin | WWAG | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.0% | 8.5% |
| Wundowie | WWUN | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 8.7% | 8.2% |
| Yerbillon | WYER | Rural | 12.3% | 12.3% | 12.3% | 4.0% | -3.6% | 0.0% | 6.4% | 9.6% | 9.0% |
| Amherst | WAMT | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Arkana | WARK | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Australian Paper Mills | WAPM | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Balcatta | WBCT | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Beechboro | WBCH | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Belmont | WBEL | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Bentley | WBTY | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Bibra Lake | WBIB | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| British Petroleum | WBPM | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Canning Vale | WCVE | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |



| | | | Trans | smissior | | Dis | tributio | on | | Bundle | ed |
|--------------------|------|-----------------|--|--|---|--|---|---|--|---|---|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c="" annum)<="" kva="" th=""><th>Demand Charge for kVA > 7000 (c/kVA/annum)</th><th>Fixed charge for first 1000 kVA (c per annum)</th><th>Demand charge for 1000<kva<7000 (c/kVA/annum)</kva<7000 </th><th>Demand Charge for kVA > 7000 (c/kVA/annum)</th><th>Fixed charge for first 1000 kVA (c per annum)</th><th>Demand charge for 1000<kva<7000 (c/kVA/annum)</kva<7000 </th><th>Demand Charge for kVA > 7000 (c/kVA/annum)</th></kva<7000> | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) |
| Clarence Street | WCLN | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Clarkson | WCKN | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Cockburn Cement | WCCT | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Collier | WCOL | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Cottesloe | WCTE | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Edmund Street | WEDD | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Forrestfield | WFFD | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Gosnells | WGNL | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Hadfields | WHFS | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Hazelmere | WHZM | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Henley Brook | WHBK | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Herdsman Parade | WHEP | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Joel Terrace | WJTE | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Joondalup | WJDP | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Kalamunda | WKDA | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Kambalda | WKBA | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 10.4 % | 9.5% |
| Kewdale | WKDL | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Landsdale | WLDE | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Maddington | WMDN | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Malaga | WMLG | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Mandurah | WMHA | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Manning Street | WMAG | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |



| | | | Trans | smission | n e | Dis | tributio | on | | Bundle | ed |
|--------------------|------|-----------------|--|--|---|--|---|---|--|---|---|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c="" annum)<="" kva="" th=""><th>Demand Charge for kVA > 7000 (c/kVA/annum)</th><th>Fixed charge for first 1000 kVA (c per annum)</th><th>Demand charge for 1000<kva<7000 (c/kVA/annum)</kva<7000 </th><th>Demand Charge for kVA > 7000 (c/kVA/annum)</th><th>Fixed charge for first 1000 kVA (c per annum)</th><th>Demand charge for 1000<kva<7000 (c/kVA/annum)</kva<7000 </th><th>Demand Charge for kVA > 7000 (c/kVA/annum)</th></kva<7000> | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) |
| Mason Road | WMSR | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Meadow Springs | WMSS | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Medical Centre | WMCR | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Medina | WMED | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Midland Junction | WMJX | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Morley | WMOY | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Mullaloo | WMUL | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Mundaring Weir | WMWR | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Munday | WMDY | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Murdoch | WMUR | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Myaree | WMYR | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Nedlands | WNED | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| North Beach | WNBH | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| North Fremantle | WNFL | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| North Perth | WNPH | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| O'Connor | WOCN | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Osborne Park | WOPK | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Padbury | WPBY | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Piccadilly | WPCY | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 10.2 | 9.4% |
| Riverton | WRTN | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Rivervale | WRVE | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Rockingham | WROH | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |



| | | | Trans | smission | 1 | Dis | stributio | on | ı | Bundle | ed |
|---------------------------|------|-----------------|--|---|---|--|---|---|---|---|---|
| Zone Substation | TNI | Pricing Zone | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) | Fixed charge for first 1000 kVA (c per annum) | Demand charge for 1000 <kva<7000 (c/kVA/annum)</kva<7000 | Demand Charge for kVA > 7000 (c/kVA/annum) |
| Shenton Park (old) | WSPA | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Shenton Park (new) | WSPK | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Sth Ftle Power Station | WSFT | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Southern River | WSNR | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Tate Street | WTTS | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| University | WUNI | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Victoria Park | WVPA | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Waikiki | WWAI | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Wangara | WWGA | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Wanneroo | WWNO | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Welshpool | WWEL | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Wembley Downs | WWDN | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Willetton | WWLN | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |
| Yokine | WYKE | Urban | 12.3% | 12.3% | 12.3% | 4.0% | -8.2% | 0.0% | 6.4% | 9.1% | 8.3% |



8.2.5 Demand-Length Prices

The % changes in the following table are applicable for reference tariffs: RT5, RT6, RT7, RT8 and RT11 and the CMD/DSOC is between 1,000 and 7,000 kVA.

Table 8.10: Demand Length Prices RT5, RT6, RT7, RT8 and RT11

| Pricing Zone | For kVA >1000 and first 10 km length % Change | For kVA >1000 and length in excess of 10 km % Change |
|--------------|---|--|
| CBD | N/A | N/A |
| Urban | 2.6% | 3.6% |
| Mining | 3.7% | 3.7% |
| Mixed | 3.7% | 2.4% |
| Rural | 3.3% | 2.7% |

The % changes in the following table are applicable for reference tariffs: RT7, RT8 and RT11 and the CMD/DSOC is at least 7,000 kVA.

Table 8.11: Demand-Length Charge RT7, RT8 and RT11

| Pricing Zone | For first 10 km length % Change | For length in excess of 10 km % Change |
|--------------|------------------------------------|---|
| CBD | N/A | N/A |
| Urban | 2.5% | 2.8% |
| Mining | 4.7% | 4.3% |
| Mixed | 4.1% | 3.3% |
| Rural | 4.6% | 2.4% |

8.2.6 Administration Prices

The % changes in the following table are applicable for reference tariffs: RT7 and RT8.

Table 8.12: Administration Prices RT7 and RT8

| Peak Demand | % Change |
|-------------|----------|
| >=7,000 kVA | 2.6% |
| <7,000 kVA | 2.8% |

8.2.7 Low Voltage Prices

The % changes in the following table are applicable for reference tariff: RT8.



Table 8.13: Low Voltage Prices RT8

| | % Change |
|--------|----------|
| Fixed | 4.8% |
| Demand | 6.9% |

8.2.8 Connection Prices

The % changes in the following table are applicable for reference tariff: RT11.

Table 8.14: Connection Prices RT11

| | % Change |
|------------------|----------|
| Connection Price | 12.3% |

8.2.9 Transmission Use of System Prices

The % changes in the following table are applicable for reference tariff: TRT1.

Table 8.15: Transmission Use of System Prices TRT1

| Substation | TNI | % Change |
|------------------------------|------|----------|
| Albany | WALB | 12.3% |
| Alcoa Pinjarra | WAPJ | 12.3% |
| Amherst | WAMT | 12.3% |
| Arkana | WARK | 12.3% |
| Australian Fused Materials | WAFM | 12.3% |
| Australian Paper Mills | WAPM | 12.3% |
| Baandee (WC) | WBDE | 12.3% |
| Balcatta | WBCT | 12.3% |
| Beckenham | WBEC | 12.3% |
| Beechboro | WBCH | 12.3% |
| Beenup | WBNP | 12.3% |
| Belmont | WBEL | 12.3% |
| Bentley | WBTY | 12.3% |
| Bibra Lake | WBIB | 12.3% |
| Binningup Desalination Plant | WBDP | 12.3% |



| Substation | TNI | % Change |
|----------------------|------|----------|
| Black Flag | WBKF | 12.3% |
| Boddington Gold Mine | WBGM | 12.3% |
| Boddington | WBOD | 12.3% |
| Boulder | WBLD | 12.3% |
| Bounty | WBNY | 12.3% |
| Bridgetown | WBTN | 12.3% |
| British Petroleum | WBPM | 12.3% |
| Broken Hill Kwinana | WBHK | 12.3% |
| Bunbury Harbour | WBUH | 12.3% |
| Busselton | WBSN | 12.3% |
| Byford | WBYF | 12.3% |
| Canning Vale | WCVE | 12.3% |
| Capel | WCAP | 12.3% |
| Carrabin | WCAR | 12.3% |
| Cataby Kerr McGee | WKMC | 12.3% |
| Chapman | WCPN | 12.3% |
| Clarence Street | WCLN | 12.3% |
| Clarkson | WCKN | 12.3% |
| Cockburn Cement | WCCT | 12.3% |
| Cockburn Cement Ltd | WCCL | 12.3% |
| Collie | WCOE | 12.3% |
| Collier | WCOL | 12.3% |
| Cook Street | WCKT | 12.3% |
| Coolup | WCLP | 12.3% |
| Cottesloe | WCTE | 12.3% |
| Cunderdin | WCUN | 12.3% |
| Darlington | WDTN | 12.3% |
| Edgewater | WEDG | 12.3% |



| Substation | TNI | % Change |
|----------------------------|------|----------|
| Edmund Street | WEDD | 12.3% |
| Eneabba | WENB | 12.3% |
| Forrest Ave | WFRT | 12.3% |
| Forrestfield | WFFD | 12.3% |
| Geraldton | WGTN | 12.3% |
| Glen Iris | WGNI | 12.3% |
| Golden Grove | WGGV | 12.3% |
| Gosnells | WGNL | 12.3% |
| Hadfields | WHFS | 12.3% |
| Hay Street | WHAY | 12.3% |
| Hazelmere | WHZM | 12.3% |
| Henley Brook | WHBK | 12.3% |
| Herdsman Parade | WHEP | 12.3% |
| Joel Terrace | WJTE | 12.3% |
| Joondalup | WJDP | 12.3% |
| Kalamunda | WKDA | 12.3% |
| Katanning | WKAT | 12.3% |
| Kellerberrin | WKEL | 12.3% |
| Kewdale | WKDL | 12.3% |
| Kojonup | WKOJ | 12.3% |
| Kondinin | WKDN | 12.3% |
| Kwinana Alcoa | WAKW | 12.3% |
| Kwinana Desalination Plant | WKDP | 12.3% |
| Kwinana PWS | WKPS | 12.3% |
| Landsdale | WLDE | 12.3% |
| Maddington | WMDN | 12.3% |
| Malaga | WMLG | 12.3% |
| Mandurah | WMHA | 12.3% |



| Substation | TNI | % Change |
|---------------------------------------|------|----------|
| Manjimup | WMJP | 12.3% |
| Manning Street | WMAG | 12.3% |
| Margaret River | WMRV | 12.3% |
| Marriott Road Barrack Silicon Smelter | WBSI | 12.3% |
| Marriott Road | WMRR | 12.3% |
| Mason Road | WMSR | 12.3% |
| Mason Road CSBP | WCBP | 12.3% |
| Mason Road Kerr McGee | WKMK | 12.3% |
| Meadow Springs | WMSS | 12.3% |
| Medical Centre | WMCR | 12.3% |
| Medina | WMED | 12.3% |
| Merredin 66kV | WMER | 12.3% |
| Midland Junction | WMJX | 12.3% |
| Milligan Street | WMIL | 12.3% |
| Moora | WMOR | 12.3% |
| Morley | WMOY | 12.3% |
| Mt Barker | WMBR | 12.3% |
| Muchea Kerr McGee | WKMM | 12.3% |
| Muchea | WMUC | 12.3% |
| Muja PWS | WMPS | 12.3% |
| Mullaloo | WMUL | 12.3% |
| Munday | WMDY | 12.3% |
| Murdoch | WMUR | 12.3% |
| Mundaring Weir | WMWR | 12.3% |
| Myaree | WMYR | 12.3% |
| Narrogin | WNGN | 12.3% |
| Nedlands | WNED | 12.3% |
| North Beach | WNBH | 12.3% |



| Substation | TNI | % Change |
|------------------------|------|----------|
| North Fremantle | WNFL | 12.3% |
| North Perth | WNPH | 12.3% |
| Northam | WNOR | 12.3% |
| Nowgerup | WNOW | 12.3% |
| O'Connor | WOCN | 12.3% |
| Osborne Park | WOPK | 12.3% |
| Padbury | WPBY | 12.3% |
| Parkeston | WPRK | 12.3% |
| Parklands | WPLD | 12.3% |
| Piccadilly | WPCY | 12.3% |
| Picton 66kv | WPIC | 12.3% |
| Pinjarra | WPNJ | 12.3% |
| Rangeway | WRAN | 12.3% |
| Regans | WRGN | 12.3% |
| Riverton | WRTN | 12.3% |
| Rivervale | WRVE | 12.3% |
| Rockingham | WROH | 12.3% |
| Sawyers Valley | WSVY | 12.3% |
| Shenton Park | WSPA | 12.3% |
| Southern River | WSNR | 12.3% |
| South Fremantle | WSFT | 12.3% |
| Summer St | WSUM | 12.3% |
| Sutherland | WSRD | 12.3% |
| Tate Street | WTTS | 12.3% |
| Three Springs | WTSG | 12.3% |
| Three Springs Terminal | WTST | 12.3% |
| Tomlinson Street | WTLN | 12.3% |
| University | WUNI | 12.3% |



| Substation | TNI | % Change |
|--------------------|------|----------|
| Victoria Park | WVPA | 12.3% |
| Wagerup | WWGP | 12.3% |
| Wagin | WWAG | 12.3% |
| Waikiki | WWAI | 12.3% |
| Wangara | WWGA | 12.3% |
| Wanneroo | WWNO | 12.3% |
| Wellington Street | WWNT | 12.3% |
| Welshpool | WWEL | 12.3% |
| Wembley Downs | WWDN | 12.3% |
| West Kalgoorlie | WWKT | 12.3% |
| Western Collieries | WWCL | 12.3% |
| Western Mining | WWMG | 12.3% |
| Westralian Sands | WWSD | 12.3% |
| Willetton | WWLN | 12.3% |
| Worsley | WWOR | 12.3% |
| Wundowie | WWUN | 12.3% |
| Yanchep | WYCP | 12.3% |
| Yerbillon | WYER | 12.3% |
| Yilgarn | WYLN | 12.3% |
| Yokine | WYKE | 12.3% |



The % changes in the following table are applicable for reference tariffs: RT11 and TRT2.

Table 8.16 Transmission Use of System Prices RT11 and TRT2

| Substation | TNI | % Change |
|------------------------|------|----------|
| Albany | WALB | 12.3% |
| Boulder | WBLD | 12.3% |
| Bluewaters | WBWP | 12.3% |
| Cockburn PWS | WCKB | 12.2% |
| Collgar | WCGW | 12.2% |
| Collie PWS | WCPS | 12.3% |
| Emu Downs | WEMD | 12.3% |
| Geraldton | WGTN | 12.3% |
| Greenough Solar Farm | TMGS | 12.3% |
| Kemerton PWS | WKEM | 12.3% |
| Kwinana Alcoa | WAKW | 12.3% |
| Kwinana Donaldson Road | WKND | 12.3% |
| Kwinana PWS | WKPS | 12.2% |
| Landwehr (Alinta) | WLWT | 12.3% |
| Mason Road | WMSR | 12.3% |
| Merredin Power Station | TMDP | 12.3% |
| Muja PWS | WMPS | 12.3% |
| Mumbida Wind Farm | TMBW | 12.3% |
| Mungarra GTs | WMGA | 12.2% |
| Newgen Kwinana | WNGK | 12.2% |
| Newgen Neerabup | WGNN | 12.3% |
| Oakley (Alinta) | WOLY | 12.3% |
| Parkeston | WPKS | 12.3% |
| Pinjar GTs | WPJR | 12.3% |
| Alcoa Pinjarra | WAPJ | 12.3% |
| Tiwest GT | WKMK | 12.3% |

| Substation | TNI | % Change |
|---------------------|------|----------|
| Wagerup | WWGP | 12.3% |
| Walkaway Windfarm | WWWF | 12.3% |
| West Kalgoorlie GTs | WWKT | 12.2% |
| Worsley | WWOR | 12.3% |

8.2.10 Common Service Prices

The % changes in the following table are applicable for reference tariff: TRT1.

Table 8.17: Common Service Prices TRT1

| | % Change |
|----------------------|----------|
| Common Service Price | 12.3% |

8.2.11 Control System Service Prices

The % changes in the following table are applicable for reference tariff: RT11 and TRT2.

Table 8.18: Control System Service Prices RT11 and TRT2

| | % Change |
|---|----------|
| Control System Service Price (Generators) | 7.8% |

The % changes in the following table are applicable for reference tariff: TRT1.

Table 8.19: Control System Service Prices TRT1

| | % Change |
|--------------------------------------|----------|
| Control System Service Price (Loads) | 12.3% |

8.2.12 Metering Prices

The % changes in the following table are applicable for reference tariffs: TRT1 and TRT2.

Table 8.20: Metering Prices TRT1 and TRT2

| | % Change |
|-----------------------|----------|
| Transmission Metering | -46.8 |



Appendix A

A.1 Price Setting for New Transmission Nodes Policy

This policy applies when a new transmission node is established.

Transmission "use of system" prices for both entry and exit points are derived using the computer based analysis tool T-Price, based on historical load flow information. In the case of new sites, historical data is not available.

However, there is a need for both Western Power and the prospective user to have a fairly accurate TUOS price and connection price. Western Power requires the prices to determine future revenues from the connection, and any associated capital contribution. The user requires the price and capital contribution for the purposes of project feasibility, and their internal approval processes.

This policy addresses this issue by providing a degree of price certainty over the medium term.

Policy Statement – Transmission Use of System Price (TUOS)

This policy will apply to new connection points on the transmission and distribution system where the prospect is that it will be a single connection point.

- Western Power will nominate a TUOS price consistent with all the principles described in this
 document based on the best available knowledge of the network parameters including asset values
 and expected load flows. This would also include necessary assumptions for maximum demand and
 utilisation at the new connection and also any other new or forecast connections.
- 2. That nominated nodal TUOS price will then be adjusted annually in line with the CMD weighted average TUOS price adjustment for all other load or generator transmission nodes (as applicable).
- 3. Once that connection point is established the nominated TUOS price (adjusted in accordance with step 2) will apply at the commencement of the access contract, with annual price adjustments at the start of each financial year of no greater than (plus or minus) the annual pricing side constraint as detailed in the *access arrangement*. (Thus, the nominated TUOS price will converge over time with and future price based on future T-Price runs.)
- 4. The TUOS price will be published once the connection point is commissioned.
- 5. Where another user subsequently connects to such a connection point the price that will apply will be the price applying to that connection point at the time.
- 6. The common service, metering and control system prices that apply in this circumstance will be the standard published prices.

Policy Statement – Transmission Connection Price

The transmission connection price, for new connections where there was no previous connection point, is determined in accordance with the principles described below. There are two categories in which the new connection point can fit.

A connection that is unlikely to be shared by other users.

In this case the connection asset would be dedicated to the single user. The asset can be constructed either by the user or by Western Power, and the user has the option to own the asset or to allow Western Power to own the asset.



Where Western Power will own the asset the capital contribution for the connection asset will be as determined by the Contributions Policy.

The annual connection price is calculated to recover to expected operations and maintenance costs for the connection asset and is currently set at 1.88% of the full capital cost. This percentage is based on the average of the ratio of the forecast Operations and Maintenance cost and the GODV of the transmission network over the *access arrangement* period. Once the annual connection price has been determined for a particular connection point, the price is adjusted annually by the all capitals consumer price index (CPI).

A connection point where there is a high likelihood that other users will connect in the future.

In this circumstance the user still retains the option of owning the connection asset. If the user prefers this option Western Power may require the ability to build connection assets for other users on the same site. Where the user does select this option the calculation of the capital contribution and the associated connection access price is on the same basis as the first option.

Where the user would prefer Western Power to own the connection asset, the connection access price would be the published price that applies to all multi-user substations within the Western Power Network. This published price would be used by Western Power to calculate the capital contribution for the connection asset.

Western Power will offer this option at its discretion depending on the likelihood of future users connecting to the connection point.

